

प्राकृतिक और कृत्रिम सुगंध सामग्री —
नमूनाकरण और परीक्षण के तरीके
भाग 2 इत्र सामग्री और नमूनों की प्रारंभिक परीक्षा
(तीसरा पुनरीक्षण)

**Natural and Synthetic Perfumery
Materials — Methods of Sampling
and Test**

**Part 2 Preliminary Examination of
Perfumery Materials and Samples**
(*Third Revision*)

ICS 71.100.60

© BIS 2023



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI - 110002
www.bis.gov.in www.standardsbis.in

FOREWORD

This Indian Standard (Third Revision) was adopted by the Bureau of Indian Standards after the draft finalized by the Fragrance and Flavour Sectional Committee had been approved by the Petroleum, Coal and Related Products Division Council.

This standard was first published in 1952 entitled as 'Methods of test for essential oils' and subsequently revised in 1968 as 'Methods of sampling and test for natural and synthetic perfumery materials'. Taking cognizance of the need to incorporate instrumental methods of analysis in vogue and to facilitate inclusion of additional test methods or changes in the existing test methods and also to align these test methods with the corresponding ISO Standards, the standard was subsequently revised in 1980 and the committee decided to split the standard and publish individual test methods as separate parts of the original standard.

In this revision, a new method, namely Karl Fischer Method has been introduced for the determination of water content. Also, Colour and Clarity have been removed from Preliminary Examination, since both of them can be detected visually.

In the preparation of this standard, considerable assistance has been derived from BS 2073 : 1976 Methods of test for essential oils. British Standards Institution.

The composition of the committee, responsible for the formulation of this standard is listed in Annex A.

For the purpose of deciding whether a particular requirement of this standard is complied with the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

*Indian Standard*NATURAL AND SYNTHETIC PERFUMERY MATERIALS —
METHODS OF SAMPLING AND TESTPART 2 PRELIMINARY EXAMINATION OF PERFUMERY
MATERIALS AND SAMPLES*(Third Revision)***1 SCOPE**

This standard (Part 2) prescribes the special tests for the detection of common impurities and adulterants in natural and synthetic perfumery materials.

2 REFERENCES

The standards listed below contain provisions which, through reference in text constitute provisions of this standard. At the time of publication, the editions indicated were valid. All the standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards listed below:

| <i>IS No.</i> | <i>Title</i> |
|--------------------------|--|
| IS 326 (Part 21) 2001 | :Methods of sampling and test for natural and synthetic perfumery materials: Part 21 Determination of water content — Karl fischer method. |
| IS 2284 : 1988 | Method for olfactory assessment of natural and synthetic perfumery materials |

3 TERMINOLOGY

For the purpose of this standard, the definitions of terms given in IS 6597 shall apply.

4 PRELIMINARY EXAMINATION**4.1 General**

The original containers selected for sampling and the test samples drawn, as the case may be shall be opened and the condition of the contents noted immediately and reported, particular attention being given to the following.

4.2 By-Note

Report if the material passes a by-note.

NOTE — For detailed olfactory assessment of natural and synthetic perfumery materials, refer to IS 2284. This method is based on a comparison of a given material with its corresponding standard sample.

4.3 Determination of Content of Alcohol Insoluble Solid Impurities**4.3.1 Outline of the Method**

Extraction of the perfumery material is done with ethanol and weighing of any residue after filtration.

4.3.2 Reagent**4.3.2.1 Ethanol** — 95 percent (v/v)**4.3.3 Apparatus**

4.3.3.1 Hot-air-oven — Capable of being maintained at $(105 \pm 1) ^\circ\text{C}$

4.3.4 Procedure

Weigh accurately about 20 g of the perfumery material into a conical flask. Add about 200 ml of ethanol, mix the content of the flask thoroughly and filter through a sintered glass crucible (porosity 4 is suitable) which has previously been dried in the oven at $105 ^\circ\text{C}$ and weighed. Wash any insoluble matter remaining in the flask into the crucible, suck dry and then dry the crucible and its contents in the oven at $105 ^\circ\text{C}$ until the loss of mass on drying in the oven for an additional 30 min does not exceed 1 mg.

4.3.5 Calculation

Content of alcohol-insoluble solid impurities,

$$\text{Percent by mass} = \frac{(m_3 - m_2)}{m_1} \times 100$$

where

m_1 = mass, in g, of the sample of perfumery material taken;

m_2 = mass, in g, of the empty sintered glass crucible; and

m_3 = mass, in g, of the sintered glass crucible and residue.

4.4 Determination of Water Content

4.4.1 General

Two methods are available for determination of the Water Content, namely Oven Drying Method and Karl Fischer Method. In the event of any dispute, Karl Fischer Method may be treated as the Referee Method.

4.4.2 Oven Drying Method

4.4.2.1 Outline of the method

Distillation of the perfumery materials is done with a water-immiscible solvent.

4.4.2.2 Reagent

Heptane — Clear and free from visible water, or toluene.

4.4.2.3 Apparatus

4.4.2.1 Dean and stark apparatus — With a distillation vessel of 500 ml capacity and a receiver of either 2 ml or 7.5 ml capacity. Clean the apparatus thoroughly with a mixture of potassium dichromate and concentrated sulphuric acid, rinse with clean water and dry before use.

4.4.2.2 Electric heating mantle or oil-bath

4.4.3 Procedure

Weigh $20 \text{ g} \pm 0.5 \text{ g}$ of the perfumery material into the distillation vessel. Half fill the vessel with solvent and add a few dry porcelain chips to regulate boiling. Assemble the apparatus. Maintain the contents of the flask at the boil using the heating mantle or oil-bath until the level of the water layer in the receiver remains constant for 30 min. Cool the apparatus to room temperature and detach any globules of water from the condenser wall by means of the spray tube.

NOTE — Read the volume of water in the receiver.

4.4.4 Calculation

$$\text{Content of water, percent by mass} = \frac{V \times 100 d}{m}$$

where

V = volume, in ml, of water collected in the receiver;

m = mass, in g, of perfumery material taken; and
 d = density of water at the air temperature (0.997 1 g/ml at 27 °C).

4.5 Karl-Fischer Method

For the determination of water content by Karl-Fischer Method, refer IS 326 (Part 21) : 2001/ISO 11021 : 1999 'Methods of sampling and test for natural and synthetic perfumery materials: Part 21 Determination of water content — Karl Fischer method'.

4.6 Preparation of the Material for Physico-Chemical Analysis

4.6.1 Remove as far as possible any visible water present in the sample by decanting, then add about 10 percent by mass of neutral, freshly ignited and powdered magnesium sulphate and shake the mixture vigorously from time to time during a period of 2 hours. Filter through paper and store if necessary in clean, dry, airtight, opaque, non-absorbent containers, preferably of glass or of metal on which the sample has no action. Fill the sample containers leaving a little air space to allow for expansion and immediately seal after filling. Use only new good quality corks or glass stoppers or screw-lids in the case of glass containers and new good quality corks or sore stoppers in the case of metal containers. To prevent contact with the sample, aluminium foil or other suitable material may be wrapped round corks. Protect samples from heat.

4.6.2 In the case of perfumery materials which are solid or partly solid at room temperature (oils of rose and guaiac wood) warm the material just sufficiently to liquefy it and proceed as above, maintaining the temperature so that it remains liquid throughout.

4.6.3 The colour of some dark coloured perfumery materials may be lightened by shaking them intermittently for 10 min with 1 percent (m/m) of tartaric or citric acid. Filter and proceed as above.

ANNEX A

(Foreword)

COMMITTEE COMPOSITION

Fragrance and Flavour Sectional Committee, PCD 18

| <i>Organization</i> | <i>Representative(s)</i> |
|--|---|
| CSIR — Central Institute of Medical and Aromatic Plants, Lucknow | DR PRABODH K. TRIVEDI (Chairperson) |
| All India Agarbathi Manufacturers Association, Bengaluru | SHRI SARATH BABU P. S. |
| Aroma Sales Corporation, New Delhi | SHRI SUNIL KUMAR JAIN |
| Central Drugs Standard Control Organization, New Delhi | SHRI ASEEM SAHU |
| Central Drugs Testing Laboratory, Chennai | SHRIMATI C. VIJAYALAKSHMI |
| Central Revenue Control Laboratory, New Delhi | SHRI SUNEEL MATHUR SHRI PRAFUL DALAL (<i>Alternate</i>) |
| Centre for Aromatic Plants, Dehradun | SHRI NIRPENDRA K. CHAUHAN MS HEMA LOHANI (<i>Alternate</i>) |
| CKC Fragrance and Flavours Pvt Ltd, Kolkata | SHRI RISHAB KOTHARI SHRI CHANDRAKANT KOTHARI (<i>Alternate</i>) |
| Consumer Voice, New Delhi | SHRI B. K. MUKHOPADHYAY |
| CSIR — Central Food Technological Research Institute, Mysore | SHRI GIRIDHAR P. SHRI NAGARAJAN S. (<i>Alternate</i>) |
| CSIR — Indian Institute of Integrative Medicine, Jammu | RAJNEESH ANAND |
| CSIR — Indian Institute of Toxicology Research, Lucknow | DR ALOK DHAWAN SHRI SOMENDU KUMAR ROY (<i>Alternate I</i>) DR SHEELENDRA PRATAP SINGH (<i>Alternate II</i>) |
| CSIR — Institute of Himalayan Bio-Resource Technology, Palampur | DR VIJAI KANT AGNIHOTRI |
| CSIR — Central Institute of Medical and Aromatic Plants, Lucknow | DR SUDEEP TANDON DR CHANDAN S. CHANOTIYA (<i>Alternate</i>) |
| CSIR — North East Institute of Science and Technology, Jorhat | DR SAMIT CHATTOPADHYAY DR MOHAN LAL (<i>Alternate</i>) |
| D. V. Deo Industries, Cochin | SHRI ADITYA DEO |
| Essential Oil Association of India, Delhi | SHRI AJAY K. JAIN SHRI PRADEEP KUMAR JAIN (<i>Alternate</i>) |
| Fab Flavours and Fragrances Pvt Ltd, Delhi | SHRI GURNISH SINGH |

IS 326 (Part 2) : 2023

| <i>Organization</i> | <i>Representative(s)</i> |
|--|--|
| Forest Research Institute (FRI), Dehradun | DR V. K. VARSHNEY |
| Fragrance and Flavour Development Centre, Kannauj | SHRI S. V. SHUKLA SHRI NADEEM AKBAR (<i>Alternate</i>) |
| Fragrances and Flavours Association of India, Mumbai | SHRI RISHABH C. KOTHARI SHRI JAIDEEP GANDHI (<i>Alternate</i>) |
| Givaudan India Pvt Ltd, Mumbai | SHRI AJIT PAL SHRI ARSHDEEP K JOSHI (<i>Alternate</i>) |
| Indian Beauty and Hygiene Association, Mumbai | MS MALATHI NARAYANAN DR MANAS V. VYAS (<i>Alternate</i>) |
| Indian Pharmacopoeia Commission, Ghaziabad | DR JAI PRAKASH DR MANOJ KUMAR PANDEY (<i>Alternate</i>) |
| Indian Society of Cosmetic Chemists, Mumbai | MS MONISHA MULLICK DR BENEDICT MASCARENHAS (<i>Alternate</i>) |
| ITC Life Sciences and Technology Centre, Bengaluru | SHRI AVISEK MUKHOPADHYAY DR VIJAYAN PADMANABHAN (<i>Alternate</i>) |
| Jagat Aroma Oils Distillery, Kannauj | SHRI PRADEEP KAPOOR SHRI VIBHU KAPOOR (<i>Alternate</i>) |
| Karnataka Soaps and Detergents Ltd, Bengaluru | SHRI A. E. SHANKARE GOWDA DR MOKASHI (<i>Alternate</i>) |
| L Liladhar and Company, Mumbai | SHRI MADHUSOODAN MODY |
| Lalji Aromatics Pvt Ltd, Lucknow | SHRI RAHUL MEHROTRA |
| MSME Testing Center, New Delhi | SHRI MANOJ KUMAR SHRI VIPUL GAIKWAD (<i>Alternate I</i>) SHRI L. B. S. YADAV (<i>Alternate II</i>) |
| Nishant Aromas, Mumbai | SHRI RAMAKANT HARLALKA |
| Rakesh Sandal Industries, Kanpur | SHRI YOGESH DUBEY |
| S.H. Kelkar and Company Pvt Ltd, Mumbai | SHRI AMIT GULATI SHRI AVANI MAINKAR (<i>Alternate</i>) |
| Seth Brothers (Perfumers) Pvt Ltd, Delhi | SHRI ROHIT SETH SHRI VINOD KUMAR SETH (<i>Alternate</i>) |
| Shriram Institute for Industrial Research, Delhi | SHRI SUMANT KUMAR NAYAK SHRIMATI RADHIKA SHARMA (<i>Alternate</i>) |
| Som Extracts Ltd, Delhi | SHRI SANJAY VARSHNEY SHRI RAJA VARSHNEY (<i>Alternate</i>) |
| Ultra International Ltd, Ghaziabad | SHRI SANT SANGANERIA SHRIMATI BHUVANA NAGESHWARAN (<i>Alternate</i>) |

| <i>Organization</i> | <i>Representative(s)</i> |
|--|--|
| Voluntary Organization in Interest of Consumer Education (VOICE), New Delhi | SHRI M. A. U. KHAN |
| In Personal Capacity (<i>Flat No. 201, Vishakha CHS Ltd, off, Swami Netyanand Marg, Near Gokhale Bridge, Andheri East — 40006</i>) | SHRI G. S. RANADE |
| BIS Director General | SHRIMATI MEENAL PASSI, SCIENTIST 'F'/SENIOR DIRECTOR AND HEAD (PETROLEUM, COAL AND RELATED PRODUCTS) [REPRESENTING DIRECTOR GENERAL (<i>Ex-officio</i>)] |

Member Secretary
SHRI SOURAV MONDAL
SCIENTIST 'B'/ASSISTANT DIRECTOR
(PETROLEUM, COAL AND RELATED PRODUCTS), BIS

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website- www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: PCD 18 (20421).

Amendments Issued Since Publication

| Amend No. | Date of Issue | Text Affected |
|-----------|---------------|---------------|
| | | |
| | | |
| | | |
| | | |

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002
Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.gov.in

Regional Offices:

| | Telephones |
|---|--------------------------|
| Central : 601/A, Konnectus Tower -1, 6 th Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002 | { 2323 7617 |
| Eastern : 8 th Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091 | { 2367 0012 2320 9474 |
| Northern : Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019 | { 265 9930 |
| Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113 | { 2254 1442 2254 1216 |
| Western : Plot No. E-9, Road No.-8, MIDC, Andheri (East), Mumbai 400093 | { 2821 8093 |

Branches : AHMEDABAD. BENGALURU. BHOPAL. BHUBANESHWAR. CHANDIGARH. CHENNAI. COIMBATORE. DEHRADUN. DELHI. FARIDABAD. GHAZIABAD. GUWAHATI. HIMACHAL PRADESH. HUBLI. HYDERABAD. JAIPUR. JAMMU & KASHMIR. JAMSHEDPUR. KOCHI. KOLKATA. LUCKNOW. MADURAI. MUMBAI. NAGPUR. NOIDA. PANIPAT. PATNA. PUNE. RAIPUR. RAJKOT. SURAT. VISAKHAPATNAM.