

5.2 Mean outside diameter and out-of-roundness

The mean outside diameters, d_{em} , and the out-of-roundness (ovality) shall be in accordance with Table 3.

Table 3 — Mean outside diameters and out-of-roundness

Dimensions in millimetres

Nominal size DN/OD	Nominal outside diameter d_n	Mean outside diameter ^a		Maximum out-of-roundness (ovality) ^b
		$d_{em, min}$	$d_{em, max}$	
12	12	12,0	12,3	1,2
16	16	16,0	16,3	1,2
20	20	20,0	20,3	1,2
25	25	25,0	25,3	1,2
32	32	32,0	32,3	1,3
40	40	40,0	40,4	1,4
50	50	50,0	50,5	1,4