

भारतीय मानक
Indian Standard

IS 10322 (Part 1) : 2014
(Reaffirmed 2019)

प्रदीपक

भाग 1 सामान्य अपेक्षाएँ और परीक्षण
(पहला पुनरीक्षण)

Luminaires

Part 1 General Requirements and Tests
(*First Revision*)

ICS 29.140.40

© BIS 2014



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली-110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI-110002
www.bis.org.in www.standardsbis.in

May 2014

Price Group 18

Illumination Engineering and Luminaires Sectional Committee, ET 24

FOREWORD

This Indian Standard (Part 1) (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Illumination Engineering and Luminaires Sectional Committee had been approved by the Electrotechnical Division Council.

This Standard (Part 1) was first published in 1982. Part 1 was one of the series of Indian Standards for luminaires. The series comprised of the following parts:

- Part 2 Constructional requirements,
- Part 3 Screw and screwless terminals,
- Part 4 Method of tests and
- Part 5 Particular requirements.

In this standard all the requirements which were earlier covered under Part 1 to Part 4 have been covered in this Part 1.

It is also intended to revise all the series of standards under IS 10322 (Part 5) to cover general and safety requirements for particular types of luminaries. The presentation of photometry data for luminaires shall also be covered in Part 5 dealing with various types of luminaires in line with publications issued by the International Commission on Illumination (CIE) and is not, therefore, included in Part 1.

In general this standard (Part 1) covers safety requirements for luminaires. The object of this standard is to provide a set of requirements and tests which are considered to be generally applicable to most types of luminaires and which can be called up as required by the detail specifications of IS 10322 (Part 5) and their sections. This standard 1 is thus not to be regarded as a specification in itself for any type of luminaires, and its provision apply only to particular types of luminaires to the extent determined by the appropriate section of Part 5.

Each section of Part 5 details requirements for a particular type of luminaires or a group of luminaires on supply voltages not exceeding 1 100 V shall be covered. These sections are published separately for ease of revision and additional sections will be added as and when a need for them is recognized.

The sections of Part 5, in making reference to any of the sections of Part 1, specify the extent to which that section is applicable and the order in which the tests are to be performed; they also include additional requirements as necessary.

The order in which various clauses of Part 1 are numbered has no particular significance as the order in which their provisions apply is determined for each type of luminaires or group of luminaire by the appropriate section of Part 5. All sections of Part 5 are self-contained and therefore do not contain references to other sections of Part 5.

Where the requirements of any of the sections of Part 1 are referred to in the sections of Part 5 by the phrase 'The requirements of section ... of IS 10322 shall apply', this phrase is to be interpreted as meaning that all the requirements of that clause of Part 1 apply except those which are clearly inapplicable to the particular type of luminaire covered by that section of Part 5.

In accordance with the present practice, Indian Standards are divided into those covering either safety or performance. In the lamp safety standards, 'Information for luminaire design' is given for the safe operation of lamps; this should be regarded as normative when testing luminaires to this standard.

Attention is drawn to lamp performance standards which contain 'information for luminaire design'; this should be followed for proper lamp operation; however, this standard does not require the testing of lamps performance as part of the type test approval for luminaries.

(Continued on third cover)

Indian Standard

LUMINAIRES

PART 1 GENERAL REQUIREMENTS AND TESTS

(First Revision)

SECTION 0 GENERAL INTRODUCTION	<i>IS No.</i>	<i>Title</i>
0.1 SCOPE	1271 : 1985	Thermal evaluation and classification of electrical insulation (<i>first revision</i>)
This standard (Part 1) specifies general requirements for luminaires, incorporating electric light source for operation from supply voltages up to 1 100 V. The requirements and related tests of this standard covers:	1258 : 2005	Bayonet lampholders (<i>second revision</i>)
a) Classification;	1293 : 2005	Plugs and socket-outlets of rated voltages up to and including 250 volts and rated current up to and 16 amperes (<i>third revision</i>)
b) Marking;	1401 : 2008/	Protection of persons and equipment by enclosures — Probes for verification (<i>second revision</i>)
c) Mechanical construction; and	IEC 61031 :	
d) Electrical construction.	1997	Safety transformers (<i>first revision</i>)
Each section of this standard 1 shall be read in conjunction with this Section 0 and with other relevant sections to which reference is made.	1416 : 1972	Starters for fluorescent lamps (<i>third revision</i>)
Attention is drawn to the fact that this standard 1 covers all aspects of safety (electrical, thermal and mechanical).	2215 : 1983	
The presentation of photometry data for luminaires is not included in this standard 1.	2824 : 1975	Method for determining the comparative tracking index of solid insulating materials under moist conditions (<i>first revision</i>)
Requirements are included in this standard 1 for luminaires incorporating ignitors with nominal peak values of the rated voltage pulse voltage not exceeding those of Table 11.2. The requirements apply to luminaires with ignitors built into ballast's and to luminaires with ignitors separate from ballasts. For luminaires with ignitors built into lamps, the requirements are under consideration.	3010 (Part 1) :	Appliance-connectors and appliance-inlets (non reversible three pin type): Part 1 Appliance connectors
	1965	
	3010 (Part 2) :	Appliance-connectors and appliance-inlets (non reversible three pin type): Part 2 Appliance inlets
	1965	
	3323 : 1980	Bi-pin lamp holders for tubular fluorescent (<i>first revision</i>)
Requirements for semi-luminaires are included in this standard 1.	5921 (Part 1) :	Metal clad base material for printed circuit for use in electronic and telecommunication equipment: Part 1 General requirements and test (<i>second revision</i>)
	1993	
0.2 REFERENCES		
The following standards are necessary adjunct to this standard:	6616 : 1982	Ballasts for high pressure mercury vapour lamps (<i>first revision</i>)
<i>IS No.</i>		<i>Title</i>
616 : 1986	7809 (All parts)	Guide for the determination of thermal endurance properties of electrical insulating materials
	8913 : 1978	Method of measurement of lamp cap temperature rise
	9000 (Part 7/	Basic environmental testing procedures for electronic and electrical items: Part 7 Impact test
694 : 1990	Sec 1 to 5) :	
	1979	
		PVC insulated cables for working voltages up to and including 1 100 V (<i>first revision</i>)

IS 10322 (Part 1) : 2014

IS No.	Title
9968 (Part 1) : 1988	Elastomer insulated cables : Part 1 For working voltages up to and including 1 100 V (<i>first revision</i>)
9974 (Part 1) : 1981	High pressure sodium vapour lamps: Part 1 General requirements and tests
9974 (Part 2) : 1981	High pressure sodium vapour lamps: Part 2 Standard lamp data sheets
10276 (Part 2) : 1982	Edison screw lamp holders: Part 2 Standard data sheets for lamp holders and gauges
10322 (Part 5)	Luminaires: Part 5 Particular requirements
10322 (Part 5/ Sec 4) : 1987	Luminaires: Part 5 Particular requirements, Section 4 Portable general purpose luminaires
11000 (Part 2/ Sec 2) : 1984	Fire hazard testing: Part 2 Test method, Section 2 Needle-flame test
11000 (Part 2/ Sec 1) : 1984	Fire hazard testing: Part 2 Test method, Sec 1 Glow wire test
11654 (All parts)	Flexible insulating sleeving
12063 : 1987	Classification of degrees of protection provided by enclosures of electrical equipment
15382 (Part 1) : 2003	Insulation coordination for equipment within low voltage system: Part 1 Principle requirements and test
15382 (Part 3) : 2006	Insulation coordination for equipment within low voltage system: Part 3 Use of coatings, potting or moulding for protection against pollution
12948 : 1990	Tungsten halogen lamps (non-vehicle)
15518 (Part 1) : 2004	Safety requirements for incandescent lamps: Part 1 Tungsten filament lamps for domestic and similar general lighting purposes
15687 (Part 1) : 2006	Single-capped fluorescent lamps: Part 1 Safety requirements
SP 30 : 1985	National Electrical Code
IS QC 302400 : 1994	Fixed capacitors for use in electronic equipment — Sectional specification for fixed capacitors for electromagnetic interference suppression and connection to the supply mains
ISO 75 (1987)	Plastic and ebonite — Determination of temperature of deflection under load

0.3 GENERAL REQUIREMENTS

Luminaires shall be so designed and constructed that in normal use they function safely and cause no danger

to persons or surroundings. In general, compliance is checked by carrying out all the tests specified.

0.3.1 A luminaire shall comply with relevant section of Part 2. If, however, an appropriate section of Part 2 does not exist for a particular luminaires or group of luminaries, the nearest applicable section of Part 2 may be used as a guide to the requirements and tests.

Where the design of a luminaire is such that two or more sections of Part 2 are applicable, the luminaire shall comply with both or all of the appropriate sections.

0.3.2 Semi-luminaires should be regarded as luminaires for test purposes.

0.4 GENERAL TEST REQUIREMENTS AND VERIFICATION

0.4.1 Tests according to this standard are type tests. For the definition of a 'Type test', *see* section 1.

NOTE — The requirements and tolerances permitted by this standard are related to testing of a type test sample submitted for that purpose. Compliance of the types test sample does not ensure compliance of the whole production of a manufacturer. Compliance for production is the responsibility of the manufacturer and may include routine tests and quality assurance in addition to type testing.

0.4.2 Except where otherwise specified in Part 1 or Part 2, luminaires shall be tested in an ambient temperature of between 15°C and 35°C. Luminaires shall be tested as delivered, and installed as in normal use, having regard to the manufacturer's installation instructions. The lamp (or lamps) is (are) not included except where essential for the test.

Luminaires cannot be regarded as meeting the requirements of this standard 1 unless all internal wiring is complete.

In general, the tests are made on a single sample luminaire or, where a range of similar luminaires are involved, on a single luminaire of each rated wattage in the range or on a representative selection from the range as agreed with the manufacturer (*see* Annex S). This selection shall include the luminaire, together with any attachments, which represents the most unfavourable combination from a testing point of view.

Each sample luminaire shall comply with all the relevant tests. In order to reduce the time of testing and to allow for any tests which may be destructive, the manufacturer may submit additional luminaires or parts of luminaires provided that these are of the same materials and design as the original luminaire and that the results of the test are the same as if carried out on an identical luminaire. Where the test for compliance is shown as being by inspection this shall include any necessary handling.

For track-mounted luminaires the manufacturer shall

IS 10322 (Part 1) : 2014

provide, together with the luminaire, a sample of the appropriate track, connector and adaptors for the luminaires to be connected.

Combination luminaires are tested for safety requirements with that assemblage of parts which gives the most unfavourable result.

Certain parts of luminaries, such as joints, raising and lowering devices, may be tested separately provided that the design of these parts is such that their performance is not dependent upon the other parts of the luminaries.

Luminaires intended to be used with non-detachable flexible cables or cords are tested with the flexible cable or cord connected to the luminaire.

For luminaires intended to be used with but not normally supplied with a shade, the luminaire manufacturer shall provide a shade, typical of the type that might be used with the luminaire.

0.4.3 Luminaires for testing to the requirements of this standard may have earlier test reports updated in accordance with this edition by submitting a new sample for test together with the previous test reports.

Full type testing need not generally be necessary and the product and the previous test results shall be reviewed only against any amended clauses marked 'R' and scheduled in Annex S.

NOTE — Clauses marked 'R' and scheduled in Annex R shall be included in future amendments/revisions (editions).

0.5 COMPONENTS OF LUMINARIES

0.5.1 Components, other than integral components, shall comply with the requirements of the relevant Indian Standards, if any.

Components which comply with the requirements of the relevant Indian Standards and are marked with individual ratings are checked to establish that they suit the conditions which may occur in use. Aspects of use not covered by the respective standard shall require them to satisfy the additional relevant requirements of this standard.

Compliance is checked by inspection and the relevant tests.

Integral components shall comply as far as is reasonable with the relevant Indian Standards on components if any, as part of the luminaire.

Internal wiring of a luminaire shall comply with the requirements in 5.3.

NOTES

1 This does not imply that components need to be separately tested before approval of the luminaire.

2 This does not exclude the use of standardized cables.

0.5.2 Components complying with the requirements of their own standard and used in accordance with their intended use, shall only be tested to the requirements of this standard where there are no requirements in the component standard (covering the requirements heading of this standard).

Lampholders and starter holders shall additionally comply with the gauging and interchangeability requirements of the appropriate standard where applicable after building into the luminaire.

NOTE — A valid test report should be considered adequate to show compliance.

0.5.3 Components for which no appropriate Indian Standard exists shall satisfy the relevant requirements of this luminaire standard as part of the luminaire. Lampholders and starterholders shall additionally comply with the gauging and interchangeability requirements of the appropriate component standard where applicable.

NOTE — Examples of components are lampholders, switches, transformers, ballasts, flexible cables and cords and plugs.

0.5.4 Compliance with this standard can only be assured if protective shields of identical specification are used.

SECTION 1 TERMINOLOGY

1.1 General

This section gives general definitions applicable to luminaires.

1.2 Terminology

For the purpose of all sections of this Part 1, the following definitions shall apply; other definitions related to lamps are to be found in the relevant lamp standards.

Where the terms 'voltage' and 'current' are used, they imply the r.m.s. values unless otherwise stated.

1.2.1 Luminaire — An apparatus which distributes, filters or transforms the light transmitted from one or more lamps and which includes all the parts necessary for supporting, fixing and protecting the lamps, but not the lamps themselves, and where necessary circuit auxiliaries together with the means for connecting them to the supply.

NOTE — A luminaire with integral non-replaceable lamps is regarded as a luminaire except that the tests are not applied to the integral lamps or integral self blasted lamp.

1.2.2 Main Part (of Luminaire) — It is that which is fixed to the mounting surface or is directly suspended from it or standing on it (it may or may not carry the lamps, lampholders and auxiliary gear).

IS 10322 (Part 1) : 2014

NOTE — In luminaires for tungsten filament lamps, the part carrying the lampholders is normally the main part.

1.2.3 Ordinary Luminaire — A luminaire providing protection against accidental contact with live parts but without any other special protection against dust, solid objects or moisture.

1.2.4 General Purpose Luminaire — A luminaire which is not designed for a special purpose.

NOTE — Examples of general purpose luminaires include pendants, some spotlights and certain fixed luminaires for surface or recessed mounting. Examples of special purpose luminaires are those for rough usage, photo and film applications and swimming-pools.

1.2.5 Adjusted Luminaires — A luminaire, the main part of which can be turned or moved by means of joints, raising and lowering devices, telescopic tubes or similar devices.

NOTE — An adjusted luminaire may be fixed or portable.

1.2.6 Basic Luminaire — The smallest number of assembled parts that can satisfy the requirements of any of the sections of Part 5 of IS 10322.

1.2.7 Combination Luminaire — A luminaire consisting of a basic luminaire in combination with one or more parts which may be replaced by other parts, or used in a different combination with other parts and changed either by hand or with the use of tools.

1.2.8 Fixed Luminaire — A luminaire which cannot easily be moved from one place to another, either because the fixing is such that the luminaire can only be removed with the aid of a tool, or because it is intended for use out of easy reach.

NOTE — In general, fixed luminaires are designed for permanent connection to the supply, but connection may also be made by means of a plug or similar device.

Examples of luminaires intended for use out of easy reach are pendants and luminaires designed for fixing to a ceiling.

1.2.9 Portable Luminaire — A luminaire which, in normal use, can be moved from one place to another while connected to the supply.

NOTE — Luminaires for wall mounting provided with a non-detachable flexible cable or cord for connection to a plug and luminaires which may be fixed to their support by means of a wing screw, a clip or a hook so that they can easily be removed from their support by hand, are considered to be portable luminaires.

1.2.10 Recessed Luminaire — A luminaire intended by the manufacturer to be fully or partly recessed into a mounting surface.

NOTE — The term applies both to luminaires for operation in enclosed cavities and to luminaires for mounting through a surface such as a suspended ceiling.

1.2.11 Rated Voltage — The supply voltage or voltages assigned to the luminaire by the manufacturer.

1.2.12 Supply Current — The current at the supply terminals when the luminaire has stabilized in normal use at the rated voltage and frequency.

1.2.13 Rated Wattage — The number and rated wattage of the lamps for which the luminaire is designed.

1.2.14 Non-Detachable Flexible Cable or Cord — A flexible cable or cord which can only be removed from the luminaire with the aid of a tool.

NOTE — Luminaires may be provided with non-detachable flexible cables and cords or designed for use with non-detachable flexible cables or cords for example types X, Y or Z attachments.

1.2.15 Live Part — A conductive part which may cause an electric shock in normal use. The neutral conductor shall, however, be regarded as a live part.

NOTE — The test to determine whether or not a conductive part is a live part which may cause an electric shock is given in Annex A.

1.2.16 Basic Insulation — Insulation applied to live parts to provide basic protection against electric shock.

NOTE — Basic insulation does not necessarily include insulation used exclusively for functional purposes.

1.2.17 Supplementary Insulation — Independent insulation applied in addition to basic insulation in order to provide protection against electric shock in the event of a failure of basic insulation.

1.2.18 Double Insulation — Insulation comprising both basic insulation and supplementary insulation.

1.2.19 Reinforced Insulation — A single insulation system applied to live parts, which provides a degree of protection against electric shock equivalent to double insulation.

NOTE — The term 'insulation system' does not imply that the insulation must be one homogeneous piece. It may comprise several layers which cannot be tested singly as supplementary or basic insulation.

1.2.20 (Not Used at Present)

1.2.21 Class 0 Luminaire (Application to Ordinary Luminaires Only) — A luminaire in which protection against electric shock relies upon basic insulation. This implies that there are no means for the connection of accessible conductive parts, if any, to the protective conductor in the fixed wiring of the installation, reliance in the event of a failure of the basic insulation being placed on the environment.

NOTES

1 Class 0 luminaires may have either an enclosure of insulating material which forms a part of the whole of the basic insulation or a metal enclosure which is separated from live parts by at least basic insulation.

IS 10322 (Part 1) : 2014

2 If a luminaire with an enclosure of insulating material has provision for earthing internal parts, it is Class I.

3 Class 0 luminaires may have parts with double insulation or reinforced insulation.

4 Class 0 luminaires are not allowed in India.

1.2.22 Class I Luminaire — A luminaire in which protection against electric shock does not rely on basic insulation only, but which includes an additional safety precaution in such a way that means are provided for the connection of accessible conductive parts to the protective (earthing) conductor in the fixed wiring of the installation in such a way that accessible conductive parts cannot become live in the event of a failure of the basic insulation.

NOTES

1 For a luminaire intended for use with a flexible cord or cable, this provision includes a protective conductor as part of the flexible cord or cable.

2 Where a luminaire designed as Class I is fitted with a two-core flexible cord or cables with a plug which cannot be introduced into a socket-outlet with earthing contact (formerly Class 0I), the protection is then equivalent to that of class 0, but the earthing provisions of the luminaire in all other respects should fully comply with the requirements of class I.

3 Class I luminaires may have parts with double insulation or reinforced insulation.

1.2.23 Class II Luminaire — A luminaire in which protection against electric shock does not rely on basic insulation only, but in which additional safety precautions such as double insulation or reinforced insulation are provided, there being no provision for protective earthing or reliance upon installation conditions.

NOTES

1 Such a luminaire may be of one of the following types:

a) A luminaire having a durable and substantially continuous enclosure of insulating material which envelops all metal parts with the exception of small parts such as nameplates, screws and rivets which are isolated from live parts by insulation at least equivalent to reinforced insulation. Such a luminaire is called an insulation encased Class II luminaire.

b) A luminaire having a substantially continuous enclosure of metal, in which double insulation is used throughout, except for those parts where reinforced insulation is used because the application of double insulation is manifestly impracticable. Such a luminaire is called a metal-encased Class II luminaire.

c) A luminaire having which is a combination of types (a) and (b).

2 The enclosure of an insulation-encased Class II luminaire may form a part or the whole of the supplementary insulation or the reinforced insulation.

3 If earthing is provided to assist starting, but is not connected to an accessible metal part, the luminaire may still be deemed to be of Class II. Lamps caps, shells and starting stripes on lamps are not regarded as accessible metal parts unless the tests of annex A show them to be live parts.

4 If a luminaire with double insulation and/or reinforced insulation throughout has an earthing terminal or an earthing contact, it is Class I construction. However, a fixed Class II

luminaire intended for looping-in may have an internal terminal for maintaining the electrical continuity of an earthing conducting not terminating in the luminaire, provided that the terminal is insulated from accessible metal parts by Class II insulation.

5 Class II luminaires may have parts in which protection against electric shock relies on operation at safety extra-low voltage (SELV).

1.2.24 Class III Luminaire — A luminaire in which protection against electric shock relies on supply at safety extra-low voltage (SELV) and in which voltages higher than those of SELV are not generated.

NOTE — A Class III luminaire should not be provided with means for protective earthing.

1.2.25 Rated Maximum Ambient Temperature (t_a) — The temperature assigned to a luminaire by the manufacturer to indicate the highest sustained temperature in which the luminaire may be operated under normal conditions.

NOTE — This does not preclude temporary operation at a temperature not exceeding t_a+10 °C.

1.2.26 Rated Maximum Operating Temperature of the Case of Ballast, Capacitor or Starting Device (t_c) — The highest permissible temperature which may occur on the outer surface (at the indicated place, if marked) of the component under normal operating conditions at the rated voltage or maximum of the rated voltage range.

1.2.27 Rated Maximum Operating Temperature of a Winding (t_w) — The operating temperature of a ballast winding which gives an expectancy of '10 years' continuous service (at that temperature).

1.2.28 Ballast — A unit inserted between the supply and one or more discharge lamps which by means of inductance, capacitance or resistance, single or in combination, serves mainly to limit the current of the lamp(s) to the required value.

It may also include means for transforming from the supply voltage and arrangements which help to provide starting voltage and pre-heating current, prevent cold starting, reduce stroboscopic effect, correct the power factor and suppress radio interference.

1.2.29 Independent Lamp Control Gear — A lamp control gear consisting of one or more separate elements so designed that it, or they, can be mounted separately outside a luminaire with protection according to the marking on the lamp control gear and without any additional enclosure.

1.2.30 Built-in Lamp Control Gear — A lamp control gear designed to be built into a luminaire and not intended to be mounted outside a luminaire without special precautions.

IS 10322 (Part 1) : 2014

1.2.31 Integral Lampholder — A part of a luminaire which supports the lamp and provides electrical contact with it and which is designed as part of the luminaire.

1.2.32 Ballast Compartment — That part of the luminaire in which the ballast is intended to be mounted.

1.2.33 Translucent Cover — The light-transmitting parts of the luminaire which may also protect the lamps and other component parts. This term includes diffusers, lens panels and similar light-control elements.

1.2.34 Fixed Wiring — A cable which is part of the fixed installation to which the luminaire is connected.

NOTE — Fixed wiring may be brought into the luminaire and connected to terminals, including terminals of lampholders, switches and the like.

1.2.35 Appliance Coupler — It means enabling a flexible cable to be connected at will to the luminaire. It consists of two parts: a connector provided with contact tubes which is the part integral with or designed to be attached to the flexible cable connected to the supply; an appliance inlet, provided with contact pins, which is the part incorporated in or fixed to the luminaire.

1.2.36 External Wiring — Wiring generally outside the luminaire but delivered with it.

NOTES

1 External wiring may be used for connecting the luminaire to the supply, to other luminaires, or to any external ballast.

2 External wiring is not necessarily outside the luminaire for its full length.

1.2.37 Internal Wiring — Wiring generally inside the luminaire and delivered with it, which forms the connection between terminals for external wiring or supply cables and terminals of lampholders, switches and similar components.

NOTE — Internal wiring is not necessarily inside the luminaire for its full length.

1.2.38 Normally Flammable Material — Material having an ignition temperature of at least 200°C and which will not deform or weaken at this temperature.

Examples: Wood and materials based on wood of more than 2 mm thickness.

NOTE — The ignition temperature and the resistance of normally flammable materials to deformation or weakening are based on widely accepted values determined during a test period of 15 min.

1.2.39 Readily Flammable Material — Material which cannot be classified as either normally flammable or non-combustible.

Examples: Wood fibre and materials based on wood of up to 2 mm thickness.

1.2.40 Non-Combustible Material — Material incapable of supporting combustion.

NOTE — For the purpose of this standard, materials such as metal, plaster and concrete are regarded as non-combustible materials.

1.2.41 Flammable Material — Material which does not comply with the glow-wire test requirements of 13.3.2.

1.2.42 Safety Extra-Low Voltage (SELV) — A voltage which does not exceed 50 V a.c. rms (see Note 1) between conductors, or between any conductor and earth, in a circuit which is isolated from the supply mains by means such as a safety isolating transformer or converter with separate windings.

NOTES

1 The d.c. value is under consideration.

2 The voltage limit should not be exceeded either at full or no-load, but it is assumed, for the purpose of this definition, that any transformer or converter is operated at its rated supply voltage.

1.2.43 Working Voltage — The highest r.m.s. voltage which may occur across any insulation at rated supply volts, transients being neglected, in open-circuit conditions or during normal operation.

1.2.44 Type Test — A test or series of tests made on a type test sample, for the purpose of checking compliance of the design of a given product with the requirements of the relevant standard.

1.2.45 Type Test Sample — A sample consisting of one or more similar units submitted by the manufacturer or the responsible vendor for the purpose of a type test.

1.2.46 By Hand — Not requiring the use of a tool, a coin or other object.

1.2.47 Terminal — That part of a luminaire or component which is necessary to make electrical connection to a conductor. See Sections 14 and 15.

1.2.48 Looping-In (Feed Through) — A system of mains supply connection to two or more luminaires where each supply conductor is taken into and out of the same terminal.

NOTE — A supply conductor may be cut to facilitate connections to a terminal (see Fig. 20).

1.2.49 Through Wiring — Wiring which passes through the luminaires intended for interconnection of a row of luminaires.

NOTE — The luminaire may or may not be electrically connected to the through wiring (see Fig. 20).

1.2.50 Starting Device — An apparatus that, by itself or in combination with other components in the circuit, provides the appropriate electrical conditions to start a discharge type of lamp.

IS 10322 (Part 1) : 2014

1.2.51 Starter — A starting device, usually for fluorescent lamps, that provides for the necessary preheating of the electrodes and in combination with the series impedance of the ballast, causes a surge in the voltage applied to the lamp.

1.2.52 Ignitor — A starting device that generates voltage pulses to start a discharge lamp and that does not provide for preheating of electrodes.

1.2.53 Terminal Block — An assembly of one or more terminals in or on a housing or body of insulating material to facilitate interconnection between conductors.

1.2.54 Rough Service Luminaire — A luminaire designed to withstand severe mechanical handling.

NOTES

- 1 The luminaire may,
 - a) be permanently fixed, or
 - b) be temporarily fixed on a construction or stand, or
 - c) incorporate an integral stand or handle.
- 2 Such luminaires are for use where normally rough circumstances occur, or where temporary lighting is required, for example, on building sites, engineering workshops and similar applications.

1.2.55 Electro-Mechanical Contact System — A connection system within a luminaire by which the main part carrying the lamp holder is electrically and mechanically connected to the base plate or suspension device. It may or may not incorporate an adjusting device.

The system may be dedicated to a specific luminaire design or may provide for connection of a variety of luminaire types.

Figure 29 describes an electro-mechanical contact systems as defined in 1.2.55. As such the requirements of 4.11.6 and 7.2.1 shall apply.

Because, in the situation described, the base and gear tray are unique and non-interchangeable, the base plate does not require marking with the rated current of the electrical connection, as specified in 3.2.

1.2.56 Extra-Low Voltage d.c. Supplied Fluorescent Luminaire — A luminaire for operation from a battery voltage not exceeding 48 V d.c. nominal and incorporating a d.c./a.c. inverter using transistors for supplying power to one or more fluorescent lamps.

NOTES

- 1 Extra-low voltage d.c. supplied fluorescent luminaires may generate internal voltages higher than the supply power, and thus not belong to Class III. A risk of electric shock should be taken into account and guarded against with such luminaires.
- 2 The value of 48 V is under consideration.

1.2.57 Mounting Surface — The part of any building, furniture or other structure which a luminaire may in

any way be attached to, suspended from, stood on or placed upon in normal use and which will or is intended to support the luminaire.

1.2.58 Integral Component — A component which forms a non-replaceable part of a luminaire and which cannot be tested separately from the luminaire.

1.2.59 Self-Ballasted Lamps — A unit which cannot be dismantled without being permanently damaged, provided with a lamp cap and incorporating a light source and any additional elements necessary for starting and stable operation of the light source.

NOTES

- 1 The light source component of a self-ballasted lamp is not replaceable.
- 2 The ballast component is part of the self-ballasted lamp; it is not a part of the luminaire. It is discarded at the end of the life and of the unit.
- 3 For test purposes, self-ballasted lamp units should be regarded as conventional lamps.

1.2.60 Semi-Luminaire — A unit similar to a self-ballasted lamp but designed to utilize a replaceable light source and/or starting device.

NOTES

- 1 The light source component and/or starting device of a semi-luminaire is readily replaceable.
- 2 The ballast component is not replaceable and is not disposed off each time a light source is replaced.
- 3 A lamp holder is required for a supply connection.

1.2.61 Plug-Ballast/Transformer — A ballast or transformer incorporated in an enclosure provided with an integral plug as the means of connection to the electrical supply.

1.2.62 Mains Socket-Outlet-Mounted Luminaire — A luminaire provided with an integral plug as the means of both mounting and connection to the electrical supply.

1.2.63 Clip-Mounted Luminaire — An integral assembly of a luminaire and resilient spring clip, securing the luminaire in position on its mounting surface by a single hand action.

1.2.64 Lamp Connectors — A set of contacts specially designed to provide a means of electrical contact but not to support the lamp.

1.2.65 Mains Socket-Outlet — An accessory having socket-contacts designed to engage with the pins or blades of a mains plug and having terminals for the connection of cables or cords.

1.2.66 Rewireable Luminaire — A luminaire so constructed that the flexible cable or cord can be replaced using general purpose tools.

IS 10322 (Part 1) : 2014

1.2.67 Non-Rewireable Luminaire — A luminaire so constructed that the flexible cable or cord cannot be separated from the luminaire using general purpose tools without making the luminaire permanently unusable.

NOTE — Examples of general purpose tools are screwdrivers, spanners, etc.

1.2.68 Lamp Control Gear — Devices employed for the control of lamps, for example ballasts, transformers and step-down convertors.

NOTE — The definition does not include devices for the switching of lamps or the control of brightness such as dimmers and daylight sensors.

1.2.69 Safety Extra-Low Voltage (SELV) Part — A current-carrying part supplied from within a luminaire of extra-low voltage [not exceeding 50 V a.c.(rms)] with respect to any other parts or earth.

1.2.70 Dummy Lamp — A device incorporating a cap which is in compliance with the requirements of relevant Indian Standards.

1.2.71 Self-Shielded Tungsten Halogen Lamp (Abbreviated: Self-Shielded Lamp) — Tungsten halogen lamp for which a protective shield on the luminaire is not needed. The packaging of these lamps is marked with the relevant symbol of Fig. 1.

1.2.72 External Flexible Cable or Cord — A flexible cable or cord for external connection to the input or output circuit, fixed to or assembled with, the luminaire according to one of the following methods of attachment:

- a) **Type X attachment** — Method of attachment of the cable or cord such that it can be easily replaced.

NOTES

1 The flexible cable or cord may be specially prepared and only available from the manufacturer or his service agent.

2 A specially prepared cable or cord may also include a part of the luminaire.

- b) **Type Y attachment** — Method of attachment of the cable or cord such that any replacement can only be made by the manufacturer, his service agent or similar qualified person.

NOTE — Type Y attachment may be used either with an ordinary or a special flexible cable or cord.

- c) **Type Z attachment** — Method of attachment of the cable or cord such that it cannot be replaced without breaking or destroying the luminaire.

SECTION 2 CLASSIFICATION OF LUMINAIRES

2.1 General

This section describes the classification of luminaires.

Luminaires are classified according to the type of protection against electric shock, the degree of protection against ingress of dust, solid objects and moisture, and the material of the supporting surface.

2.2 Classification According to the Type of Protection Against Electric Shock

Luminaires shall be classified according to the type of protection against electric shock provided, as Class I, Class II and Class III (*see* definitions in Section 1).

Luminaires shall have only a single classification. For example, for a luminaire with a built-in extra-low voltage transformer with provision for earthing, the luminaire shall be classified as Class I and part of the luminaire shall not be classified as Class III even though the lamp compartment is separated by a barrier from the transformer compartment.

Semi-luminaires shall comply with all relevant requirements for Class II luminaires without being provided with the Class II symbol.

NOTE — The Class II symbol is omitted in order to avoid the symbol being applied to the complete luminaire in which the semi-luminaire is used.

2.3 Classification According to Degree of Protection Against Ingress of Dust, Solid Objects and Moisture

Luminaires shall be classified in accordance with the 'IP number' system of classification described in IS 12063.

Symbols for the degrees of protection are given in Section 3.

Tests for the degrees of protection are given in Section 9.

NOTES

1 Luminaires classified as water-tight are not necessarily suitable for operation under water; pressure watertight luminaires should be used for such applications.

2 The IP numbers are the principal marking on luminaires but symbols may be used in addition to IP numbers if desired.

2.4 Classification According to Material of Supporting Surface for which the Luminaire is Designed

Luminaires shall be classified according to whether they are suitable for direct mounting on normally flammable surfaces in all cases, or are primarily intended for that application or are only suitable for mounting on non-combustible surfaces as follows:

IS 10322 (Part 1) : 2014

<i>Classification</i>	<i>Symbols</i>
Portable and handheld luminaires	Symbol not required.
Other fixed luminaires suitable for mounting on normally flammable surfaces.	Symbol required (<i>see</i> Fig. 1).
Other fixed luminaires suitable for mounting on non-combustible materials only.	No symbol, but warning notice may be required (<i>see</i> Section 3).

NOTE — Readily flammable surfaces are not suitable for the direct mounting of luminaires. Requirements for luminaires classified as primarily intended for direct mounting on normally flammable surfaces are given in Section 4 and related tests in Section 12.

2.5 Classification According to the Circumstances of Use

Luminaires shall be classified according to whether they are intended for normal use or for rough service.

<i>Classification</i>	<i>Symbol</i>
Luminaires for normal use.	No symbol
Luminaires for rough service.	Symbol (<i>see</i> Fig 1, in 15.9.2.5).

SECTION 3 MARKING

3.1 General

This section specifies the information to be marked on luminaires.

3.2 Marking on Luminaires

The following information shall be distinctly and durably marked on the luminaire (*see* Table 3.1).

- a) Marking to be observed when replacing lamps shall be visible on the outside of the luminaire

(except the mounting side) or behind a cover which is removed during lamp replacement and with the lamp removed.

- b) Marking to be observed during installation, shall be visible during installation on the outside of the luminaire or behind a cover or part which is removed during installation.
- c) Marking to be observed after installation shall be visible with the luminaire assembled and installed as for normal use and with the lamp in place.

Marking may be on ballasts provided the conditions under 3.2 (a) or 3.2 (b), as appropriate, are fulfilled.


The earthing symbol referred to in 3.2.12 may be marked on the ballast, instead of the luminaire, if the ballast is a non-replaceable type. The height of graphical symbols shall not be less than 5 mm except that the symbols for Class II and Class III luminaires and for the 'F' mark may be reduced to a minimum of 3 mm where the space available for marking is restricted. The height of letters and numerals either shown separately or with or as part of symbols shall not be less than 2 mm.

For combination luminaires where the type references or the rated inputs are different for different combinations, the main part and the alternative parts may be marked with a type reference or a rated input, as appropriate, provided that the type can be identified and the rated input of the complete unit may be established from a catalogue or a similar document.

For luminaires with electro-mechanical contact systems the base plate shall be marked with the rated current of the electrical connection, if the system can be used with a variety of different luminaire types.

3.2.1 Mark of origin (this may take the form of a trademark, the manufacturer's identification mark or the

Table 3.1 Marking on Luminaires
(Clause 3.2)

Markings Belonging to a)	Markings Belongings to b)	Markings Belongings to c)
3.2.8* Rated wattage	3.2.1— 3.2.2**	Ambient temperature (<i>see</i> 3.2.3)
3.2.10 Special lamps	3.2.4 — 3.2.5	IP number
3.2.11 Cool beam	3.2.7 Type reference	Lighted objects
3.2.15 Bowl mirror		Rough service
	3.2.9 Symbols 	
3.2.16 Protective shield	3.2.12 Termination	
3.2.18 Ignition warning	3.2.17*** Interconnected luminaires	
3.2.19 Self-shielded lamp		

* 3.2.8 Rated wattage. For luminaires for discharge lamps with remote control gear, the marking may be replaced by the instruction: "For lamp designation, see control gear".

** 3.2.2 Rated voltage. For luminaires for discharge lamps. If the ballast is not built into the luminaire, the luminaire shall be marked with the working voltage instead of the mains voltage. For luminaires with built-in transformers for filament lamps, *see* IS 10322-2 6.

*** 3.2.17 Interconnected luminaires. For fixed luminaires this information may alternatively be provided within the installation instructions.

IS 10322 (Part 1) : 2014

name of the responsible vendor) and country of manufacture.

3.2.2 Rated voltage(s), in volts. Luminaires for tungsten filament lamps shall be marked only, if the rated voltage is different from 250 V.

Portable Class III luminaires shall be marked with the rated voltage on the outside of the luminaire.

3.2.3 The rated maximum ambient temperature t_a , if other than 25°C (*see* Fig. 1).

NOTE — Exceptions to this general requirement may be specified in particular sections of Part 5 of IS 10322.

3.2.4 Symbols for Class II luminaires where applicable (*see* Fig. 1).

For portable luminaires provided with a non-detachable flexible cable or cord, the symbol for Class II construction, if applicable, shall be on the outside of the luminaire.

The class II symbols shall not be applied to semi-luminaires.

3.2.5 Symbols for class II luminaire where applicable (*see* Fig. 1).

3.2.6 Marking (if applicable) with IP numbers for degree of protection against ingress of dust, solid objects and moisture and, if desired, additional symbols (*see* Fig. 1 and Annex J). Where X is used in an IP number in Fig. 1, it indicates a missing numeral in the example, but both of the appropriate numerals shall be marked on the luminaire.

In cases where different IP numbers apply to distinct parts of the luminaire, the lower number shall be marked on the type label on the luminaire whereas the higher number shall be marked separately on the part concerned. The instruction sheet supplied with the luminaire shall include details of the IP numbers applying to the various parts of the luminaire. The use of different IP numbers on different parts of a luminaire is only applicable to fixed luminaires.

Marking of IP20 on ordinary luminaires is not required.

3.2.7 Marker's model number or type reference.

3.2.8 Rated wattage or the designation as indicated on the lamp data sheet of the type or types of lamp for which the luminaire is designed. Where the lamp wattage alone is insufficient, the number of lamps and the type shall also be given.

Luminaires for tungsten filament lamps shall be marked with the maximum rated wattage and number of lamps.

Marking of maximum rated wattage for luminaires for tungsten filament lamps with more than one

lampholder may be in the form:

" $n \times \text{MAX} \dots W$ ", n being the number of lampholders.

3.2.9 Where applicable, the relevant symbol (*see* Fig. 1) for suitability or non-suitability for direct mounting or normally flammable surfaces or suitability for mounting in/on normally flammable surfaces when thermally insulating material may cover the luminaire.

NOTE — A warning notice is not required when it is obvious that either a luminaire shall never be mounted on normally flammable surfaces, for example portable luminaires for garden use or a luminaire will always be mounted on normally flammable surfaces, for example, portable general purpose luminaires, portable child-appealing luminaires and luminaires for emergency lighting.

3.2.10 *Information Concerning Special Lamps, if Applicable*

In particular this applies to the symbols (*see* Fig. 1) for luminaire for use with high-pressure sodium lamps having either an internal starting device or requiring an external ignitor where the lamp is required to be marked with the same symbol according to IS 9974 (Part 1).

3.2.11 Symbol (*see* Fig. 1), if applicable, for luminaires for lamps of similar shape to 'cool beam' lamps but where the use of a dichroic reflectorized 'cool beam' lamp might impair safety.

3.2.12 Except for Type Z attachments, terminations shall be clearly marked or otherwise identified to give a clear indication as to which termination should be connected to the live side of the supply, where necessary for safety, or to ensure satisfactory operation. Earthing terminations shall be clearly indicated by the appropriate symbol.

Luminaires with non-detachable flexible cables or cords which are not fitted with a plug shall include with the manufacturer's instructions any information necessary to ensure safe connection, for example, deviations from the national standardized color coding of the cores.

Extra-low voltage d.c. supplied fluorescent luminaires shall have positive supply terminations marked '+' or coloured red and negative supply terminations '-' or coloured black.

3.2.13 Symbol (*see* Fig. 1) for minimum distance from lighted objects, if applicable, for luminaires which might otherwise overheat the lighted objects due to various reasons (for example the applied lamp type, the shape of the reflector, the adjustability of the mounting means or the location of mounting as indicated in the installation instructions).

The minimum distance marked shall be determined by the temperature test described in **12.4.1** (J).

IS 10322 (Part 1) : 2014

The distance is measured on the optical axis of the luminaire from that part of the luminaire or lamp which is nearest to the lighted object.

The symbol for minimum distance and explanation of its meaning shall also be given either on the luminaire or in the instructions with the luminaire.

3.2.14 Symbol (*see* Fig. 1), if applicable, for rough service luminaires.

3.2.15 Symbol (*see* Fig. 1), if applicable, for luminaires which are designed for use with bowl mirror lamps.

NOTE — Separate bowls for attachment to GLS lamps without reference to luminaires testing are not within the scope of this standard.

3.2.16 Luminaires incorporating a glass protective shield shall be marked as follows:

‘Replace any cracked protective shield’

or

With the symbol (*see* Fig. 1).

3.2.17 The maximum number of luminaires that may be interconnected or the maximum total current that may be drawn by means of couplers provided for looping-in connection to the mains supply. For fixed luminaires this information may alternatively be provided within the installation instructions.

3.2.18 A warning symbol or notice for luminaires with ignitors for use with double ended high pressure discharge lamps if the voltage measured according to Fig. 26 exceeds 34 V peak.

- a) Warning symbol visible during replacement of the lamp. The symbol shall be explained on the luminaires or in the manufacturer’s instructions provided with the luminaires, or
- b) A warning notice near the to the holder of a replaceable ignitor or replaceables witching element, if any: ‘Attention, remove replaceable device before replacement of lamp. After lamp-replacement reinsert replaceable device’.

3.2.19 Symbol (*see* Fig. 1) for luminaires which are designed for use with self-shielded tungsten halogen lamps only.

3.3 Additional Information

In addition to the above making, all details which are necessary to ensure proper installation, use and maintenance shall be given either on the luminaires or on built-in ballasts or in the manufacturer’s instructions provided with the luminaires, for instance:

Written instructions related to safety shall be in a language which is acceptable in the country in which

the equipment is to be installed.

3.3.1 For combination luminaires, the permissible ambient temperature, the class of protection or the protection against ingress of dust, solid objects and moisture of an alternative part if not at least equal to that of the basic luminaires.

3.3.2 *Nominal Frequency in Hertz (Hz)*

3.3.3 *Operating Temperatures*

- a) The rated maximum operating temperature (of a winding) t_w , in degree Celsius;
- b) The rated maximum operating temperature (of a capacitor) t_c , in degree Celsius;
- c) The maximum temperature to which the insulation of supply cables and interconnecting cables will be subjected within the luminaire under the most unfavourable conditions of normal operation, if in excess of 90°C (*see* remarks under sl no. (X) of to Table 12.2 relating to unsleeved fixed wiring). The symbol to indicate this requirement is given in Fig. 1.
- d) Spacing requirements to be observed during installation.

3.3.4 A symbol or a warning notice that the luminaire is not suitable for mounting on a normally flammable surface (*see* Fig. 1).

3.3.5 A wiring diagram, except where the luminaire is suitable for direct connection to the mains supply.

3.3.6 Special conditions for which the luminaire, including the ballast, is suitable; for instance, whether or not the luminaire is intended for looping-in.

3.3.7 Luminaires provided with metal halide lamps shall, if applicable, be provided with the following warning notice:

‘The luminaire shall only be used complete with its protective shield’.

3.3.8 The limitations of use or application for semi-luminaires.

3.3.9 In addition, the manufacturer shall be prepared to supply information on the power factor and the supply current.

For connections suitable for both resistive and inductive loads, the rated current for the inductive load shall be indicated between brackets and shall immediately follow the rated current for the resistive load. The marking may accordingly be as follows:

$$3(1) \text{ A } 250 \text{ V or } 3(1)/250 \text{ or } 3 \frac{3(1)}{250}$$

IS 10322 (Part 1) : 2014

NOTE — The rated current values do not apply to circuits in general but only to the rating of the luminaire as a whole.

3.3.10 Suitability for use 'indoors' including the related ambient temperature.

3.3.11 For luminaires using remote control gear, the range of lamps for which the luminaire is designed.

3.3.12 For clip-mounted luminaires a warning when the luminaire is not suitable for mounting on tubular material.

3.3.13 The manufacturer shall provide the specifications of all protective shields.

3.3.14 Where necessary for correct operation, the luminaire shall be marked with the symbol for nature of supply (see Fig. 1).

3.3.15 The rated current at rated voltage shall be declared by the manufacturer for any socket outlet incorporated in the luminaire, if less than the rated value.

3.3.16 The information about rough service luminaires concerning:

- a) The connection to IPX4 rated socket outlets;
- b) The correct mounting taking into account the temporary installation;
- c) The correct fixing to a stand, and also where the stand is not supplied with the luminaire, the maximum height of a possible stand, and its required stability by the indication of the number and minimum length of the legs.

3.3.17 For luminaires with X, Y or Z attachments, the mounting instructions shall contain the substance of the following information:

- a) *For Type X attachments having a specially prepared cord* — If the external flexible cable or cord of this luminaire is damaged, it shall be replaced by a special cord or cord exclusively available from the manufacturer or his service agent.
- b) *For Type Y attachments* — If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.
- c) *For Type Z attachments* — The external flexible cable or cord with of this luminaire which cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.

3.3.18 Luminaires which are other than ordinary, provided with a PVC non-detachable cable or cord, shall be provided with information about the intended use, that is, 'For indoor use only'.

3.4 Test of Marking

Compliance with the requirements of **3.2** and **3.3** is checked by inspection and by the following test:

The durability of the marking is checked by trying to remove it by rubbing lightly for 15 s with a piece of cloth soaked with water and, after drying, for a further 15 s with a piece of cloth soaked with petroleum spirit and by inspection after the tests detailed in Section 12 have been completed.

After the test, the marking shall be legible, marking labels shall not be easily removable and they shall show no curling.

NOTE — The petroleum spirit used should consist of a solvent hexane with a content of aromatics of maximum 0.1 percent by volume, a value of 29 percent for kauri-butanol, an initial boiling-point of approximately 65°C, a dry-point of approximately 69°C and a density of approximately 0.68 g/cm³.

The luminaire may also be marked with the Standard Mark.

3.5.1 The use of Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act, 1986* and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

SECTION 4 CONSTRUCTION

4.1 General

This section specifies general constructional requirements for luminaires. See also Annex L.

4.2 Replaceable Components

Luminaires incorporating components or parts intended to be replaceable shall be so designed that there is sufficient space to permit replacement of such components or parts without difficulty and without impairing safety.

NOTE — Sealed-in components and riveted parts are not replaceable components.

4.3 Wireways

Wireways shall be smooth and free from sharp edges, burrs, flashes and the like, which might cause abrasion of the insulation of the wiring. Parts such as metal set screws shall not protrude into wireways.

Compliance is checked by inspection and, if necessary, by dismantling and reassembling the luminaire.

4.4 Lampholders

4.4.1 The requirements for electrical safety of integral lampholders shall be those applicable to the luminaire

IS 10322 (Part 1) : 2014

as a whole with the lampholder and lamp is fully assembled position, as for normal use.

In addition, integral lampholders shall, when mounted in the luminaire, comply with the requirements concerning safety during insertion of the lamp as specified in the appropriate lampholders standard.

4.4.2 Connection of wiring to integral lampholder contacts may be made by any method giving reliable electrical contact over the service life of the lampholder.

4.4.3 Luminaire for tubular fluorescent lamps designed for end-to-end mounting shall be so designed that the lamp may be changed in the middle luminaire of a row without adjusting any other luminaire. In multi-lamp luminaires for tubular fluorescent lamps, the changing of any one lamp shall not impair the security of the other lamps.

Compliance with the requirements of **4.4.1** to **4.4.3** is checked by inspection.

4.4.4 Lampholders which are put into position by the user shall be capable of easy and correct positioning.

The distance between the pair of fixed lampholders for a fluorescent lamp intended to be set in a fixed position shall comply with the lampholder manufacturer's mounting instructions. The fixing device of lampholders shall have adequate mechanical strength so as to withstand such rough handling as may be expected in normal use. These requirements apply both to lampholders put in position by the user and to lampholders put in position by the luminaire manufacturer.

Compliance is checked by inspection, measuring and, if applicable, by the following mechanical tests:

- a) Lampholders for a fluorescent lamp, with a test-cap in position, are subjected, for 1 min, to a pressure applied to the centre of the cap in the direction of its axis of,
 - 1) 15 N of G5 lampholders;
 - 2) 30 N for G13 lampholders; and
 - 3) 30 N for lampholders for single-capped fluorescent lamps (G23, G10q, GR8, etc).

After the test, the distance between the holders shall comply with the relevant Standard Sheet of IS 3323 and the lampholder shall show no damage. The test-cap for his test shall comply with the IS 3323 for G 5 and G 13 lampholders.

Test-caps for other lampholders are under consideration.

After the test on lampholders for single-capped fluorescent lamps the lampholders shall not have

moved from its position and the fixing device shall show no permanent deformation, so that the lamp, when reinserted, will come in its intended position.

- b) Mounting brackets for Edison screw or bayonet-capped lampholders are subjected to testing for 1 min, to the following bending moments:
 - 1) For E14 and B15 lampholders: 1.0 Nm;
 - 2) For E27 and B22 lampholders: 2.0 Nm; and
 - 3) For E40 lampholders: Value under consideration.

4.4.5 For luminaires with ignitors, the peak pulse voltage occurring across contacts in lampholders which are part of the pulse voltage circuit shall not be greater than the pulse voltage marked on the lampholder or, in the absence of such marking shall not be greater than,

- a) For 250 V rated lampholders : 2.5 k V
- b) For 500 V rated ES lampholders : 4 k V
- c) For 750 V rated ES lampholders : 5 k V

Compliance is checked by measurement of the voltage occurring across the lampholder contacts during the pulse test of **10.2.2**. for luminaires with ignitors.

4.4.6 For luminaires with ignitors incorporating Edison screw lampholders, the centre contact of the lampholder shall be connected to the lead which supplies the pulse voltage.

Compliance is checked by inspection.

4.4.7 The insulating parts of lampholders and plugs incorporated in rough service luminaires shall be of a material resistant to tracking.

Compliance is checked by the test of **13.4**.

4.4.8 Lamp connectors shall comply with all the requirements for lampholders other than those rated to retaining the lamp in position. Means for retaining the lamp have to be provided by other parts of the luminaire.

Compliance is checked by inspection and test as required by **4.4.1**. to **4.4.7**.

4.5 Starter Holders

Starter holders the luminaires other than Class II shall accept starters which comply with IS 2215.

Class II luminaires may require starters of Class II construction.

For Class II luminaires where the starter can be touched with the standard test finger when the luminaire is fully assembled for use or open for the replacement of lamps

IS 10322 (Part 1) : 2014

or starters, the starter holder shall be one accepting only starters complying with the requirements for starters for Class II luminaires given in IS 2215.

Compliance is checked by inspection.

4.6 Terminal Blocks

If luminaires are provided with connecting leads (tails) requiring a separate terminal block for the connection to the fixed wiring, adequate space for this terminal block shall be provided within the luminaire, or within a box delivered with the luminaire, or specified by the manufacturer.

This requirement applies to terminal blocks for connecting leads (tails) with conductor nominal cross-sectional areas not exceeding 2.5 mm².

Compliance is checked by measurement and by an installation test, using one terminal block for each two conductors to be connected together, as shown in Fig. 2, and fixed wiring having a length of approximately 80 mm. The dimensions of the terminal blocks are those specified by the manufacturer or, in the absence of such a specification, 10 mm × 20 mm × 25 mm.

NOTE — Unsecured terminal blocks are permitted when they are so designed and insulated that creepage distances and clearances in accordance with Section 11 are always maintained for any position of the terminal block, and that damage to internal wiring is prevented.

4.7 Terminals and Supply Connections

4.7.1 In portable luminaires of Class I and Class II in fixed luminaires of Class I and Class II that are frequently adjusted, adequate precautions shall be taken to prevent metal parts from becoming live due to a detached wire or screw. This requirement applies to all terminals (including supply terminals).

NOTE — The requirements may be met by securing the wires adjacent to their entry to the terminals, by suitable dimensioning of the enclosure for the terminals, by the use of an enclosure of insulating material or by the provision of an insulating lining in the enclosure.

Examples of methods deemed efficient to prevent a wire from becoming detached are:

- a) Wires are retained by a cord anchorage adjacent to the terminals;
- b) Conductor is clamped by a spring type screwless terminal;
- c) Wire conductor is anchored to the tag before soldering, unless breakage close to the soldering place is likely to occur as a result of vibration;
- d) Wires are twisted together in a reliable manner;
- e) Wires are fastened together by insulation tape, sleeves, or the like;
- f) Wire conductor is inserted into a hole in a printed board, bent and soldered, the hole having a diameter slightly greater than the conductor;
- g) Wire conductor is securely wrapped around the terminal by means of a special tool (*see* Fig 19); and
- h) Wire conductor is crimped to the terminal by means of a special tool (*see* Fig. 19).

The methods [*see* 4.7.1(a) to (h)] apply to internal and the methods under [*see* 4.7.1(a) and (b)] shall apply to rewirable external flexible cords.

Compliance is checked by inspection and based upon the assumption that only one conductor can become detached at the same time.

4.7.2 Supply terminals shall be located or shielded in such a way that, if a wire of a stranded conductor escapes from a terminal when the conductors are fitted, there is no risk of contact between live parts and metal parts which can be touched with the standard test finger when the luminaire is fully assembled for use or open for the replacement of lamps or starters.

Compliance is checked by inspection and by the following test:

An 8 mm length of insulation is removed from the end of a flexible conductor having the largest cross-sectional area specified in Section 5. One wire of the stranded conductor is left free and the remainder are fully inserted and clamped in the terminal. The free wire is bent, without tearing the insulation back, in every possible direction, but without making sharp bends around barriers.

The free wire of a conductor connected to a live terminal shall not touch any metal part which is accessible or connected to an accessible metal part, and the free wire of a conductor connected to an earthing terminal shall not touch any live part.

This test does not apply to lampholders which have been separately approved to an appropriate Indian Standards and to terminals of components where the construction method justifies a shorter length of free wire.

4.7.3 Terminals for supply conductors, including those for non-detachable flexible cables and cords, shall be suitable for connection to be made by means of screws, nuts or equally effective devices.

Connecting leads (tails) shall comply with the requirements of Section 5.

IS 10322 (Part 1) : 2014

NOTES

1 For luminaires designed to be connected by means of rigid (solid or stranded) conductors, screwless terminals of the spring type are effective devices, including the earth connection. No requirements are specified at present for using such terminals for the connection of non-detachable flexible cables and cords.

2 For luminaires designed to be connected by means of a non-detachable flexible cable or cord and having a rated current not exceeding 3 A, soldered, welded, crimped and similar connections, including snap-on connectors, are effective devices, including an earth connection.

3 For luminaires having a rated current exceeding 3 A, snap-on connectors are suitable, if the connection can also be made without making use of the receptacle, for example, by means of a screwed connection for which a threaded hole is provided in the tab.

4.7.4 Terminals, other than those for supply connection, which are not covered by separate standards for components, shall comply with the requirements of Section 14 or Section 15.

Terminals of lampholders, switches and similar parts used for multiple connection of internal wiring shall have dimensions adequate for the purpose and shall not be used for the connection of external wiring.

Compliance is checked by inspection and by the tests of Sections 14 and Section 15.

4.7.5 If the external wiring or supply cable is unsuitable for the temperatures reached inside the luminaires, either a connection shall be provided at the point of entry of the external wiring into the luminaire for the use of heat-resistant wiring after this point, or heat-resisting parts shall be supplied with the luminaire to cover the part of the wiring placed inside it, which exceeds the wiring temperature limit.

Compliance is checked by inspection.

4.7.6 If during the installation or maintenance of a luminaire electrical connections are made by a multi-pole plug and socket, unsafe connections shall be prevented.

Compliance is checked by inspection and by trying to make unsafe connections for example by shifting the plug positions and the like.

4.8 Switches

Switches shall be adequately rated and so fixed that they are secured against rotation and cannot be removed by hand.

Switches in flexible cables or cords and switched lampholders shall not be used in luminaires other than ordinary, unless the degree of protection against dust, solid objects or moisture of the switch is in accordance with the classification of the luminaire.

For luminaires intended for use on a polarized supply and where the luminaire has a single-pole on/off switch,

the switch shall be wired into the live side of the supply or the side other than that identified as the neutral side.

Compliance is checked by inspection.

4.9 Insulating Linings and Sleeves

4.9.1 Insulating linings and sleeves shall be so designed that they are reliably retained in position when switches, lampholders, terminals, wires or similar parts have been mounted.

NOTE — Self-hardening resins, such as epoxy resins, may be used to fix linings.

Compliance is checked by inspection and by manual test.

4.9.2 Insulated linings, sleeves and similar parts shall have adequate mechanical, electrical and thermal strength.

Compliance is checked by inspection, by manual test and by the electric strength test in accordance with Section 10. The thermal properties of wire and sleeve are checked in accordance with Section 12. Heat resistant sleeves used as covering for wires attaining a temperature exceeding the values given in Table 12.2 of Section 12 shall comply with the requirements of IS 11654, taking into account the temperature measured on the wire in question. The sleeve shall be resistant to a temperature exceeding the temperature measured on the wire by 20°C or withstand the following test:

- a) Three test specimens of the sleeve, about 15 cm in length, are subjected to the humidity test (*see 9.3*) and subsequently to the insulation resistance and electric strength tests according to Section 10. A suitable uninsulated copper conductor or metal rod is passed through the specimens, and the outside is covered by a metal foil in such a way that no flashover at the ends of the samples can occur. The measurement of the insulation resistance and the electric strength test is then made between the copper conductor/metal rod and the metal foil.
- b) After the copper conductor/metal rods and metal foils have been removed, the specimens are placed in a heating cabinet for 240 h at a temperature of $T + 20^{\circ}\text{C}$, T being the measured temperature of the wire.
- c) The specimens are allowed to cool to room temperature and are then prepared as indicated under **4.9.2 (a)**.

Measurement of the insulation resistance and electric strength is then made between the copper conductor/metal rod and the metal foil.

IS 10322 (Part 1) : 2014

Compliance is checked by the insulation resistance values and test voltages specified in Table 10.1 and 10.2 in Section 10.

4.10 Double and Reinforced Insulation

4.10.1 For metal encased Class II luminaires, contact between,

- a) mounting surfaces and parts with basic insulation only; and
- b) accessible metal parts and basic insulation, shall be effectively prevented.

NOTE — This requirement does not exclude the use of bare conductors, if adequate protection is provided.

This wiring includes internal and external wiring of the luminaire, and fixed wiring of the installation.

Class II fixed luminaires shall be so designed that the required degree of protection against electric shock is not impaired as a result of the installation of the luminaire, for example by contact with conduits or metal sheaths of cables.

Capacitors shall not be connected between live parts and the body of metal encased Class II luminaires, with the exception of interference suppression capacitors.

The interference suppressions capacitors shall comply with the requirements of ISQC 302400 and the method of their connection shall be in accordance with 9.3.4 of IS 616.

NOTE — Contact between accessible metal parts and the basic insulation of internal wiring may be prevented by sleeves or similar parts which comply with the requirements for supplementary insulation.

Compliance is checked by inspection.

4.10.2 Any assembly gap with a width greater than 0.3 mm in supplementary insulation shall not be coincidental with any such gap in basic insulation, nor shall any such gap in reinforced insulation give straight access to live parts.

Openings in double or in reinforced insulation shall not give straight access to live parts, so that the live parts can be touched with the conical pin of test probe as given in IS 1401.

In addition, compliance shall be ensured with the required degree of protection against electric shock in accordance with the IP classification of the luminaires.

Compliance is checked by inspection and measurement using the relevant probe(s) in accordance with the required degree of protection against electric shock.

4.10.3 For parts of Class II luminaires which serve as supplementary insulation or reinforced insulation,

- a) either they shall be fixed so that they cannot be removed without being seriously damaged; or
- b) they shall be unable to be replaced in an incorrect position.

Where sleeving is used as supplementary insulation on internal wiring, and where insulated linings are used in lampholders as supplementary insulation on external of internal wiring, the sleeving and lining shall be retained in positions by positive means.

Compliance is checked by inspection and by manual test.

NOTE — Lining metal enclosures with a coating of lacquer or with any other material in the form of a coating which can be easily removed by scraping is not considered to meet this requirement. A sleeve is considered to be fixed by positive means, if it can only be removed by breaking or cutting or if it is a clamped at both ends or its movements on internal wiring is restricted by neighbouring components. A lining is considered to be fixed by positive means, if it can only be removed by breaking or cutting or by dismantling the lampholder.

Parts, such as a tube of insulating material provided with a shoulder and used as a liner inside the nipple of a lampholder, are considered to provide supplementary insulation on external or internal wiring if they can be removed only by dismantling the lampholder.

4.11 Electrical Connections and Current-Carrying Parts

4.11.1 Electrical connections shall be so designed that contact pressure is not transmitted through insulating material other than ceramic, pure mica or other material with characteristics at least equivalent, unless there is sufficient resilience in the metallic parts to compensate for any possible shrinkage of the insulating material.

Compliance is checked by inspection.

4.11.2 Self-tapping screws shall not be used for the connection of current-carrying parts, unless they clamp these parts directly in contact with each other, and are provided with a suitable means of locking.

Thread-cutting screws shall not be used for the interconnection of current-carrying parts of metal which is soft or liable to creep, such as zinc or aluminium.

Self-tapping screws may be used to provide earth continuity, if it is not necessary to disturb the connection in normal use, and at least two screws are used for each connection.

Compliance is checked by inspection.

NOTE — See Fig. 22 for some examples of screws.

4.11.3 Screws and rivets which serve as electrical as well as mechanical connections shall be locked against

IS 10322 (Part 1) : 2014

loosening. Spring washers may provide satisfactory locking. For rivets, a non-circular shank or an appropriate notch may be sufficient.

Sealing compound which softens on heating provides satisfactory locking only for screw connections not subject to torsion in normal use.

Compliance is checked by inspection and manual test.

4.11.4 Current-carrying parts shall be of copper, an alloy containing at least 50 percent copper, or a material having at least equivalent characteristics.

NOTE — Aluminium conductors can be accepted as having at least equivalent characteristics subject to an assessment of suitability being made in each individual case.

This requirement does not apply to screws which do not essentially carry current, such as terminal screws.

Current-carrying parts shall be resistant to, or adequately protected against, corrosion.

NOTE — Copper and copper alloys containing at least 50 percent copper are considered to meet this requirement.

Compliance is checked by inspection and, if necessary, by chemical analysis.

4.11.5 Current-carrying parts shall not be in direct contact with wood.

Compliance is checked by inspection.

4.11.6 Electro-mechanical contact systems shall withstand the electrical stresses occurring in normal use.

Compliance is checked by subjecting the electro-mechanical systems to 100 operations at a speed which corresponds to practical usage (an operation is either making or breaking the contact). The test is made with a.c. at rated voltage, and the test current shall be 1.25 times the rated current of the electrical contact system. The power factor of the load shall be approximately 0.6, unless a different rated current is marked for resistive loads, in which case the load power factor shall be unity.

Where a luminaire is marked for both resistive and inductive loads, it shall be subjected to tests at power factors of both unity and 0.6.

Before and after the tests, the electro-mechanical contact systems shall be loaded with 1.5 times rated current, and the voltage drop across each contact shall not exceed 50 mV.

Following completion of these tests the electro-mechanical contact systems shall withstand an electric strength test made in accordance with **10.2**.

After the test the samples shall show,

- a) no wear impairing their further use;
- b) no deterioration of enclosures or barriers; and
- c) no loosening of electrical or mechanical connections.

For electro-mechanical contact systems the mechanical test of **4.14.3** is made simultaneously with this electrical test.

4.12 Screws and Connections (Mechanical) and Glands

4.12.1 Screws and mechanical connections, the failure of which might cause the luminaire to become unsafe, shall withstand the mechanical stresses occurring in normal use.

Screws shall not be made of a material which is soft or liable to creep.

NOTE — Examples are zinc, some grades of aluminium and several thermoplastics.

Screws which are operated for maintenance purposes shall not be of insulating material, if their replacement by a metal screw could impair supplementary or reinforced insulation.

Screws used to provide earthing continuity, for example fixing screws for ballast's and other components, shall comply with the requirement in the first paragraph of this sub-clause as far as the ballast is concerned as at least one screw retaining the ballast will have a mechanical and electrical function. Changing the screw retaining the ballast is not considered to be maintenance.

Screws of insulating material used in cord anchorages can be accepted bearing directly on the cable or cord as replacement of such screws is not regarded as maintenance.

Compliance is checked by inspection and screws and nuts transmitting contact pressure or which are likely to be tightened by the user, shall be tightened and loosened five times. Screws and nuts of insulating material shall be removed completely during each operation of loosening of the screws. During the test, no damage impairing the further use of the fixing or screwed connection shall occur. After the test it shall still be possible to introduce the screw or nut made of insulation material in the intended manner.

The test is made by means of a suitable test screwdriver or spanner, applying a torque as shown in Table 4.1 except that for screw of insulating material used in cord anchorage and bearing directly on the cable or cord the torque is 0.5 Nm.

IS 10322 (Part 1) : 2014

Table 4.1 Torque Tests on Screws
(Clause 4.12.1)

Sl No.	Nominal Outer Thread Diameter of Screw mm (2)	Torque		
		1 Nm (3)	2 Nm (4)	3 Nm (5)
(1)				
i)	Up to and including 2.8	0.20	0.40	0.40
ii)	Over 2.8 up to and including 3.0	0.25	0.50	0.50
iii)	Over 3.0 up to and including 3.2	0.30	0.60	0.50
iv)	Over 3.2 up to and including 3.6	0.40	0.80	0.60
v)	Over 3.6 up to and including 4.1	0.70	0.80	0.60
vi)	Over 4.1 up to and including 4.7	0.80	1.80	0.90
vii)	Over 4.7 up to and including 5.3	0.80	2.00	1.00
viii)	Over 5.3 up to and including 6.0	—	2.50	1.25
ix)	Over 6.0 up to and including 8.0	—	8.00	4.00
x)	Over 8.0 up to and including 10.0	—	17.00	8.50
xi)	Over 10.0 up to and including 12.0	—	29.00	14.50
xii)	Over 12.0 up to and including 14.0	—	48.00	24.00
xiii)	Over 14.0 up to and including 16.0	—	114.00	57.00

The shape of the blade of the screwdriver shall suit the head of the screw to be tested. The screws shall not be tightened in jerks. Damage to covers is neglected.

Column 1 of Table 4.1 applies to metal screws without heads, if the tightened screw does not protrude from the hole;

Column 2 applies to,

- other metal screws and to nuts;
- screws of insulating material;
- having a hexagonal head with the dimensions across flats exceeding the overall thread diameter;
- having a cylindrical head and a key socket with a cross-corner dimension exceeding the overall thread diameter; and
- having a head with a slot or cross slots, the length of which exceeds 1.5 times the overall thread diameter.

Column 3 applies to other screws of insulating material.

The values given in Table 4.1 for screws over 6.0 mm diameter apply to steel screws and the like, which are used mainly in the mounting of the luminaire.

The values given in Table 4.1 for screws over 6.0 mm diameter do not apply to nipple threads of lampholders, the requirements for which are specified in 15 of IS 10276 (Part 2).

The requirements of this sub-clause do not apply to metal nuts used as means of fixing for push-button switches.

4.12.2 Screws transmitting contact pressure, screws which are operated when mounting or connecting the luminaires and having nominal diameter less than 3 mm, shall screw into metal.

Screws or nuts which are operated when mounting the luminaire or replacing lamps include screws or nuts for fixing covers, lids, etc. Connections for screwed conduits, screws for mounting the luminaire to its mounting surface, hand-operated fixing screws or nuts of glass covers and screwed lids are excluded.

Compliance is checked by inspection and for screws which are operated when mounting the luminaire or when replacing the lamps, by the test described in **4.12.1**.

4.12.3 Not used.

4.12.4 Screwed and other fixed connections between different parts of luminaires shall be made in such a way that they do not work loose through such torsion, bending stresses, vibration, etc, as may occur in normal use. Fixed arms and suspension tubes shall be securely attached.

Compliance is checked by inspection and by attempting to loosen locked connections with a torque not exceeding,

- 2.5 Nm for thread size up to and including M 10 or corresponding diameters; and
- 5.0 Nm for thread sizes above M 10 or corresponding diameters.

For lampholders which are exposed to a rotary action during lamp replacement, compliance shall be checked by inspection and by attempting to loosen locked screwed mechanical connections for 1 min with a torque not exceeding,

- 4.0 Nm for E40 lampholders;
- 2.0 Nm for E27 and B22 lampholders;
- 1.2 Nm for E14 and B15 lampholders (except candle type);
- 0.5 Nm for E14 and B15 candle lampholders; and
- 0.5 Nm for E10 lampholders.

For push-button switches, the means of fixing are subjected to a torque not exceeding 0.8 Nm.

During the test, such screwed connections shall not loosen.

NOTE — Examples of means of preventing the loosening of connections are soldering, welding, lock nuts and set screws.

4.12.5 Screwed glands shall comply with the following test:

Screwed glands shall be fitted with a cylindrical metal rod having a diameter equal to the nearest whole number of millimetres below the internal diameter of the packing. The glands shall then be tightened by

IS 10322 (Part 1) : 2014

Table 4.2 Torque Tests on Glands
(Clause 4.12.5)

Sl No.	Diameter of Test Rod mm	Force	
		Metal Glands N	Glands of Moulded Material N
(1)	(2)	(3)	(4)
i) Up to and including 14		25	15
ii) Over 14 up to and including 20		30	20
iii) Over 20		40	30

means of a suitable spanner, the force shown in Table 4.2 being applied to the spanner for 1 min at a point 250 mm from the axis of the gland.

After the test, the luminaire and the glands shall show no damage.

4.13 Mechanical Strength

4.13.1 Luminaires shall have adequate mechanical strength and be so constructed as to be safe after such rough handling as may be expected in normal use.

Compliance is checked by applying blows to the sample by means of the spring-operated impact test apparatus specified in IS 9000 (Part 7/Sec 1 to 5) or by other suitable means giving equivalent results.

NOTE — Equivalent impact energies obtained by different methods do not necessarily give the same test result.

The hammer spring shall be such that the product of the compression, in millimetres, and the force exerted, in Newton's, equals 1 000, the compression being approximately 20 mm. The spring shall be adjustable so as to cause the hammer to strike with an impact energy and spring compression as shown in Table 4.3.

Fragile Parts are parts such as glass and translucent covers providing only protection against dust, solid

objects and moisture, and ceramic and small parts protruding from the enclosure by less than 26 mm, or if their surface area does not exceed 4 cm².

Protective shields required according to 4.24 are regarded as fragile parts.

The sample is mounted or supported as in normal use on a rigid wooden board, cable entries being left open, knock outs opened, and cover-fixing and similar screws tightened with a torque equal to two-thirds of that specified in Table 4.1.

Three blows shall be applied to the point which is likely to be the weakest, paying special attention to insulating material enclosing live parts and to bushings of insulating material, if any. Additional samples may be necessary to find the weakest point; in case of doubt, the test shall be repeated on a fresh sample to which three blows only are applied.

After the test, the sample shall show no damage, in particular,

- 1) live parts shall not have become accessible;
- 2) the effectiveness of insulating linings and barriers shall not have been impaired;
- 3) the sample shall continue to afford the degree of protection against ingress of dust, solid objects and moisture, in accordance with its classification; and
- 4) it shall be possible to remove and to replace external covers without these covers or their insulating linings breaking.

Breakage of an enclosure is, however, allowed if its removal does not impair safety.

In case of doubt, supplementary insulation or reinforced insulation is subjected to an electric strength test as specified in Section 10.

Table 4.3 Impact Energy and Spring Compression

(Clause 4.13.1)

Sl. No.	Type of Luminaire	Impact Energy Nm		Compression mm	
		Fragile Parts	Other Parts	Fragile Parts	Other Parts
		(3)	(4)	(5)	(6)
(1)	(2)				
i)	Recessed luminaires, fixed general purpose luminaires and portable luminaires for wall mounting	0.2	0.35	13	17
ii)	Portable floor and table luminaires, photo and film luminaires	0.35	0.50	17	20
iii)	Floodlights, road and street lighting luminaires, swimming-pool luminaires, portable garden luminaires and child-appealing luminaries	0.5	0.70	20	24
iv)	Rough service luminaires, handlamps and lighting chains	Other testing methods			

NOTE — Lampholders and other components are tested only in so far they protrude beyond the projection of the outline of the luminaire. The front of the lampholders is never retested since in normal operation this part is covered by the lamp.

IS 10322 (Part 1) : 2014

Damage to the finish, small dents which do not reduce creepage distances or clearances below the value specified in Section 11, and small chips which do not adversely affect the protection against electric shock, dust or moisture, are neglected.

4.13.2 Metal parts enclosing live parts shall have adequate mechanical strength.

Compliance is checked by the appropriate tests of **4.13.3** to **4.13.5**.

4.13.3 A straight unjointed test finger is used, with the same dimensions as the standard test finger specified in IS 12063. The finger is pressed against the surface with a force of 30 N.

During the test, metal parts shall not touch live parts.

After the test, covers shall not be excessively deformed and the luminaire shall continue to meet the requirements of Section 11.

4.13.4 *Rough Service Luminaires*

Rough service luminaires shall have protection against ingress of solid objects and moisture of at least IP 54.

Compliance is checked by inspection and the appropriate test of **9.2.0**.

Rough service luminaires shall have adequate mechanical strength and shall not overturn under circumstances that may be expected during normal use. In addition the fixation means of the stand to which the luminaires is connected shall have adequate mechanical strength.

Compliance is checked by the test of (a) to (d):

- a) *Fixed rough service luminaires and portable rough service luminaires (not hand-held)* — Each of three samples of the luminaires shall be subjected to three single impacts, at points likely to be the weakest, on any surface normally exposed. The sample without lamp (or lamps) is mounted as in normal use on a rigid supporting surface.

The impacts are produced by dropping a steel sphere 50 mm diameter weighing 0.51 kg from a height H (1.3 m) as shown in Fig. 21, to produce an impact energy of 6.5 Nm.

Each of the three samples of a luminaire intended for outdoor use shall additionally be cooled to a temperature of $-5 \pm 2^\circ\text{C}$ and maintained at that temperature for 3 h.

Whilst the samples are at this temperature they shall be subjected to the impact test specified above.

- b) *Hand-held luminaires* — The luminaire is caused to fall four times from a height of 1 m

on to a concrete floor. The falls are made from four different horizontal starting positions, the luminaire being turned through 90° around its axis between each fall. Lamps are removed but protective glasses, if any, are not removed for this test.

After the test of **4.13.4** (a) or **4.13.4** (b) the luminaires shall show no damage impairing safety and its further use. The parts protecting the lamp against damage shall not have loosened.

NOTE — These parts may have become deformed. Breakage of a protective glass or translucent cover is ignored if the sole means of protecting the lamp against damage.

- c) *Luminaires delivered with a stand* — Any lamp(s) are removed before the tests. The luminaire and stand shall not overturn at an angle of 6° from the vertical. The luminaire shall withstand the impacts resulting from overturning four times from an angle up to 15° from the vertical.

The fixation means of the stand shall withstand a force of four times the weight of the luminaire in the most onerous direction.

If the luminaire overturns during the test on the plane inclined at an angle of 15° from the vertical, the test of **12.5.1** is made with the luminaire on a horizontal surface, in the most unfavourable of the overturned positions that may reasonably be expected in practice.

- d) *Luminaires for temporary installations and suitable for mounting on stand* — The luminaire shall withstand four impacts resulting from the following test.

Any lamp(s) are removed before the test. The luminaire is suspended by an aluminium rod along a concrete or brick wall. The length of the rod is that of the stand as indicated for a possible stand in the mounting instruction.

The luminaire is lifted until the rod is in the horizontal plane and then allowed to fall freely against the wall.

After the test there shall be no impairing of the safety.

4.13.5 Not used.

4.13.6 Plug-ballast/transformers and mains socket-outlet-mounted luminaires shall have adequate mechanical strength.

Compliance is checked by the following test, which is made in a tumbling barrel as shown in Fig. 25.

The barrel is turned at a rate of five rev/min, 10 falls/min thus taking place.

IS 10322 (Part 1) : 2014

The sample falls from a height of 50 cm on to a steel plate 3 mm thick, the number of falls being,

- a) 50, if the mass of the sample does not exceed 250 g; and
- b) 25, if the mass of the sample exceeds 250 g.

After the test, the sample shall show no damage within the meaning of this standard, but it need not be operative and any damage to the glass bulb shall be ignored. Provided that the protection against electric shock is not affected, small pieces which may have broken off the sample are ignored.

Distortion of pins and damage to the finish and small dents which do not reduce the creepage distances or clearances below the values specified in Section 11 are ignored.

4.14 Suspensions and Adjusting Devices

4.14.1 Mechanical suspensions shall have adequate factors of safety.

Compliance is checked by the appropriate following tests.

- a) *Test A, for all suspended luminaires* — A constant evenly distributed load equal to four times the weight of the luminaire shall be added to the luminaire in the normal direction of the load for a period of 1 h. There shall be no appreciable deformation of the components of the suspension system at the end of this period. Where alternative means of fixing or suspension are provided, each shall be tested separately.

For adjustable suspension, the load shall be applied with the supporting cable fully extended.

- b) *Test B, for rigid suspensions luminaires* — A torque of 2.5 Nm is applied to the luminaires for a period of 1 min, first in a clockwise and then in an anti-clockwise direction. For this test, it shall not be possible to rotate the luminaire relative to the fixed part by more than one revolution in either direction.

- c) *Test C, for rigid suspension brackets* — Details of the test for rigid suspension brackets are as follows:

- 1) For heavy-duty brackets (for example, workshop brackets), a force of 40 N shall be applied for 1 min, in various directions at the free end, with the bracket arm fixed as in normal use. The bending moment resulting from this shall be not less than 2.5 Nm. When the test force has been removed, the bracket arm shall not be

permanently displaced or deformed so as to endanger safety.

- 2) For light-duty brackets (for example domestic brackets), a similar test as per 4.14.1(a) shall be applied for 1 min, but with a force of 10 N, and the bending moment resulting from this test shall be not less than 1.0 Nm.

- (d) *Test D, for track-mounted luminaires* — The mass of the luminaire shall not exceed the value, recommended by the track manufacturer, of the maximum loading for which the luminaire suspension devices are suitable.

- (e) *Test E, for clip-mounted luminaires* — A pull is applied on the cable without jerk for 1 min in the most unfavourable direction in normal use. During the test the clip is mounted on standard test 'shelves' made of ordinary window glass, one with a nominal thickness of 10 mm and one with the maximum thickness onto which the clip can be mounted. For this test the thickness of the test shelf is increased by multiples of 10 mm. The clip shall not start moving on the glass at a pull of 20 N.

Clip-mounted luminaires shall, in addition, be tested on the metal rod having a polished chromium plated finish and a nominal diameter of 20 mm. The luminaires shall not rotate under its own weight and shall not fall off the rod when a pull of 20 N is applied on the cable. The test on a polished metal rod is not applied to luminaires marked 'not suitable for mounting on tubular material'.

NOTES

1 The increase in the thickness of the test sheet by 10 mm steps for the maximum thickness, limits the possibility of forcing the clip onto the test shelf.

2 The test shelf for a maximum thickness test may comprise layers of glass and wood, provided that the surfaces that are gripped by the clip of the luminaires are of glass.

4.14.2 The mass of the luminaires suspended by flexible cables or cords shall not exceed 5 kg. The total nominal cross-sectional area of the conductors of flexible cables or cord suspending pendants shall be such that the stress in the conductors does not exceed 15 N/mm².

For the calculation of the stress, only the conductors are considered.

Where a luminaire of mass greater than 5 kg is intended to be suspended, the design of the luminaire or of the flexible cable or cord shall be such as to prevent any tension being applied to the conductors.

NOTE — This requirement can be met by using a cable which incorporates suitable load-carrying cores.

IS 10322 (Part 1) : 2014

For the semi-luminaires intended for connection to Edison screw or bayonet lampholders the mass and effective bending moment shall not exceed the maximum value given in Table 4.4. The bending moment is relative to the point of contact, in the fully inserted position, of the semi-luminaire contact(s) with the centre contact of an Edison screw lamp holder or the plungers of a bayonet lamp holder.

Table 4.4 Test on Semi-Luminaires
(Clause 4.12.2)

Sl No.	Lampholders	Luminaires	
		Maximum Mass	Maximum Bending Moment
(1)	(2)	kg (3)	Nm (4)
i)	E14 and B15	1.8	0.9
ii)	E27 and B22	2.0	1.8

NOTE — These values are lower than those to which a lampholder would normally be tested to provide a safety margin.

Compliance is checked by inspection, by measurements and by calculation.

4.14.3 Adjusting devices, for example joints, hoisting devices, adjusting brackets or telescopic tubes, shall be so constructed that cords or cables are not pressed, clamped, damaged or twisted along the longitudinal axis by more than 360° during operation.

Compliance is checked by the following test:

The adjusting device, equipped with the appropriate cable or cord shall be operated in accordance with Table 4.5. A cycle of operation is a movement from one extreme of the range to the other and back to the starting position. The rate of movement shall not cause the device to heat appreciably and shall not exceed 600 cycles/h.

For electro-mechanical contact systems this test is conducted simultaneously with the electrical connection test of **4.11.6**.

Compliance is checked by inspection.

After the test, not more than 50 percent of the strands in a conductor shall be broken nor shall there be any serious damage to the insulation, if any, of the flexible cord. The cord or cable shall be subjected to, and shall satisfy, the insulation resistance and high-voltage tests specified in Section 10.

Ball-joints and the like, where the clamping means can be adjusted, are tested with the joints only lightly clamped to avoid excessive friction. If necessary, the clamping areas are readjusted during the test.

For adjusting devices that consist of a flexible tube the range of adjustment for this test is normally 135° in both directions from the vertical. However where this adjustment cannot be achieved without using unreasonable force the flexible tube is bent only to the positions where it will remain by itself.

NOTE — If a luminaire has more than one joint the 360° limit applies to each joint if they are not too close together. Each case needs to be judged on its own merits.

Table 4.5 Test on Adjusting Devices
(Clause 4.14.3)

Sl No.	Type of Luminaire	Number of Cycles of Operation
(1)	(2)	(3)
i)	Luminaires intended to be frequently adjusted, for example drawing board luminaires	1 500
ii)	Luminaires intended to be occasionally adjusted, for example shop-window spotlights	150
iii)	Luminaires intended to be adjusted during installation only, for example flood lighting luminaires	45

4.14.4 Cords or cables passing through telescopic tubes shall not be fixed to the outer tube. Means shall be provided for avoiding strain on the conductors at the terminals.

Compliance is checked by inspection.

4.14.5 Guide pulleys for flexible cords shall be dimensioned to prevent damage to the cord by excessive bending. Grooves in the pulleys shall be well rounded, the diameter of the pulley at the bottom of the groove being at least three times the diameter of the cord. Accessible metal pulleys shall be earthed.

Compliance is checked by inspection.

4.14.6 Plug-ballast/transformers and mains socket-outlet-mounted luminaires shall not impose undue strain on socket-outlets.

Compliance is checked by the following test. The plug-ballast/transformer or mains socket-outlet-mounted luminaires is inserted, as in normal use, into a fixed socket-outlet pivoted about a horizontal axis through the centre lines of the contact tubes at a distance of 8 mm behind the engagement face of the socket-outlet.

The additional torque which has to be applied to the socket-outlet to maintain the engagement face in the vertical plane shall not exceed 0.25 Nm.

For adjustable mains socket-outlet-mounted luminaires the total torque transmitted to the socket-outlet during adjustment shall not exceed 0.5 Nm.

The socket-outlet used for the test shall have the earth

IS 10322 (Part 1) : 2014

contact (if any) removed unless the socket has shuttered pin receptacles that are uncovered by the action of inserting the earth pin.

4.15 Flammable Materials

Covers, shades and similar parts not having an insulation function, and which do not withstand the 650°C glow-wire test of **13.3.2**, shall be adequately spaced from any heated part of the luminaire which could raise the material to its ignition temperature. These parts made of flammable material shall have suitable fastenings or supporting devices to maintain this spacing.

The spacing from heated parts mentioned above shall be at least 30 mm, unless the material is protected by a screen spaced at least 3 mm from the heated parts. This screen shall comply with the needle-flame test of **13.3.1**, shall have no holes, and shall have a height and a length at least equal to the corresponding dimensions of the heated parts. A screen is not required in cases where the luminaire provides an effective barrier to burning drops.

NOTE — The requirements of this clause are illustrated in Fig. 4.

Materials which burn fiercely, such as celluloid, shall not be used.

The requirement of this clause do not apply to small parts such as wiring clips and resin-bonded paper parts used inside the luminaire.

Spacing is not required from electronic circuits, if under abnormal conditions the operating current tubes not exceed normal conditions current by more than 10 percent.

Spacing is not required from parts of luminaires incorporating a temperature sensing control which provides protection against overheating of the covers, shades or similar parts.

The requirements, of this clause do not apply to a transformer supplied within an enclosure of its own, that is IP20 or higher, complying with IS 1416.

Compliance is checked by inspection, by measurement and by operating the luminaires in the abnormal condition with a slowly and steadily increasing current through the windings of the ballast or transformer, until the temperature sensing control operates. During and after this test, covers, shades and similar parts shall not catch fire and accessible parts shall not become live.

To check whether accessible parts have become live a test in accordance with Annex A is made.

Luminaires made of thermoplastic materials shall withstand temperature rises due to fault conditions in

ballasts/transformers and electronic devices, so that no danger occurs when mounted as in normal use.

This requirement shall be met by one of the following measures:

- a) Constructive measures ensuring that,
 - 1) during failure conditions, the components are kept in place, for example by temperature-independent supports.
 - 2) luminaire parts cannot be overheated in such a way that live parts can become accessible.

Compliance is checked by inspection and/or the test of **12.7.1**.

- b) The use of a temperature sensing control to limit the temperature of the ballast/transformer and electronic device fixation points and exposed parts of the luminaire to a safe value. The temperature sensing control may be either an auto-reset cut-out, a manual-reset thermal cut-out, or a thermal link.

Compliance is checked by the test of **12.7.2**.

- c) The thermoplastic materials used for the luminaires shall be suitable for the maximum surface temperature permitted by the use of thermally protected ballasts complying with the relevant auxiliary standard.

Compliance shall be checked by the test of **12.7.2**.

4.16 Luminaires Marked with ∇_F Symbol

For luminaires with an ∇_F symbol, the excessive temperatures which may arise due to the failure of a component shall not overheat the mounting surface.

The requirements of the **4.16** are not applicable to a transformer supplied within an enclosure of its own, that is, IP20 or higher complying with IS 1416. For shaver transformers or shaver apply units incorporated in a luminaire and complying with IS 1416, the requirements of **4.16.1** apply. Electronic lamp control gear and small wound devices that may be incorporated into these components are exempt from the requirements of this clause.

For luminaires incorporating lamp control gear, compliance with this requirement shall be met by spacing the lamp control gear from the mounting surface in accordance with **4.16.1**, or by the use of thermal protection in accordance with **4.16.2**, or by compliance with **4.16.3**.

For luminaires that do not contain lamp control gear, the requirements are met by compliance with section 12.

IS 10322 (Part 1) : 2014

NOTE — Examples of small wounded devices are windings having ferrite or non-laminated cores, these being normally mounted on a printed circuit board.

4.16.1 The lamp control gear shall be spaced from the mounted surface by a minimum distance of either,

- a) 10 mm, including the thickness of the luminaire case material when the spacing includes a minimum of 3 mm air space between the outer surface of the luminaire case and the mounting surface of the luminaire in the region of the lamp control gear, and a minimum of 3 mm air space between the lamp control gear case and the inner surface of the luminaire case. If there is no control gear case, the distance of 10 mm shall apply from the active part, for example windings of the lamp control gear.

NOTE — The luminaire case should be substantially continuous in the projected area of the lamp control gear so that a direct path of at least 35 mm is provided between the active part of the lamp control gear and the mounting surface; otherwise, the requirement of item b) applies, or

- b) 35 mm.

NOTE — The spacing of 35 mm is primarily to take account of stirrup-mounted luminaires where the lamp controlgear to mounting surface distance is often much greater than 10 mm.

In both instances the luminaire shall be so designed that any necessary air space is automatically obtained when it is mounted as in normal use.

Compliance is checked by inspection and by measurements.

4.16.2 The luminaire shall incorporate a temperature sensing control to limit the temperature of the mounting surface of the luminaire to a safe value. This temperature sensing control may be either external to the lamp controlgear or be part of a thermally protected lamp control gear in accordance with the relevant auxiliary standard.

The temperature sensing control may be either a self-resetting thermal cut-out, a manual reset thermal cut-out or a thermal link (a thermal cut-out which operates only once and then requires replacement).

A temperature sensing control external to the lamp controlgear shall not be of the plug-in type or an other wise easily replaceable type. It shall be kept in a fixed position with regard to the ballast/transformer.

NOTE — Cementing or the like to the ballast/transformer is not permitted.

Compliance is checked by inspection and by the test of **12.6.2**.

The requirements of this sub-clause are deemed to be complied with for luminaires incorporating “class P” thermally protected ballast/transformer(s), marked with the symbol ∇ , and temperature declared thermally protected ballast/transformer(s), symbol ∇ with a marked value equal to or below 130°C, in accordance with the relevant auxiliary standard, without any further tests.

Luminaires incorporating ballast/transformer(s) without the symbol for thermally protected ballasts or with a marked value above 130°C shall comply with the requirements of **4.16.1** or **4.16.3**.

4.16.3 If the luminaire does not comply with the spacing requirements of **4.16.1**, and does not incorporate thermal cut-outs in accordance with **4.16.2**, it shall be so designed that it satisfies the test of **12.6**.

NOTE — This requirement and its test are based on the assumption that, during failure of the ballast/transformer, for instance owing to short-circuited windings or a short-circuit to the case, the ballast/transformer windings will not exceed 350°C for a duration of more than 15 min and therefore that the temperature of the mounting surface will not exceed 180°C for a duration of more than 15 min.

— For an explanation of ∇ marking of luminaires, see Annex N.

4.17 Drain Holes

Drip-proof, rain-proof, splash-proof and jet-proof luminaires shall be so designed that if water accumulates in the luminaire it can drain out effectively, for example by opening one or more drain holes. Water tight luminaires shall have no provision for draining.

Compliance is checked by inspection and by the tests given in Section 9.

NOTE — A drain hole in the back of luminaire for surface mounting is effective only, if the design ensures a clearance of at least 5 mm from the mounting surface, for example, by means of projections from the back.

4.18 Resistance to Corrosion

NOTE — Since the tests as per **4.18** and Annex F may be destructive, they may be carried out on separate samples in accordance with **0.4.2**.

4.18.1 Ferrous parts of drip-proof, rain-proof, splash-proof, jet-proof, watertight and pressure watertight luminaires, the rusting of which might cause the luminaire to become unsafe, shall be adequately protected against rusting.

Compliance is to be checked by the following test:

All grease is removed from the parts to be tested. The parts are then immersed for 10 min in a 10 percent solution of ammonium chloride in water at a

IS 10322 (Part 1) : 2014

temperature of $27 \pm 5^\circ\text{C}$. Without drying, but after shaking off any drops, the parts are placed for 10 min in a box containing air saturated with moisture at a temperature of $27 \pm 5^\circ\text{C}$.

After the parts have been dried for 10 min in a heating cabinet at a temperature of $100 \pm 5^\circ\text{C}$, their surfaces shall show no signs of rust.

For small helical springs and the like, and for inaccessible parts exposed to abrasion, a layer of grease may provide sufficient protection against rusting. Such parts are subjected to the test only if there is doubt about the effectiveness of the grease film, and the test is then made without previous removal of the grease.

NOTE — Traces of rust on sharp edges and any yellowish film removable by rubbing are ignored.

4.18.2 Contacts and other parts made of rolled copper or copper alloy sheet, the failure of which might cause the luminaire to become unsafe, shall be free from stress corrosion.

Compliance is checked by the test as given in Annex F which shall be made on samples not subjected to any other test.

4.18.3 Parts of aluminium or aluminium alloy in drip-proof, rain-proof, splash-proof, jet-proof, watertight and pressure-watertight luminaires, shall be resistant to corrosion, if otherwise the luminaire might become unsafe.

NOTE — Guidance on resistance to corrosion is given in Annex L.

4.19 Ignitors

Ignitors used in luminaires shall be electrically compatible with the associated ballast in the luminaire.

Compliance is checked by inspection.

4.20 Rough Service Luminaires — Vibrant Requirements

Rough service luminaires shall have adequate resistance to vibrations.

Compliance is checked by the following vibration test.

The luminaire is fastened in its most onerous but normal position of installation to a vibration generator.

The direction of vibration is in the most onerous direction and the severity is:

Duration	: 30 min
Amplitude	: 0.35 mm
Frequency range	: 10 Hz, 55 Hz, 10 Hz
Sweep rate	: approximately one octave per minute.

After the test the luminaire shall have no loosened parts which could impair the safety.

4.21 Protective Shield (Tungsten Halogen Lamps)

4.21.1 Luminaires incorporating tungsten halogen lamps, without an integral outer envelope, shall be fitted with a protective shield except when the lamp is,

- a mains voltage (general lighting source) replacement lamp, or
- a low pressure tungsten halogen lamp as specified in IS 12948.

4.21.2 Parts of the lamp compartment shall so be designed that particles from a shattering lamp cannot impair safety.

4.21.3 All openings in the luminaire shall be that no parts of a shattered lamp can leave the luminaire by a direct path, including the rear of recessed luminaires.

4.21.4 Compliance with **4.21.1** to **4.21.3** is checked by inspection and by the following tests:

- The protective shields shall comply with the impact test of **4.13.1** with the impact energy of Table 4.3 for fragile parts;
- Parts of the lamp compartment, if of insulating material, shall comply with the resistance to flame and ignition test of **13.3.2**.

NOTE — This requirement is intended to improve safety by eliminating the hazards due to chance failure of a lamp or incorrect application. Existing open luminaires not fitted with a protective shield do not necessarily present a hazard.

4.22 Attachments to Lamps

Luminaires shall not incorporate attachments to lamps which might cause overheating or damage to the lamps, lamps caps or holders, luminaires or attachments.

Attachments to fluorescent lamps are only allowed, if supplied or approved by the luminaire manufacturer. The total weight of the lamp plus attachment shall not exceed,

- 100 g for lamps with cap G5; and
- 500 g for lamps with cap G13.

Compliance is checked by inspection, by weighing and by thermal measurements if appropriate.

NOTE — Examples of attachments to incandescent lamps which might not comply with these requirements are bowl mirror reflectors, reflectors around lamps, etc. Example which might be permitted are springs for attachments of light weight shades to lamps and similar devices.

4.23 Semi-Luminaires

Semi-luminaires shall comply with all relevant requirements for Class II luminaires.

IS 10322 (Part 1) : 2014

NOTE — The Class II symbol is omitted to avoid it being considered as applying to the complete luminaires in which the semi-luminaire is used.

4.24 UV Radiation

Luminaires shall not emit excessive radiation.

NOTE — See Annex P, procedure A or B for method of calculation to provide effective radiation shielding.

4.25 Mechanical Hazard

Luminaires shall have no sharp points or edges that could, during installation, normal use, or maintenance, create a hazard for the user.

Compliance is checked by inspection.

4.26 Short-Circuit Protection

4.26.1 Adequate means shall be provided to prevent the impairing of safety due to unintended short-circuiting of uninsulated accessible SELV parts of opposite polarity.

NOTE — Class III luminaires supplied from a separate unspecified SELV supply should have one conductor insulated. Where insulation is not provided, the luminaire manufacturer should declare the maximum VA output and type reference of the SELV source, and the test in **4.26.2** should be conducted with this transformer/convertor.

4.26.2 A type test sample is operated at 0.9 to 1.1 times its rated voltage with its nominal load. A test chain as specified in **4.26.3** is hung over accessible uninsulated SELV parts. The test chain shall form the shortest possible path by being loaded at each end, subject to a maximum of 250 g with a weight equal to:

$$= 15 'X' \text{ g}$$

where 'X' is the distance between conductors in the unloaded state, in centimetre.

The test chain shall not melt through, nor shall any part of the type test sample reach a temperature exceeding the values given in Tables 12.1 and 12.2.

4.26.3 Test Chain

A chain of sufficient length of an unquoted metal, having links in accordance with Fig. 29 and made of 63 percent Cu/37 percent Zn. The chain shall have a resistance value of $0.05 \Omega/\text{m} \pm 10$ percent when stretched with a load of 200 g/m.

NOTE — The resistance value of the test chain should be checked before each measurement.

SECTION 5 EXTERNAL AND INTERNAL WIRING

5.1 General

This section specifies general requirements for the electrical connections to a supply and for the internal wiring of luminaires.

5.2 Supply Connection and other External Wiring

5.2.1 Luminaires shall be provided with one of the following means of connection to the supply:

- Fixed luminaires : Terminals; plugs for engagement with socket-outlets; connecting leads (tails);
Non-detachable flexible cables or cords;
Adapters for engagement with supply tracks; appliance inlets
- Ordinary portable luminaires : Non-detachable flexible cables or cords;
Appliance inlets
- Other portable luminaires : Non-detachable flexible cables or cords
- Track-mounted luminaires : Adapters or connectors
- Semi-luminaires : Edison screw or bayonet cap

Portable luminaires intended for wall mounting and incorporating a junction box and cord anchorage may be delivered without a non-detachable flexible cable or cord, if instructions for mounting are enclosed with the luminaire.

Luminaires declared by the manufacturer to be suitable for use outdoors shall not have PVC insulation external wiring.

5.2.2 Flexible cables or cord used as a means of connection to the supply, when supplied by the luminaires manufacturer, shall be at least equal in their mechanical and electrical properties to those specified in IS 694 and IS 9968 (Part 1), as indicated in Table 5.1, and shall be capable of withstanding, without deterioration, the highest temperature to which they may be exposed under normal conditions of use.

Materials other than polyvinyl chloride and rubber are suitable, if the above requirements are met, but in such cases IS 10322 (Part 5) shall not apply.

To provide adequate mechanical strength, the nominal cross-sectional area of the conductors shall be not less than,

- a) 0.75 mm^2 , for ordinary luminaries; and
- b) 1.0 mm^2 , for other luminaries.

If the luminaire is provided with a 10/16 A socket-outlet, the flexible conductor nominal cross-section area shall be at least 1.5 mm^2 .

5.2.3 Where the non-detachable flexible cable or cord, is provided with the luminaire, it shall be connected to the luminaire by one of the following methods:

- a) Type X attachment;

- b) Type Y attachment; and
- c) Type Z attachment.

Table 5.1 Non-Detachable Flexible Cables or Cords
(Clause 5.2.2)

Sl. No. (1)	Class of Luminaires (2)	Material of Insulation/Sheath (3)
i)	Ordinary class I luminaires	Rubber/PVC
ii)	Ordinary class II	Rubber/PVC
iii)	Luminaires other than ordinary	Rubber
iv)	Portable rough service luminaires	Rubber

NOTE — For supply voltages greater than 250 V, higher voltage grade cables and cords than those given in the above table may be necessary.

5.2.4 Compliance with the requirements of **5.2.1** to **5.2.3** is checked by inspection and, if necessary, by fitting the appropriate flexible cable or cord.

5.2.5 Terminations within luminaires utilizing Type Z attachment shall not be made by means of screwed connections.

5.2.6 Cable entries shall be suitable for the introduction of the conduit or the protective covering of the cable or flexible cord so that the cores are completely protected, and they shall provide the degree of protection against dust or moisture in accordance with the classification of the luminaires, when the conduit, cable or flexible cord is fitted.

5.2.7 Cable entries through rigid materials for external flexible cables and cords shall have smoothly rounded edges of minimum radius 0.5 mm.

Compliance with the requirements of **5.2.5** to **5.2.7** is checked by inspection and by manual tests.

5.2.8 If, in Class II luminaires, in adjustable luminaires or in portable luminaires other than those for wall mounting, a flexible cable or cord where entering or leaving the luminaires passes through accessible metal parts or through metal parts in contact with accessible metal parts, the opening shall be provided with a tough bushing of insulating material having smoothly rounded edges, so fixed that it cannot easily be removed. Bushings of material likely to deteriorate with age (for example, rubber) shall not be used in openings with sharp edges.

NOTE — The term 'easily removable bushings' is used to describe a bushing which can be pulled out of its mounting by hand or a bushing screwed into a luminaire but not secured with a lock nut or appropriate adhesive such as a self-hardening resin.

If tubes or other guards are provided for the protection of flexible cables or cords at the entry to the luminaire they shall be of insulating material.

Helical metal springs and similar components, even when covered with insulated material, are not guards.

Compliance is checked by inspection.

5.2.9 Bushings which screw into the luminaire shall be locked in position. If bushings are fixed with an adhesive, it shall be of the self-hardening resin type.

Compliance is checked by inspection.

5.2.10 Luminaires provided with or designed for use with non-detachable flexible cables or cords shall have a cord anchorage such that the conductors are relieved from strain, including twisting, where they are connected to the terminals, and such that their covering is protected from abrasion. It shall be clear how the relief from strain and the prevention of twisting is intended to be affected. For luminaires supplied without a cable or cord, suitable test cable or cords of the largest and smallest sizes recommended by the luminaires manufacturer shall be used for the tests.

It shall not be possible to push the flexible cable or cord into the luminaire to such an extent that the cable or cord is subjected to undue mechanical or thermal stress. Material such as tying the cable or cord into a knot or tying the ends with string shall not be used.

Cord anchorage shall be of insulating material or be provided with a fixed insulating lining if an insulation fault on the cable or cord could make accessible metal parts live.

5.2.10.1 For Type X attachment cord and luminaires designed for use with non-detachable cables and cords, cord anchorage's shall be such that:

- a) At least one part is fixed to, or is integral with, the luminaire;

NOTE — A cord anchorage is described as fixed to or held by the luminaire if this is actually the case when the wiring is inserted and the luminaire is completely assembled.

- b) They are suitable for the different types of flexible cable or cord that are appropriate for connecting to the luminaire, except where the luminaire allows only one type of cable or cord to be fitted;
- c) They do not damage the cable or cord and they are unlikely to be damaged when they are tightened or loosened in normal use;
- d) The whole flexible cable or cord with its covering, if any, is capable of being mounted into the cord anchorage;
- e) The cable or cord does not touch clamping screws of the cord anchorage, if these screws are of metal and are accessible or electrically connected to accessible metal parts;

IS 10322 (Part 1) : 2014

- f) The cable or cord is not clamped by a metal screw which bears directly on the cable or cord; and
- g) Replacement of the flexible cable or cord does not require the use of a tool specially designed for the purpose.

Glands shall not be used as cord anchorages in portable or adjustable luminaires, unless they have provision for clamping all types and sizes of cables and cords which might be used for the supply connection. Anchorage of labyrinth type may be used, if it is evident from the design or by means of suitable marking how the flexible cable or cord is to be mounted.

Compliance is checked by the test of **5.2.10.3**.

5.2.10.2 For Type Y and Type Z attachments, cord anchorages shall be adequate.

Compliance is checked by the test of **5.2.10.3**.

NOTE — The test is carried out on the cable or cord supplied with the luminaire.

5.2.10.3 Compliance is checked by inspection and by the following tests which are made with the cable or cord which is fitted to the luminaire as delivered.

The conductors are introduced into the terminals and the terminal screws, if any, are tightened just sufficiently to prevent the conductors from easily changing their position.

The cord anchorage is used in the normal manner, clamping screws, if any, being tightened with a torque two-thirds of that specified in Table 4.1.

After this preparation, it shall not be possible to push the cable or cord into the luminaire in such a way as to cause movement of the cable or cord at the terminals, or to cause the cable or cord to come into contact with moving parts or parts which operate at a temperature higher than that permissible for the insulation of the conductors.

The cable or cord is then subjected 25 times to a pull of the value shown in Table 5.2.

The pulls are applied without jerks, each time for 1 s. The measurement of the longitudinal displacement of the cable or cord is made during this test. A mark is made on the cable or cord at a distance of approximately 20 mm from the cord anchorage while it is subjected to the first pull and during the 25th pull the mark shall not have been displaced by more than 2 mm.

The cable or cord shall then be subjected to a torque of the value shown in Table 5.2.

During and after the above tests, the conductors shall not have moved noticeably in the terminals and the cable or cord shall not be damaged.

Table 5.2 Tests for Cord Anchorage
(Clause 5.2.10.3)

Sl No.	Total Nominal Cross-Sectional Area of all Conductors Together mm ²	Pull N	Torque Nm
(1)	(2)	(3)	(4)
i)	Up to and including 1.5	60	0.15
ii)	Over 1.5 up to and including 3	60	0.25
iii)	Over 3 up to and including 5	80	0.35
iv)	Over 5 up to and including 8	120	0.35

5.2.11 If external wiring passes into the luminaire, it shall comply with the appropriate requirements for internal wiring.

Compliance is checked by the tests of **5.3**.

5.2.12 Fixed luminaires for looping-in shall be provided with terminals intended for maintaining the electrical continuity of supply cables feeding the luminaire, but not terminating in it.

Compliance is checked by inspection.

5.2.13 The ends of flexible stranded conductors may be tinned but shall not have additional solder applied, unless a means is provided of ensuring that clamped connections cannot work loose owing to cold flow of the solder (*see* Fig. 28).

NOTE — This requirement is met when spring terminals are used. Securing the clamping screws is not an adequate means of preventing the connection of soldered strands from working loose owing to cold flow of the solder.

5.2.14 If a plug is supplied with the luminaire by the manufacturer, the plug shall have the same degree of protection against electric shock and degree of protection against ingress of dust, solid objects and moisture as the luminaire.

A Class III luminaire shall not be provided with a plug which permits connection with a socket-outlet according to IS 1293.

5.2.15 Non-detachable flexible cables and cords and connecting leads (tails) of extra-low voltage d.c. supplied fluorescent luminaires where supplied as the means of connection of the luminaire to the supply shall be colour coded red to indicate positive and black to indicate negative.

5.2.16 Appliance inlets incorporated into luminaires as the means of connection to the supply shall comply with the requirements of IS 3010 (Part 2). Looping-in of luminaires shall be achieved by appliance couplers, which, if of the Class II type, shall not accept Class I type plugs, or shall be achieved using screw or screwless terminals.

Compliance with the requirements of **5.2.13** to **5.2.16** is checked by inspection.

IS 10322 (Part 1) : 2014

5.3 Internal Wiring

5.3.1 Internal wiring shall be made with conductors of a suitable size and type to handle the power occurring during normal use. The insulation of the wiring shall be made of a material capable of withstanding the voltage and the maximum temperature to which it is subjected, without affecting the safety when properly installed and connected to the mains.

If cables with common type of insulation (PVC or rubber) are used as through wiring, they do not need to be delivered with the luminaire, if the way of mounting is clear from the manufacturer's instructions. However, if special cables or sleeves, for example, due to high temperatures, are necessary, the through wiring shall always be factory assembled. The requirements of **3.3.3 c)** shall be taken into account in the latter case.

Wires coloured green and yellow shall be used for making earth connections only.

NOTES

1 The temperature limits for the insulation are given in the tables of section 12.

2 Sleeves in compliance with **4.9.2** are suitable to protect hot spots.

Compliance is checked by inspection and the following test, after the temperature and heating tests of Section 12.

The socket-outlet, if any, is loaded with the declared value specified by the manufacturer and, if not declared, with its rated current at rated voltage.

When stable conditions are reached, the voltage is increased until an over-wattage of 5 percent, or an over-voltage of 6 percent (depending on the type of lamp), is present.

When the new stable conditions are reached, all temperatures on components, cables, etc, which can be influenced by the self-heating of the conductor shall be checked in accordance with the requirements of **12.4**.

5.3.1.1 For wiring which is directly connected to the fixed wiring, for example, *via* a terminal block, and the disconnection from the mains is relied upon by the external protection device(s), the following is applicable.

- a) *For normal operating currents higher than 2 A*
 - 1) Nominal cross-sectional area: minimum 0.5 mm²,
 - 2) For through-wiring of fixed luminaries: minimum 1.5 mm², and
 - 3) Nominal insulation thickness: minimum 0.6 mm (PVC or rubber).

- b) For mechanical protected wiring carrying normal operating currents lower than 2 A:
 - 1) nominal cross-sectional area: minimum 0.4 mm², and
 - 2) Nominal insulation thickness: minimum 0.5 mm (PVC or rubber).

The required mechanical protection is regarded to be adequate when extra insulation is added at the following places where the wire insulation may be damaged:

- i) In small openings of pipes when, during production, the wires are slid through,
- ii) When bending wires closely around metal not specially treated to produce smooth edges.

5.3.1.2 For wiring which is connected to the fixed *via* an internal current-limiting device and limiting the current to 2 A maximum, for example, lamp current control device, circuit cut-outs, fuses, protective impedance or isolating transformers, the following is applicable:

- a) The minimum cross-sectional area which may be less than 0.4 mm² shall be selected in relation to the maximum current during normal operating conditions and the time and level of the current flowing during failure conditions, owing to the fact that over heating of the wire insulation shall be prevented under any condition;
- b) The minimum insulation thickness which may be less than 0.5 mm (PVC or rubber) shall be selected in relation to the voltage stress occurring.

5.3.1.3 In Class II luminaires where the internal wiring has a live conductor and touches accessible metal parts under normal operating conditions, the insulation, at least at the places of contact, shall comply with the requirements for double or reinforced insulation relevant to the voltage stress, for example, by applying sheathed cables or sleeves.

5.3.1.4 Conductors without insulation may be used provided that adequate precautions have been taken to ensure adherence to the creepage distances and clearance requirements of Section 11 and also with regard to the class of protection of Section 2.

5.3.1.5 The SELV current-carrying parts do not have to be insulated. However, if insulation is applied, they shall be tested as mentioned in Section 10.

5.3.1.6 When insulation materials are used which have insulating or mechanical properties higher than PVC or rubber, an insulation thickness shall be selected which gives the same degree of protection.

IS 10322 (Part 1) : 2014

5.3.2 Internal wiring shall be so situated or protected that it cannot be damaged by sharp edges, rivets, screws and similar components, or by moving parts of switches, joints, raising and lowering devices, telescopic tubes and similar parts. Wiring shall not be twisted along the longitudinal axis of the cable through an angle exceeding 360°.

Compliance is checked by inspection (*see also* 4.14.4 and 4.14.5) and in accordance with the test of 4.14.3.

5.3.3 If in Class II luminaires, in adjustable luminaires, or in portable luminaires other than those for wall mounting, internal wiring passes through accessible metal parts or through metal parts in contact with accessible metal parts, the opening shall be provided with a tough bushing of insulating material, having smoothly rounded edges, so fixed that it cannot easily be removed. Bushings of material likely to deteriorate with age (for example rubber) shall not be used in openings with sharp edges.

NOTE — The term 'easily removable bushings' is used to describe which can be pulled out of its mounting by hand or a bushing screwed into a luminaire but not secured with a lock nut or appropriate adhesive such as a self-hardening resin.

If the cable entry openings have smoothly rounded edges and the internal wiring is not required to be moved in service, this requirement is met by the use of a separate protective sheath over a cable that has no special protective sheath, or by using a cable which incorporates a protective sheath.

5.3.4 Joints and junctions in internal wiring, excluding terminations on components, shall be provided with an insulating covering no less effective than the insulation of the wiring.

Compliance with the requirements of 5.3.3 and 5.3.4 is checked by inspection.

5.3.5 Where internal wiring passes out of the luminaire and the design is such that the wiring may be subject to strain, the requirements for external wiring apply. The requirements for external wiring do not apply to internal wiring of ordinary luminaires which has a length of less than 80 mm outside the luminaire. For luminaires other than ordinary, all wiring external to the enclosure shall comply with the external wiring requirements.

Compliance is checked by inspection, measurements and, if appropriate, in accordance with the tests of 5.2.10.1.

5.3.6 Wiring of adjustable luminaires shall be fixed by means of wire carriers, clips or similar parts of the insulating material at all places where it might otherwise rub against metal parts in the normal movement of the luminaire in such a way that the insulation may be damaged.

5.3.7 The ends of flexible stranded conductors may be tinned but shall not have additional solder applied unless a means is provided of ensuring that clamped connections cannot work loose owing to cold flow of the solder (*see* Fig. 28).

NOTE — This requirement is met when spring terminals are used. Securing the clamping screws is not an adequate means of preventing the connecting of soldered strands from working loose owing to cold flow of the solder.

Compliance with the requirements of 5.3.6 and 5.3.7 is checked by inspection.

SECTION 6 — Not used

SECTION 7 PROVISION FOR EARTHING

7.1 General

This section specifies requirements, where applicable, for the earthing of luminaires.

7.2 Provision for Earthing

7.2.1 Metal parts of Class I luminaires which are accessible when the luminaire has been mounted, or is opened for replacement of a lamp or replaceable starter or for cleaning purposes, and which may become live in the event of an insulation fault, shall be permanently and reliably connected to an earthing terminal or earthing contact.

NOTE — Metal parts screened from live parts by metal parts which are connected to the earthing terminal or earthing contact, and metal parts separated from live parts by double insulation or by reinforced insulation, are not, for the purpose of this requirement, regarded as likely to become live in the event of an insulation fault.

Metal parts of luminaires which may become live in the event of an insulation fault and which are not accessible when the luminaire has been mounted, but are liable to come into contact with the supporting surface, shall be permanently and reliably connected to an earthing terminal.

NOTE — The earthing of starters and lamp caps is not a requirement but earthing of lamp caps may be necessary as a starting aid.

The earthing connections shall be of low resistance.

Self-tapping screws may be used to provide earthing continuity, provided that it is not necessary to disturb the connection in normal use and that at least two screws are used for each connection.

Thread-forming screws may be used to provide earthing continuity, if they comply with the requirements for screw terminals (*see* Section 14.)

For Class I luminaires with detachable parts provided with connectors or similar connection devices, the earth

IS 10322 (Part 1) : 2014

connection shall be made before the current-carrying contacts are made and the current-carrying contacts shall separate before the earth connection is broken.

7.2.2 Surfaces in adjustable joints, telescopic tubes, etc, providing earthing continuity, shall be such that a good electrical contact is ensured.

7.2.3 Compliance with the requirements of **7.2.1** and **7.2.2** is checked by inspection and by the following test:

A current of at least 10 A, derived from a source with a no-load voltage not exceeding 12 V, shall be passed between the earthing terminal or earthing contact and each of the accessible metal parts in turn.

The voltage drop between the earthing terminal or earthing contact and the accessible metal part shall be measured and the resistance calculated from the current and the voltage drop. In no case shall the resistance exceed 0.5 Ω . When type testing, the current shall be applied for a period of at least 1 min.

NOTE — In the case of a luminaire with a non-detachable flexible cable for the supply connection, the earthing contact is at the plug or supply end of the flexible cable or cord.

7.2.4 Earthing terminals shall comply with the requirements of **4.7.3**. The connection shall be adequately locked against accidental loosening.

For screw terminals, it shall not be possible to loosen the clamping means by hand.

For screw less terminals, it shall not be possible to loosen the clamping means unintentionally.

Compliance is checked by inspection, by manual test and by the tests specified in **4.7.3**.

NOTE — In general, the designs commonly used for current-carrying terminals provide sufficient re-silience to comply with this requirement; for other designs, special provisions, such as the use of an adequately resilient part which is not likely to be removed inadvertently, may be necessary.

7.2.5 For luminaires provided with a connector socket for a mains supply, the earth contact shall be an integral part of the socket.

7.2.6 For luminaires to be connected to supply cables or to a non-detachable flexible cable or cord, the earth terminal shall be adjacent to the mains terminal.

NOTE — Luminaires may be provided with Type X or Y attachments.

7.2.7 For luminaires other than ordinary luminaires, all parts of an earth terminal shall be such as to minimize the danger of electrolytic corrosion resulting from contact with the earth conductor or any other metal in contact with them.

7.2.8 Either the screw or the other part of the earth terminal shall be made of brass or other non-rusting

metal or a material with a non-rusting surface and the contact surfaces shall be bare metal.

7.2.9 Compliance with the requirements of **7.2.5** to **7.2.8** is checked by inspection and by manual test.

7.2.10 If a fixed Class II luminaire designed for looping-in is provided with internal terminal(s) for maintaining the electrical continuity of an earthing conductor not terminating in the luminaire, this (these) terminal(s) shall be insulated from accessible metal parts by double insulation or reinforced insulation.

Compliance is checked by inspection.

7.2.11 When a Class I luminaire is supplied with an attached flexible cord, this cord shall have an earthing core coloured green-yellow.

The green-yellow core of a flexible cable or cord shall be connected to the earthing terminal of the luminaire and to the earthing contact of the plug, if one is attached.

All conductors, whether internal or external, which are identified by the green and yellow colour combination shall only be connected to an earthing terminal.

For luminaires with non-detachable flexible cables or cords, the arrangements of the terminals, or the length of the conductors between the cord anchorage and the terminals, shall be such that, should the cable or cord move out of the cord anchorage, the current-carrying conductor becomes taut before the earthing conductor.

Compliance is checked by inspection.

SECTION 8 PROTECTION AGAINST ELECTRIC SHOCK

8.1 General

This section specifies requirements for protection against electric shock from luminaires. A test to determine whether a conductive part is a live part which may cause an electric shock is described in Annex A.

8.2 Protection Against Electric Shock

8.2.1 Luminaires shall be so constructed that their live parts are not accessible when the luminaire has been installed and wired as in normal use, and when it is opened as necessary for replacing lamps or (replaceable) starters, even if the operation cannot be achieved by hand.

Protection against electric shock shall be maintained for all methods and positions of installation in normal use having regard to the limitations indicated in the manufacturer's installation instructions, and for all adjustments of adjustable luminaires. Protection shall be maintained after removal of all parts which can be

IS 10322 (Part 1) : 2014

removed by hand, except lamps and the following parts of the lampholders:

- a) *For bayonet lampholders:*
 - 1) Domes (terminal covers); and
 - 2) Skirts.
- b) *For Edison screw lampholders:*
 - 1) Domes (terminal covers) for cord grip types on; and
 - 2) Outer shells.

Covers in fixed luminaires that cannot be removed by a single action with one hand are not removed. However, covers which have to be removed for changing lamps or starters are removed for this test.

NOTE — A single action with one hand is normally taken to include removal of items such as a knurled headed screw or a shade retaining ring.

Supply conductors held by screw less terminals with push-button releasing devices shall not be removed for this test.

The use of push-button type terminal blocks without the use of a cover is not precluded by this requirement. This is possible as some specific actions are required in order to release wiring from these blocks.

Class I and Class II luminaires intended for tubular filament lamps having a cap/base at each end shall incorporate a means of automatic double-pole disconnection operative when the lamp is being changed. This requirement does not apply, if the relevant cap and holder combination(s) is (are) covered by standards which incorporate special requirements with regard to accessibility of live parts which may cause an electric shock.

The insulating properties of lacquer, enamel, paper and similar materials shall not be relied upon to give the required protection against electric shock and protection against short-circuit.

Luminaires with ignitors intended for use with double ended high pressure discharge lamps shall be tested according to Fig. 26.

If the voltage measured according to Fig. 26 exceeds 34 V (peak), the ignitor shall only be active if the lamp is fully inserted, or a warning according to 3.2.18 (a) or (b) respectively shall be fitted to the luminaire.

8.2.2 For portable luminaire, protection against electric shock shall also be maintained after movable parts of the luminaires have been placed in the most unfavourable position, which can be effected by hand.

8.2.3 Metal parts of Class II luminaires which are insulated from live parts by basic insulation only are live parts for the purpose of this section.

This applies also to starters and non-current-carrying parts of lamp caps, if they are accessible other than when the luminaire is open for lamp or starter changing.

This does not apply to the caps of single-ended compact fluorescent lamps which comply with (Under preparation).

For Class II luminaire, glass lamp bulbs are not required to have further protection against electric shock. If glass bowls and other protective glasses have to be removed when the lamp is replaced or if they do not withstand the test of 4.13, they shall not be used as supplementary insulation.

NOTE — The combination of requirements in 8.2.1 and 8.2.3 means that in Class II luminaire, basic insulated metal parts other than those of starters and non-current-carrying parts of lamp caps are not allowed to be accessible when the luminaire is opened for lamp or starter replacement, but basic insulation may be accessible.

Class I luminaires incorporating lampholders for bayonet cap lamps shall either,

- a) be so designed that the lamp cap is not accessible to the standard test finger when the luminaire is assembled as in normal use, or
- b) be provided with a metal lampholder which is earthed.

There is no evidence that during normal use double-ended halogen lamps will fail in a manner that would expose the filament, and in a Class II luminaire they do not require an insulating barrier between the lamp and a metal reflector.

8.2.4 Portable luminaires for connection to the supply by means of a non-detachable flexible cord and plug shall have protection against electric shock which is independent of the supporting surface.

For portable luminaires, terminal blocks shall be completely covered.

8.2.5 Compliance with the requirements of 8.2.1 to 8.2.4 is checked by inspection and if necessary by a test with the standard test finger specified in IS 12063.

This finger shall be applied to every possible position, if necessary with a force of 10 N, an electrical indicator being used to show contact with live parts. Movable parts, including shades, shall be placed in the most unfavourable position by hand; if of metal they shall not touch live parts of the luminaire or of the lamps.

NOTE — It is recommended that a lamp be used for the indication of contact and that the voltage should be not less than 40 V.

8.2.6 Covers and other parts providing protection against electric shock shall have adequate mechanical strength and shall be reliably secured so that they shall not work loose with normal handling.

IS 10322 (Part 1) : 2014

Compliance is checked by inspection, by manual test and by the tests as given in Section 4.

8.2.7 Luminaires (other than those mentioned below) incorporating a capacitor of capacitance exceeding $0.5 \mu\text{F}$ shall be provided with a discharge device so that the voltage across the capacitor 1 min after disconnection of the luminaire from the source of supply at rated voltage does not exceed 50 V.

Portable luminaires designed to be connected to the supply by means of a plug, track adaptor connected luminaires, or luminaires with supply connector with contacts accessible with the standard test finger and incorporating a capacitor of capacitance exceeding $0.1 \mu\text{F}$ (or $0.25 \mu\text{F}$ for luminaires with a rated voltage less than 150 V) shall be provided with a discharge device so that 1 s after disconnection the voltage between the pins of the plug or adaptor/connector contacts does not exceed 34 V.

Other luminaires connected to the supply by means of a plug and incorporating a capacitor exceeding $0.1 \mu\text{F}$ (or $0.25 \mu\text{F}$ for luminaires of rated voltage less than 150 V) and track adaptors mounted in luminaires shall discharge so that after 5 s the voltage between the pins of the plug does not exceed $60 V_{\text{rms}}$.

Sub-clause **0.4.2** requires that, unless otherwise specified, the tests of this part of the standard shall be conducted with the lamp in circuit. In the case of this sub-clause the lamp shall be in circuit when measurement is made of the voltage from the compensation capacitor, if it leads to a more onerous result.

Compliance is checked by measurement.

NOTE — The discharge device (for all types of luminaire) may be incorporated on or within the capacitor or mounted separately within the luminaire.

SECTION 9 RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE

9.1 General

This section specifies the requirements and tests for luminaires classified as resistant to dust, solid objects and moisture in accordance with Section 2, including ordinary luminaire.

9.2 Tests for Ingress of Dust, Solid Objects and Moisture

The enclosure of a luminaire shall provide the degree of protection against ingress of dust, solid objects and moisture in accordance with the classification of the luminaire and the IP number marked on the luminaire.

NOTE — The tests for the ingress of dust, solid objects and moisture specified in this standard are not all identical to the

tests in IS 12063 because of the technical characteristics of luminaires. An explanation of the IP numbering system is given in Annex J.

Compliance is checked by the appropriate tests specified in **9.2.0** to **9.2.9**, and for other IP ratings by the appropriate tests specified in IS 12063.

Before the tests for second characteristic numeral, with the exception of IPX8, the luminaire complete with lamp(s) shall be switched on and brought to a stable operating temperature at rated voltage.

The water for the tests shall be at a temperature of $15 \pm 10^\circ\text{C}$.

Luminaires shall be mounted and wired as in normal use and placed in the most unfavourable position, complete with their protective translucent covers, if any, for the tests of **9.2.0** to **9.2.9**.

Where connection is made by a plug or a similar device then this shall be regarded as part of the complete luminaire and shall be included in the tests and similarly for any separate control gear.

For tests of **9.2.3** to **9.2.9**, a fixed luminaire intended for mounting with its body in contact with a surface shall be tested with an expanded metal spacer interposed between the luminaire and the mounting surface. The spacer shall be at least equal in overall size to the projection of the luminaire, and have dimensions as follows:

Longway of mesh:	10 mm to 20 mm
Shortway of mesh:	4 mm to 7 mm
Strand width:	1.5 mm to 2 mm
Strand thickness:	0.3 mm to 0.5 mm
Overall thickness:	1.8 mm to 3 mm

Luminaires having provision for draining water by means of drain holes shall be mounted with the lowest drain hole open unless otherwise specified in the manufacturer's installation instructions.

If the installation instructions indicate that a drip-proof luminaire is for ceiling or under-canopy mounting, the luminaires shall be attached to the underside of a flat board or plate which extends 10 mm beyond that part of the luminaire perimeter in contact with the mounting surface.

For recessed luminaires, the parts in the recess and the parts protruding from the recess shall each be tested according to their IP classification as indicated in the manufacturer's mounting instructions.

NOTE — A box encapsulating the part in the recess may be necessary for the test of **9.2.4** to **9.2.9**.

For IP2X luminaires, the enclosure denotes that part of the luminaire containing the main part other than the lamp and optical controls.

IS 10322 (Part 1) : 2014

NOTE — Since luminaires have no hazardous moving parts, the level of safety as specified in IS 12063 is achieved.

Portable luminaires, wired as in normal use, shall be placed in the most unfavourable position of normal use.

Glands, if any, shall be tightened with a torque equal to two-thirds of that applied to glands in the test of 4.12.5.

Fixing screws of covers, other than hand-operated fixing screws of glass covers, shall be tightened with a torque equal to two-thirds of that specified in Table 4.1.

Screwed lids shall be tightened with a torque having a value in Newton metres numerically equal to one-tenth of the nominal diameter of the screw thread in millimetres. Screws fixing other caps shall be tightened with a torque equal to two-thirds of that specified in Table 4.1.

After completion of the tests, the luminaires shall withstand the electric strength test specified in Section 10, and inspection shall show,

- a) no deposit of talcum powder in dust-proof luminaires, such that, if the powder were conductive, the insulation would fail to meet the requirements of this standard;
- b) no deposit of talcum powder inside enclosures for dust-tight luminaires;
- c) no trace of water on current-carrying parts or SELV parts or on insulation where it could become a hazard for the user or surroundings, for example where it could reduce the creepage distances below the values specified in Section 11;
- d) 1) for luminaires without drain holes, there shall be no water entry.

NOTE — Care should be taken not to mistake condensation for water entry.

- 2) for luminaires with drain holes, water entry including condensation is allowed during the tests, if it can drain out effectively and provided it does not reduce the creepage and clearance distances below the minimum levels specified in the standard.
- e) no trace of water entered in any part of a watertight or pressure watertight luminaire;
- f) no contact permitted with live parts by the relevant test probe for first characteristic IP numeral 2;
- g) no entry into the luminaires enclosure by the relevant test probe for first characteristic IP numerals 3 and 4.

- h) for luminaires with drain holes in an accordance with 4.17, no contact permitted through the drain holes with live parts with the relevant test probe for the first characteristic IP numerals 3 and 4.

9.2.0 Tests

Solid-object-proof luminaires (first characteristic IP numeral 2) shall be tested with the standard test finger specified in IS 12063 according to the requirements as given in Table 9.1.

NOTE — Luminaires with first characteristic IP numeral 2 are not required to be tested with the sphere specified in IS 12063.

Solid-object-proof luminaires (first characteristic IP numerals 3 and 4) shall be tested at every possible point (excluding gaskets) with a probe in accordance with test probe C or D of IS 12063, applied with a force as follows:

9.2.0 The end of the probe wire shall be cut at right angles to its length and be free from burrs.

Table 9.1 Solid-Object-Proof Luminaire Test
(Clause 9.2.0)

Sl. No.	Test Probe According IS 1401	Probe Wire Diameter mm	Application Force (percent)
(1)	(2)	(3)	(4)
i) First IP numeral 3	C	2.5 ^{+0.05} _{-0.00}	3 N ± 10
ii) First IP numeral 4	D	1 ^{+0.05} _{-0.00}	1 N ± 10

9.2.1 Dust-proof luminaires (first characteristic IP numeral 5) shall be tested in a dust chamber similar to that shown in Fig. 6, in which talcum powder is maintained in suspension by an air current. The chamber shall contain 2 kg of powder for every cubic meter of its volume. The talcum powder used shall be able to pass through a square-meshed sieve whose nominal wire diameter is 50 mm² and whose nominal free distance between wires is 75 mm. It shall not have been used for more than 20 tests.

The test shall proceed as follows:

- a) The luminaire is suspended outside the dust chamber and operated at rated supply voltage until operating temperature is achieved.
- b) The luminaire whilst still operating is placed with the minimum disturbance in the dust chamber.
- c) The door of the dust chamber is closed.
- d) The fan/blower causing the talcum powder to be in suspension is switched on.
- e) After 1 min the luminaire is switched off and

IS 10322 (Part 1) : 2014

allowed to cool for 3 h whilst the talcum powder remains in suspension.

NOTE — The 1 min interval between switching on the fan/blower and switching off the luminaire is to ensure that the talcum powder is properly in suspension around the luminaire during initial cooling, which is most important with smaller luminaires. The luminaire is operated initially as in 9.2.1 (a) to ensure the test chamber is not over heated.

9.2.2 Dust-tight luminaires (first characteristic IP numeral 6) are tested in accordance with 9.2.1.

9.2.3 Drip-proof luminaires (second characteristic IP numeral 1) are subjected for 10 min to an artificial rainfall of 3 mm/min, falling vertically from a height of 200 mm above the top of the luminaires.

9.2.4 Rain-proof luminaires (second characteristic IP numeral 3) are sprayed with water for 10 min by means of a spray apparatus as shown in Fig. 7. The radius of the semicircular tube shall be as small as possible and compatible with the size and position of the luminaire.

The tube shall be perforated so that jets of water are directed towards the centre of the circle and the water pressure at the inlet of the apparatus shall be approximately 80 kN/m².

The tube shall be caused to oscillate through an angle of 120°, 60° on either side of the vertical, the time for one complete oscillation (2 × 120°) being about 4s.

The luminaire shall be mounted above the pivot line of the tube so that the ends of the luminaire receive adequate coverage from the jets. The luminaires shall be turned about its vertical axis during the test at a rate of 1 rev/min.

After this 10 min period, the luminaire shall be switched off and allowed to cool naturally whilst the water spray is continued for a further 10 min.

9.2.5 Splash-proof luminaire (second characteristic IP numeral 4) are sprayed from every direction with water for 10 min by means of the spray apparatus shown in Fig. 7 and described in 9.2.4. The luminaire shall be mounted under the pivot line of the tube so that the ends of the luminaires receive adequate coverage from the jets.

The tube shall be caused to oscillate through an angle of almost 360°, 180° on either side of the vertical, the time for one complete oscillation (2 × 360°) being about 12 s. The luminaire shall be turned about its vertical axis during the test at a rate of 1 rev/min.

The support for the equipment under test shall be of grid shaped in order to avoid acting as a baffle. After this 10 min period, the luminaire shall be switched off and allowed to cool naturally whilst the water spray is continued for a further 10 min.

9.2.6 Jet-proof luminaires (second characteristic IP numeral 5) are switched off and immediately subjected to a water jet for 15 min from all directions by means of a hose having a nozzle with the shape and dimensions shown in Fig. 8. The nozzle shall be held 3 m away the sample.

The water pressure at the nozzle shall be adjusted to achieve a water delivery rate of 12.5 l/min ± 5 percent (approximately 30 kN/m²).

9.2.7 Powerful water jet-proof luminaires (second characteristic IP numeral 6) are switched off and immediately subjected to a water jet for 3 min from all direction by means of a hose having a nozzle with the shape and dimensions shown in Fig. 8. The nozzle shall be held in 3 m away from the sample.

The water pressure at the nozzle shall be adjusted to achieve a water delivery rate of 100 l/min ± 5 percent (approximately 100 kN/m²).

9.2.8 Water-tight luminaires (second characteristic IP numeral 7) are switched off and immediately immersed for 30 min in water, so that there is at least 150 mm of water above the top of the luminaires and the lowest portion is subjected to at least 1 m head of water. Luminaires shall be held in position by their normal fixing means. Luminaires for tubular fluorescent lamps shall be positioned horizontally, with the diffuser upwards, 1 m below the water surface.

NOTE — This treatment is not sufficiently severe for luminaires intended for operation under water.

9.2.9 Pressure watertight luminaires (second characteristic IP numeral 8) are heated either by switching on the lamp or by other suitable means, so that the temperature of the luminaire enclosure exceeds that of the water in the test tank by between 5°C and 10°C.

The luminaires shall then be switched off and subjected to a water pressure of 1.3 times that pressures which corresponds to the rated maximum immersion depth for a period of 30 min.

9.3 Humidity Test

All luminaires shall be protected against humid conditions which may occur in normal use.

Compliance is checked by the humidity treatment described in 9.3.1, followed immediately by the tests of Section 10.

Cable entries, if any, shall be left open; if knock-outs are provided, one of them shall be opened.

Parts which can be removed by hand, for example electrical components, covers, protective glasses, etc, shall be removed and subjected, if necessary, to the humidity treatment with the main part.

IS 10322 (Part 1) : 2014

9.3.1 The luminaire is placed in the most unfavourable position of normal use, in a humidity cabinet containing air with a relative humidity maintained between 91 percent and 95 percent. The temperature of the air at all places where samples can be located shall be maintained within 1°C of any convenient value 't' between 20°C and 30°C.

Before being placed in the humidity cabinet, the sample shall be brought to a temperature between 't' and (t + 4)°C. The sample shall be kept in the cabinet for 48 h.

NOTE — In most cases, the sample may be brought to the specified temperature between 't' and (t + 4)°C by keeping it in a room at this temperature for at least 4 h before the humidity treatment.

In order to achieve the specified conditions within the cabinet, it is necessary to ensure constant circulation of the air within, and in general to use a cabinet which is thermally insulated.

After this treatment, the sample shall show no damage affecting compliance with the requirements of this standard.

SECTION 10 INSULATION RESISTANCE AND ELECTRIC STRENGTH

10.1 General

This section specifies requirements and tests for the insulation resistance and electric strength of luminaires.

10.2 Insulation Resistance and Electric Strength

The insulation resistance and the electric strength of luminaires shall be adequate.

Compliance is checked by the tests of **10.2.1** and **10.2.2** in the humidity cabinet or the room in which the sample

was brought to the prescribed temperature, after reassemble of those parts which may have been removed.

This switch, if any, shall be placed in the 'ON' positions for all tests, except for tests between live parts which are separated by the action of a switch.

During these tests the following components shall be disconnected, so that the test voltages are applied to the insulation of the components, but not to the capacitate or inductive functional elements of these components, as appropriate:

- a) Shunt-connected capacitors;
- b) Capacitors between live parts and the body; and
- c) Chokes or transformers connected between live parts.

If it is impossible to place metal foil in position on linings or barriers, the tests shall be made on three pieces of the lining or barrier which have been taken out and placed between two metal balls having a diameter of 20 mm, which shall be pressed together with a force of 2 ± 0.5 N.

The conditions of test for transistorized ballasts shall be as specified in IS 6616.

NOTE — The insulation between live parts and the body, as well as between accessible metal parts and metal foil on the inside of insulating linings and barriers, are tested according to the required type of insulation. The term 'body' includes accessible metal parts, accessible fixing screws and metal foil in contact with accessible parts of insulating material.

10.2.1 Test-Insulation Resistance

The insulation resistance shall be measured with a d.c. voltages of approximately 500 V, 1 min after the application of the voltage.

Table 10.1 Minimum Insulation Resistance
(Clause 10.2.1)

SI No.	Insulation of Parts	Minimum Insulation Resistance M Ω		
		Class I Luminaires (3)	Class II Luminaires (4)	Class III Luminaires (5)
(1)	(2)			
	i) SELV:			
	ii) Between current-carrying parts of different polarity	a	a	a
	iii) Between current-carrying parts and the mounting surface ¹⁾	a	a	a
	iv) Between current-carrying parts and metal parts of the luminaire	a	a	a
	v) Other than SELV:			
	vi) Between live parts of different polarity	b	b	—
	vii) Between live parts and the mounting surface ¹⁾	b	b and c, or d	—
	viii) Between live parts and metal parts of the luminaires	b	b and c, or d	—
	ix) Between live parts which can become of different polarity through action of a switch	b	b and c, or d	—
	x) Basic insulation for voltage of SELV (a)	—	1	—
	xi) Basic insulation for voltages other than SELV (b)	—	2	—
	xii) Supplementary insulation (c)	—	2	—
	xiii) Double or reinforced insulation (d)	—	4	—

¹⁾ The mounting surface is covered with metal foil for the purpose of this test.

IS 10322 (Part 1) : 2014

For the insulation of SELV parts of luminaires, the dc voltage to be used for measurement is 100 V.

The insulation resistance shall be not less than the values specified in Table 10.1.

The insulation between live parts and the body of Class II luminaires shall not be tested, if the basic insulation and the supplementary insulation can be tested separately.

Insulating linings and barriers shall be tested only, if the distance between live parts and accessible metal parts, without the lining or barrier, would be less than that prescribed in Section 11.

For the tests on the insulation of bushings, cord grips, wire carriers and clips, the cable or cord shall be covered by metal foil or replaced by a metal rod of the same diameter.

These requirements do not apply to starting aids which are purposely connected to the mains, if they are not live parts.

NOTE — See Annex A for a test for live parts.

10.2.2 Test-Electrical Strength

A voltage of substantially sine-wave form, having a frequency of 50 Hz and the value specified in Table 10.2, shall be applied for 1 min across the insulation shown in that table.

Initially, no more than half the prescribed voltage shall be applied, then it is raised gradually to the full value.

For the high-voltage transformers used for the test, when the output terminals are short-circuited after the output voltages has been adjusted to the appropriate test voltage, the output current shall be at least 200 mA.

The over current relay shall not trip when the output current is less than 100 mA.

Care shall be taken that the r.m.s. value of the test voltage applied is measured within ± 3 percent.

Care shall also be taken that the metal foil is so placed that no flashover occurs at the edges of the insulation.

For Class II luminaires incorporating both reinforced and double insulation, care shall be taken that the voltage applied to the reinforced insulation does not overstress the basic insulation or the supplementary insulation.

Glow discharges without drop in voltage are ignored.

No flashover or breakdown shall occur during the test.

These requirements do not apply to starting aids which are purposely connected to the mains, if they are not live parts.

For luminaires with ignitors, the electric strength of parts of the luminaire that are stressed by the pulse voltage is tested with the ignitor operating, to ensure that the luminaire insulation, wiring and similar parts are adequate.

For luminaires with ignitors and lampholders which, according to the lampholder manufacturer's instructions achieve their maximum impulse voltage protection only with a lamp inserted, a dummy lamp shall be inserted for this test.

NOTES

1 The dummy lamps should be supplied with the type test sample.

2 This requirement enables the cap/holder design to be kept to a reasonable size while allowing the pulse voltage to rise to a level which will ensure hot restarting of a discharge lamp (for example in studio applications).

Table 10.2 Electric Strength
(Clause 10.2.2)

Sl No.	Insulation of Parts	Test VoltageV		
		Class I Luminaires (3)	Class II Luminaires (4)	Class III Luminaires (5)
(1)	(2)			
i)	SELV:			
ii)	Between current-carrying parts of different polarity	a	a	a
iii)	Between current-carrying parts and the mounting surface ¹⁾	a	a	a
iv)	Between current-carrying parts and metal parts of the luminaires	a	a	a
v)	Other than SELV:			—
vi)	Between live parts of different polarity	b	b	—
vii)	Between live parts and the mounting surface ¹⁾	b	b and c, or d	—
viii)	Between live parts and metal parts of the luminaries	b	b and c, or d	—
ix)	Between live parts which can be become of different polarity through action of a switch	b	b and c, or d	—
x)	Basic insulation for voltages of SLEV (a)	—	500	—
xi)	Basic insulation for voltages other than SELV (b)	—	2U + 1 000	—
xii)	Supplementary insulation (c)	—	2U + 1 750	—
xiii)	Double or reinforced insulation (d)	—	4U + 2 750	—

¹⁾ The mounting surface is covered with metal foil for the purpose of this test.

IS 10322 (Part 1) : 2014

The luminaire with ignitors is connected to a supply of 100 percent rated voltage, for a period of 24 h. Ignitors that become defective during this period are replaced immediately. The electric strength test with the values specified in Table 10.2 is then applied to the luminaire with all the terminals (except any earthing terminal) of the ignitor connected together.

For luminaire with manual ignitors such as push-buttons, the luminaire is connected to a supply of 100 percent rated voltage and subjected to '3 s on/10 s off' switching cycle for a total period of 1 h. Only one ignitor is used for this test.

Luminaires with ignitors provided with ballasts which are marked for the exclusive use with an ignitor having a time limitation device, conforming to relevant Indian Standards if any, shall be subjected to the same test but for a period consisting of 250 on/off cycles, keeping an off-period of 2 min.

No flashover or breakdown shall occur during the electric strength test.

10.3 Leakage Current

The leakage current that may occur during normal operating of the luminaire between each pole of the supply source and the body of the luminaire (*see* Table 10.2) and shall not exceeds the values of Table 10.3.

Table 10.3 Leakage Current
(Clause 10.3)

Sl No.	Luminaires Type	Maximum, rms Values of Leakage Current mA (3)
(1)	(2)	(3)
i)	Class II	0.5
ii)	Portable, Class I	1.0
iii)	Fixed, Class I up to 1 kVA rated input increasing by 1.0 mA/kVA up to a maximum of 5.0 mA	1.0

NOTE — For luminaire incorporating a.c. supplied electronic ballasts, the leakage current may be greatly dependent upon the spacing between the lamp and the earthed starting aid, due to the high frequency operation of the lamp.

SECTION 11 CREEPAGE DISTANCES AND CLEARANCES

11.1 General

This section specifies minimum requirements for creepage distances and clearances in luminaires.

11.2 Creepage Distances and Clearances

Live parts and adjacent metal parts shall be adequately spaced. SELV parts of luminaires shall also be adequately spaced. Creepage distances and clearances for ordinary luminaires shall be not less than the values given in Tables 11.1 and 11.3 as appropriate, for luminaires classified IPX1 or higher not less than the values given in Tables 11.2 and 11.3 as appropriate.

Distances between current-carrying parts of opposite polarity shall comply with the requirements for basic insulation.

NOTE — For details of pollution degrees or over voltage categories, IS 15382 (Part 1) should be consulted.

For ordinary luminaires, the minimum distances specified in Tables 11.1 and 11.3 are based on the following criteria:

- Pollution degree 2 where normally only non-conductive pollution occurs but occasionally a temporary conductivity caused by condensation is to be expected;
- For basic insulation over voltage Category I; and
- For supplementary and reinforced insulation, over voltage Category II.

Table 11.1 Minimum Distances for ac (50 Hz) Sinusoidal Voltages for Ordinary Luminaires
(Conversion Guide in Annex M)
(Clause 11.2)

Sl No.	RMS Working Voltage not Exceeding V	50	150	250	500	750	1 000	
(1)	Distances in mm (2)	(3)	(4)	(5)	(6)	(7)	(8)	
i)	Creepage distances:							
a)	Basic insulation PTI ¹⁾	≥ 600	0.6	1.4	1.7	3	4	5.5
		< 600	1.2	1.6	2.5	5	8	10
b)	Supplementary insulation PTI ¹⁾	≥ 600	—	3.2	3.6	4.8	6	8
		< 600	—	3.2	3.6	5	8	10
c)	Reinforced insulation	—	—	5.5	6.5	9	12	14
ii)	Clearances:							
a)	Basic insulation	—	0.2	1.4	1.7	3	4	5.5
b)	Supplementary insulation	—	—	3.2	3.6	4.8	6	8
c)	Reinforced insulation	—	—	5.5	6.5	9	12	14

¹⁾PTI (proof tracking index) in accordance with IS 2824.

IS 10322 (Part 1) : 2014

For luminaires classified IPX1 or higher, the minimum distances specified in Tables 11.2 and 11.3 are based on the following criteria:

- a) Pollution degree 3 where dry non-conductive pollution occurs which becomes conductive due to condensation which can be expected; and
- b) For all insulations, over voltage Category II.

11.2.1 Compliance is checked by measurements made with and without conductors of the largest section connected to the terminals of the luminaires.

The contribution to the creepage distance of any groove less than 1 mm wide is limited to its width.

Any air gap less than 1 mm wide is ignored in calculating the total clearance, unless the required distance is 1 mm or less.

For luminaires provided with an appliance inlet, the measurements are made with an appropriate connector inserted.

Distances through slots or openings in external parts of insulating material are measured with metal foil in contact with the accessible surface. The foil is pushed

into corners and similar places by means of the standard test finger specified in IS 12063, but it is not pressed into openings.

Internal creepage distances in permanently sealed components are not measured. Examples of permanently sealed components are components sealed-off or compound filled.

The values in the table do not apply to components for which separate Indian standard exists, but apply only to the mounting distances in the luminaire.

Creepage distances at a supply terminal shall be measured from the live part in the terminal to any accessible metal parts, and the clearance shall be measured between incoming supply wiring and accessible metal parts, i.e. from a bare conductor of the largest section to the metal parts which can be accessible. At the internal wiring side of the terminal the clearance shall be measured between live parts of the terminal and accessible metal parts (*see* Fig. 24).

NOTE — The measurements of the clearances from supply and from internal wiring differ because the luminaire manufacturer does not have control over the length of insulation removed from the supply wiring by the installer.

Table 11.2 Minimum Distances for a.c. (50 Hz) Sinusoidal Voltages for Luminaires Classified IPX1 or Higher (Conversion Guide in Annex M)
(Clause 11.2)

SI No.	RMS Working Voltage not Exceeding V	50	150	250	500	750	1 000
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
i) Creepage distance:							
a) Basic insulation PTI ¹⁾	≥ 600	1.5	2	3.2	6.3	10	12.5
b) PTI ¹⁾	≥ 175 < 600	1.9	2.5	4	8	12.5	16
c) Supplementary insulation		—	3.2	3	8	12.5	16
d) Reinforced insulation		—	5.5	6.5	9	12.5	16
ii) Clearances							
a) Basic insulation		0.8	1.5	3	4	5.5	8
b) Supplementary insulation		—	3.2	3.6	4.8	6	8
c) Reinforced insulation		—	5.5	6.5	9	12	14

¹⁾ PTI (proof tracking index) in accordance with IS 2824.

Table 11.3 Minimum Distances for Sinusoidal or Non-Sinusoidal Pulse Voltages
(Clause 11.2)

SI No.	Rated Pulse Peak Voltage									
	kV									
i) Minimum clearance, in mm	2.0	2.5	3.0	4.0	5.0	6.0	8.0	10	12	
	1	1.5	2	3	4	5.5	8	11	14	
ii) Minimum clearance, in mm	Rated Pulse Peak Voltage									
	kV									
	15	20	25	30	40	50	60	80	100	
	18	25	33	40	60	75	90	130	170	

IS 10322 (Part 1) : 2014

Values of creepage distances and clearances may be found for intermediate values of working voltages by linear interpolation between tabulated values. No values are specified for working voltages below 25V as the voltage test of Table 10.2 is considered sufficient.

In the case of creepage distance to parts not energized, or not intended to be earthed, where tracking cannot occur, the values specified for material with PTI ≥ 600 shall apply for all materials (in spite of the real PTI).

For creepage distances subjected to working voltages of less than 60 s duration, the values specified for materials with PTI ≥ 600 shall apply for all materials.

For creepage distances not liable to contamination by dust or moisture, the values specified for material with PTI ≥ 600 shall apply (independent of the real PTI).

Creepage distances shall not be less than the required minimum clearance.

For distances subjected to both sinusoidal voltage as well as non-sinusoidal pulses, the minimum required distance shall be not less than the highest value indicated in either table.

SECTION 12 ENDURANCE TEST AND THERMAL TEST

12.1 General

This section specifies requirements relating to the endurance test and thermal tests of luminaires.

12.2 Selection of Lamps and Ballasts

Lamps used for the tests of this section shall be selected in accordance with Annex B.

The lamps used in the endurance test are operated above their rated wattage for extended periods, and shall not be used for the thermal tests. However, it is usually convenient to retain in the thermal test for abnormal operation those lamps that have been used in the thermal test for normal operation.

If the luminaire requires a separate ballast and this is not supplied with the luminaire, a ballast shall be selected for test purposes which is typical of normal production, and which complies with the relevant ballast specification. The power delivered to a reference lamp by the ballast under reference conditions shall be within ± 3 percent of rated lamp power.

NOTES

1 For reference conditions, see the relevant Indian standards for lamp auxiliary.

2 In the relevant lamp performance standards the rated wattage may still be indicated as 'objective' wattage. This wording will be corrected in future editions of these standards.

12.3 Endurance Test

Under conditions representing cyclic heating and cooling in service, the luminaire shall not become unsafe or fail prematurely.

Compliance is checked by carrying out the test described in 12.3.1.

12.3.1 Test

- a) The luminaire shall be mounted in a thermal enclosure with means for controlling the ambient temperature within the enclosure.

The luminaire shall be positioned on a similar supporting surface (and in the same operating position) as for the normal operation thermal test (*see* 12.4.1).

- b) The ambient temperature within the enclosure shall be maintained within $\pm 2^\circ\text{C}$ of $(t_a + 10)^\circ\text{C}$ during the test t_a is 27°C unless otherwise marked on the luminaire.

The ambient temperature within the enclosure shall be measured in accordance with Annex K. Ballasts for operation separate from the luminaire shall be mounted in free air, not necessarily in the thermal enclosure, and shall be operated in an ambient temperature $27 \pm 5^\circ\text{C}$.

- c) The luminaire shall be tested in the enclosure for a total duration of 168 h consisting of seven successive cycles of 24 h. Supply voltage as specified in 12.3.1(d) below shall be applied to the luminaire for the first 21 h and disconnected for the remaining 3 h of each cycle. The initial heating period of the luminaire is part of the first test cycle.

The circuit condition shall be as in normal operation for the first six cycles, and as in abnormal operation (*see* Annex C) for the seventh cycle. For luminaires containing an electrical motor (for example, a fan) the abnormal condition which most adversely affects the result of the test shall be selected.

For luminaires for which there is no abnormal condition for example fixed non-adjustable filament lamp luminaires, the total test duration shall be 240 h (that is, 10×24 cycles at normal operation).

- d) During operating periods, the supply voltage for filament lamp luminaires shall be 1.05 ± 0.015 times the voltage at which the rated wattage of the lamp is obtained and 1.10 ± 0.015 times (the rated voltage or the maximum of the rated voltage range) for tubular fluorescent and other discharge lamp luminaires.

IS 10322 (Part 1) : 2014

- e) If the luminaire ceases to operate because of a failure, the following shall apply:

For chance failure of a part of the luminaire (including the lamp), the instructions of **12.4.1** (g) shall apply.

If a thermal protective device operates during the first six cycles the test shall be modified as follows:

- 1) For luminaires with cyclic protective devices, the luminaire shall be allowed to cool until the device resets. For luminaires with one-shot thermal protective devices (thermal links), the device shall be replaced.
- 2) For all kinds of luminaires the test shall then be continued up to 240 h in total with the circuit and the temperature adjusted in such a way that the protective device just fails to operate. The luminaire is deemed to have failed the test, if adjustment below the luminaires rated characteristics is necessary to prevent the protective device operating.

If a thermal protective device operates during the seventh (abnormal conditions) cycle it shall either be allowed to cool, or, in the case of one-shot device, it shall be replaced, and the test continued with the circuit and temperature adjusted in such a way that the protective device just fails to operate.

NOTE — It is considered that, if a cut-out device operates during the seventh (abnormal condition) cycle then the functioning of the intended protection has been proven.

Arrangements should be made to signal a break in operation. The effective test duration shall not be reduced as a consequence of such a break.

12.3.2 Compliance

After the test of **12.3.1** the luminaire, and for track-mounted luminaires also the track and component parts of the track system, shall be visually inspected. No part of the luminaire shall have become unserviceable [other than as a chance failure as described in **12.3.1**(e)] and plastic ES lampholders shall not be deformed. The luminaire shall not have become unsafe and shall not have caused damage to the track system. The marking of the luminaire shall be legible.

NOTE — Symptoms of possible unsafe conditions include cracks, scorches and deformation.

12.4 Thermal Test (Normal Operation)

Under conditions representing normal service, no part of the luminaire (including the lamp), the supply wiring within the luminaire, or the mounting surface shall attain a temperature which would impair safety.

During the test for compliance, the 'Through' wiring shall not be loaded.

In addition, parts intended to be touched, handled, adjusted or gripped by hand while the luminaire is at operating temperature shall not be too hot for the purpose.

Luminaires shall not cause excessive heating of lighted objects.

Track-mounted luminaires shall not cause excessive heating of tracks on which they are mounted.

Compliance is checked by carrying out the test described in **12.4.1**.

For luminaires containing an electrical motor, this motor shall operate as intended during the test.

12.4.1 Test

The temperature shall be measured as indicated in **12.4.2** in accordance with the following conditions:

- a) The luminaire shall be tested in a draught-proof enclosure designed to avoid excessive changes in ambient temperature. A luminaire suitable for surface mounting shall be mounted on a surface as described in Annex D. An example of a draught-proof enclosure is given in Annex D, but other types of enclosure may be used, if the results obtained are compatible with those that would be obtained by the use of the enclosure described in Annex D. [For ballasts separate from the luminaire *see* **12.4.1**(h)].

The luminaire shall be connected to the power supply with the wiring and any materials (for example, insulating sleeves) supplied with the luminaire for the purpose.

In general, connection shall be in accordance with the instructions provided with the luminaire or marked on it. Otherwise, wiring required to connect the luminaire under test to the supply and not supplied with it should be of a type representative of common practice. Such wiring not supplied with the luminaire is hereafter referred to as the test piece.

Temperature measurements shall be made in accordance with Annexes E and K.

- b) The operating position shall be the thermally most onerous operating position which may reasonably be adopted in service. For fixed non-adjustable luminaires, a position shall not be selected if it is stated to be not permissible in instructions supplied with, or marked on, the luminaire. For adjustable luminaires, the required distance from lighted objects shall be respected if marked on the luminaire, except for luminaires without provision for

IS 10322 (Part 1) : 2014

mechanical looking in any position, when the front rim of the reflector if any, otherwise the lamp, shall be positioned 100 mm from the mounting surface.

- c) The ambient temperature within the draught-proof enclosure shall be within the range 10°C to 30°C and should preferably be 27°C. It shall not vary by more than $\pm 1^\circ\text{C}$ during measurements and during a preceding period long enough to affect the results.

If, however, a lamp has temperature-sensitive characteristics (for example, a fluorescent lamp), or if the t_a rating of the luminaire exceeds 30°C, the ambient temperature within the draught-proof enclosure shall be within 5°C of the t_a rating and should preferably be the same as the t_a rating.

- d) The test voltage for the luminaire shall be as follows:

- i) *Filament lamp luminaires*, that voltage which produces 1.05 times the rated wattage of the test lamp (see Annex B) except that heat test source (HTS) lamps are always operated at the voltage marked on the lamp.
- ii) *Tubular fluorescent and other discharge lamp luminaires*, 1.06 times the rated voltage or the maximum of the rated voltage range.
- iii) *For motors contained in luminaires*, 1.06 times the rated voltage (or the maximum of the rated voltage range of the luminaire).

Exception:

For determination of the average temperature of the winding of a component with t_w marking and for the determination of the case temperature of a component with t_c marking, except capacitors, the test voltage shall be 1.00 times the rated voltage. This exception applies only to the measurement of the winding or case temperature and does not apply, for example to the measurement of a terminal block on the same component.

Capacitors whether carrying t_c or not are tested at 1.06 times related voltage when operated within fluorescent and other discharge luminaires.

NOTE — If a luminaire contains both a filament lamp and a tubular fluorescent or other discharge lamp or a motor, it may be necessary to provide it temporarily with two separate supplies.

- e) During and immediately before a measurement, the supply voltage shall be held

within ± 1 percent and preferably within ± 0.5 percent of the test voltage. The supply voltage shall be held within ± 1 percent of the test voltage during such preceding period as may affect the measurement; this period shall be not less than 10 min.

- f) Measurements shall not be taken until the luminaire has stabilized thermally, that is, temperatures are changing at a rate less than $1^\circ\text{C}/\text{h}$.

- g) If the luminaire ceases to operate because of a defective part of the luminaire (including the lamp), the part should be replaced and the test continued. Measurements already made need not be repeated, but the luminaire shall be stabilized before further measurements are made. If, however, a hazardous condition has arisen, or if any part becomes unserviceable as a type defect, then the luminaire is deemed to have failed the test. If a protective device in the luminaire operates, the luminaire is deemed to have failed.

- h) If remote control gear/components are supplied as part of a luminaire, they shall be mounted and operated in accordance with the manufacturer's instructions. Temperatures of all parts shall comply with the limits specified in Section 12.

If remote control gear is not supplied as part of the luminaire, the manufacturer shall provide control gear typical of normal use. The control gear shall be operated in free air and in an ambient temperature of $27 \pm 5^\circ\text{C}$. The temperature of the control gear shall not be measured.

- i) In case of doubt in the test for filament lamp luminaires, the test shall be repeated with heat test source (HTS) lamps, if available. For temperatures which are mainly governed by the cap temperature of the lamp, the values obtained by HTS lamps are decisive. For those temperatures which are mainly governed by radiation, the values obtained by normal production lamps with clear bulbs are decisive.

- j) The light beam from the luminaire, for luminaires covered by 3.2.13, is directed towards a matt black painted wooden vertical surface similar to that described in Annex D. Luminaires are mounted at the distance from the surface which is marked on the luminaire. During the tests, measurements shall be made of the temperature of certain insulating parts, as required for the tests of Section 13.

IS 10322 (Part 1) : 2014

Table 12.1 Maximum Temperatures Under the Test Conditions 12.4.2, for Principal Parts
(Clause 12.4.2)

SI No.	Part	Maximum Temperature °C
(1)	(2)	(3)
i)	Lamp caps	As specified in the appropriate lamp standard ¹⁾
ii)	Windings in ballasts or transformers with t_w marking	t_w
iii)	Case (of capacitor, starting device, ballast or convertor, etc):	
	a) If t_c is marked	t_c ²⁾
	b) If t_c is not marked	50
iv)	Windings in transformers, motors, etc, if the winding insulation system according to IS 1271 is:	
	a) of class A material ⁶⁾	100
	b) of class E material ⁶⁾	115
	c) of class B material ⁶⁾	120
	d) of class F material ⁶⁾	140
	e) of class H material ⁶⁾	165
v)	Insulation of wiring:	See Table 12.2 and 12.4 (b) and 12.4.2 (c)
vi)	Contacts of ceramic lampholders and insulating material of lampholders and starterholders:	
vii)	T_1 or T_2 marked (B15 and B22) ⁴⁾ (See IS 1258)	165 for T_1 and 210 for T_2
viii)	Other types without T marking:	
ix)	(See IS 10276 (Part 2), IS 3323: IS...for miscellaneous lampholders ⁵⁾ and IS 1258)	T marking
x)	Other types without T marking:(E14, B15) (See IS 10276 and IS 1258)	135
xi)	(E27, B22) (See IS 10276 and IS 1258)	165
xii)	(E40) (See IS 10276)	225
xiii)	Fluorescent lamp holder/starter holders and miscellaneous lampholders without T marking (See IS 3323 and IS.....Miscellaneous lampholders ⁵⁾)	80
xiv)	Switches marked with individual ratings:	
xv)	With T marking	T marking
xvi)	Without T marking	55
xvii)	Other parts of the luminaire (according to material and use):	See Table 12.2 and 12.4.2 (b)
xviii)	Mounting surface:	
xix)	Normally flammable surface	90
xx)	Non-combustible surface	Not measured
xxi)	Parts intended to be handled or touched frequently ³⁾ :	
	a) Metal parts	70
	b) Non-metal parts	85
xxii)	Parts intended to be gripped by hand:	
	a) Metal parts	60
	b) Non-metal parts	75
xxiii)	Objects lighted by spotlights [See 12.4.1(J)]	90 (of test surface)
xxiv)	Track (for track-mounted luminaires)	As stated by the track manufacturer
xxv)	Mains socket-outlet-mounted-luminaire and plug-ballast/transformer:	
	a) case parts intended to be gripped by hand	75
	b) the plug/socket interface	70
	c) all other parts	85
xxvi)	Replaceable glow-starting devices	80

¹⁾ For luminaires marked with information concerning the use of special lamps, or if it is obvious that special lamps are to be used, a higher value, as specified by the lamp manufacturer, is allowed. IS 12948 provide information for the measurement of pinch temperature for tungsten halogen lamps. These measurements are required for performance criteria of lamps and not safety criteria of the luminaire. (Single-capped fluorescent lamps are excluded from being measured under normal operation test conditions see Table 12.3). This does not apply to lamps covered by the scope of IS 12948. The relevant information in this standard for luminaire design shall be observed.

²⁾ Measured at the given reference point marked by the device manufacturer.

³⁾ Not applicable to parts intended to be touched only occasionally during adjustment, for example, parts of spotlights.

⁴⁾ Temperature measured on the rim of a corresponding cap.

⁵⁾ For bi-pin lampholders, in case of doubt, the average of the contact temperature measurements should be used.

⁶⁾ The material classification is in accordance with IS 1271 and IS 7809 series.

IS 10322 (Part 1) : 2014

Table 12.2 Maximum Temperature Under the Test Conditions of 12.4.2, for Common Materials Used in Luminaires
(Clause 12.4.2)

SI No.	Part	Maximum Temperature °C
(1)	(2)	(3)
i)	Insulation of wiring (internal and external), supplied with luminaire ²⁾ :	
	a) Glass fibre silicone-varnish impregnated	200 ¹⁾
	b) Polytetrafluoroethylene (PTFE)	250
	c) Silicone rubber (not stressed)	200
	d) Silicone rubber (compressive stress only)	170
	e) Ordinary polyvinyl chloride (PVC)	90 ¹⁾
	f) Heat-resisting polyvinyl chloride (PVC)	105 ¹⁾
	g) Ethylene vinyl acetate (EVA)	140 ¹⁾
ii)	Insulation of fixed wiring (as a fixed part of the installation not supplied with the luminaire) ¹⁾ :	
	a) Unsleeved	90 ³⁾
	b) Appropriate sleeving supplied with the luminaire	120
iii)	Thermoplastics:	
	a) Acrylonitrile-butadiene-styrene (ABS)	95
	b) Cellulose acetate butyrate (CAB)	95
	c) Polymethyl methacrylate (acrylic)	90
	d) Polystyrene	75
	e) Polypropylene	100
	f) Polycarbonate	130
	g) Polyvinyl chloride (PVC) (where NOT used for electrical insulation)	100
	h) Polyamide (nylon)	120
iv)	Thermosetting plastics:	
	a) Mineral-filled phenol-formaldehyde (PF)	165
	b) Cellulose-filled phenol-formaldehyde (PF)	140
	c) Urea-formaldehyde (UF)	90
	d) Melamine	100
	e) Glass fibre-reinforced polyester (GRP)	130
v)	Other materials:	
	a) Resin-bonded paper/fabric	125
	b) Silicone rubber (where NOT used for electrical insulation)	230
	c) Rubber (where NOT used for electrical insulation)	70
	d) Wood, paper, textiles and the like	90

¹⁾ Reduced by 15°C where insulation is stressed, for example clamped or flexed.
²⁾ Cable specifications usually quote different maximum temperatures but these are based on continuous operating temperatures rather than the test conditions given in this specification.
³⁾ These temperatures are the maximum permitted under the artificial test conditions given in this test specification, for example, draught-proof enclosure and test supply voltage above the rated value for the luminaire. It is important to note that, IS 694 on PVC insulated cables specify a temperature of 70°C to be the maximum that PVC fixed wiring can sustain in normal continuous operation.

k) For the measurement of lampholder temperatures for double-capped fluorescent lamps, the hot junction of the thermocouple shall be located flush with that surface of the holder adjacent to the lamp cap. If this is not possible, it should be placed as close as possible to this point but without touching the lamp cap.

NOTE — It is recommended that the luminaire manufacturer provides the type test sample already with a thermocouple attached to the lampholder. Usually, only one lampholder should be prepared in such a way.

12.4.2 Compliance

In the test of 12.4.1, none of the temperatures shall exceed the appropriate values given in Tables 12.1 and 12.2 (subject only to the concession of item a) of this subclause when the luminaire is operated at its rated ambient temperature t_a .

In those cases where the temperature in the test enclosure differs from t_a , this difference shall be taken into account when applying the limits in the tables [see 12.4.1(c)].

a) The temperature shall not exceed the values shown in Tables 12.1 and 12.2 by more than 5°C.

NOTE — The allowance of 5°C is made to take into account the inevitable variability of temperature measurements in luminaires.

b) The temperature of any part of the luminaire liable to thermal degradation in service shall not exceed a value which corresponds to a reasonable service period for the particular type of luminaire. Generally agreed values for principal parts of luminaires are given in Table 12.1 and values for common materials, when used in luminaires, are listed in Table 12.2.

IS 10322 (Part 1) : 2014

These values are prescribed here to obtain uniform assessment; slightly different values may be quoted elsewhere on the basis of other forms of materials testing or for other applications.

If materials are used which are claimed to withstand higher temperatures than those shown in Table 12.2, or if other materials are used, they shall not be exposed to temperatures in excess of those which have been proved permissible for these materials.

- c) The temperature of the test piece [see 12.4.1 (a)] if PVC — insulated shall not exceed 90°C (or 75°C where it is stressed, for example clamped), or such higher temperatures as may be indicated on the luminaire or in the manufacturer's instructions supplied with the luminaire in accordance with the requirements of Section 3. The limit shall be 120°C for any PVC — insulated wire (internal or external wiring) even when additionally protected by a heat-resisting sleeve supplied with the luminaire. The sleeve shall comply with the requirements of 4.9.2.

12.5 Thermal Test (Abnormal Operation)

Under conditions representing abnormal service conditions (where applicable, but not representing a defect in the luminaire or misuse) parts of the luminaire and the mounting surface shall not be exceed the temperatures given in Table 12.3 and the wiring within the luminaire shall not become unsafe.

NOTE — Symptoms of possible unsafe conditions include cracks, scorches and deformation.

During the test for compliance, the through wiring shall not be loaded.

Track-mounted luminaires shall not cause excessive heating of tracks on which they are mounted.

Compliance is checked by carrying out the test described in 12.5.1.

12.5.1 Test

Temperatures of parts listed in Table 12.3 shall be measured in accordance with the following conditions.

- a) The test shall be made, if during service, the luminaire could be in an abnormal condition as in cases (1), (2), (3) or (4), and if this condition would cause any part to be at a higher temperature than during normal operation (in which case a preliminary trial may be needed).

If more than one abnormal condition is possible, that condition shall be selected

which most adversely affects the results of the tests.

The test is not applicable to fixed non-adjustable filament lamp luminaires except in case (3):

- 1) A possibly unsafe operating position arising other than from misuse; for example if by accident an adjustable luminaire is bent close to the supporting surface using a force not exceeding 30 N.
- 2) A possibly unsafe circuit condition arising other than from defective manufacture or misuse; for example a circuit condition occurring at the end of the service period of a lamp or of a starter (see Annex C).
- 3) A possibly unsafe operation condition arising from the use of a GLS lamp in a filament lamp luminaire intended for a special lamp; for example, if, temporarily, a special lamp is replaced by a GLS lamp of the same wattage.
- 4) A possible unsafe circuit condition arising from a short circuit in the secondary circuit (including the transformer itself) of a luminaire with transformer fitted for lamp voltage supply.

Test as per 12.5.1(2) is applicable only to tubular fluorescent and other discharge lamp luminaires.

Test as per 12.5.1(4) shall be made with a short-circuit in the lampholder as per 12.5.1(4), the temperature rise due to heat emanating from the lamp to the mounting surface shall be checked by the test according to 12.5.1(1), while the temperature rise due to heat emanating from the transformer shall be measured with the contacts of the lampholder being short-circuited.

Luminaires containing an electrical motor are operated with the rotor locked against rotation.



NOTE — In the case of the presence of one or more motors, the test should be made in accordance with the most critical condition (see Annex C).

The luminaire shall be tested under the conditions specified in 12.4.1 (a), (c), (e), (f), and (h). In addition the following shall apply.

- b) The test voltage shall be as follows:
Filament lamp luminaires: as specified in 12.4.1 (d).
Tubular fluorescent and other discharge lamp

IS 10322 (Part 1) : 2014

Table 12.3 Maximum Temperatures Under the Test Conditions of 12.5.2
(Clause 12.5.2)

SI No.	Part	Maximum Temperature °C
(1)	(2)	(3)
i)	Caps of single-capped fluorescent lamps	As specified in the appropriate Indian lamp standard ³⁾
ii)	Windings in ballasts or transformers with t_w marking ¹⁾	See Tables 12.4 and 12.5
iii)	Windings in transformers, motors etc, if the winding insulation system according to IS 1271 is	
	a) of class A material ²⁾	150
	b) of class E material ²⁾	165
	c) of class B material ²⁾	175
	d) of class F material ²⁾	190
	e) of class H material ²⁾	210
iv)	Capacitor case:	
	a) If t_c is not marked	60
	b) If t_c is marked	$t_c + 10$
v)	Mounting surface:	
	a) Surface illuminated by the lamp (adjustable luminaires according to 12.5.1a) 1)	175
	b) Surface heated by the lamp (portable luminaires according to 4.12 of IS 10322 (Part 5/Sec 4)	175
	c) Normally flammable surface (luminaires with  marking)	130
	d) Non-combustible surface (luminaires without  symbol)	Not measured
	e) Track (for track-mounted luminaires)	As stated by the track manufacturer
	f) Mains socket-outlet-mounted-luminaires and plug-ballast/transformer case parts intended to be gripped by hand	75

¹⁾ Unless otherwise marked on the ballast, the maximum temperatures specified in the col S 4.5 of Table 12.4 or 12.5 apply.

²⁾ The material classification is in accordance with IS 1271 and IS 7809 (all parts).

³⁾ Information regarding point(s) of measurement and temperature limits are given in IS 15687 (Part 1) (Single capped lamps, Safety requirements).

Table 12.4 Maximum Temperature of Windings Under Abnormal Operating Conditions and at 110 Percent of Rated Voltage for Lamp Controlgear
(Table 12.3)

SI No.	Maximum Temperature °C							
	(1)	(2)	(3)	(4)				
	Constant S		S 4.5	S 5	S 6	S 8	S11	S16
i)	For $t_w =$	90	171	161	147	131	119	110
ii)		95	178	168	154	138	125	115
iii)		100	186	176	161	144	131	121
iv)		105	194	183	168	150	137	126
v)		110	201	190	175	156	143	132
vi)		115	209	198	181	163	149	137
vii)		120	217	205	188	169	154	143
viii)		125	224	212	195	175	160	149
ix)		130	232	220	202	182	166	154
x)		135	240	227	209	188	172	160
xi)		140	248	235	216	195	178	166
xii)		145	256	242	223	201	184	171
xiii)		150	264	250	230	207	190	177

Table 12.5 Maximum Temperature of Windings Under Abnormal Operating Conditions and at 110 Percent of Rated Voltage for Lamp Controlgear Marked 'D6'
(Table 12.3)

Sl No. (1)	(2)	(3)	Maximum Temperature °C (4)					
			S4.5	S5	S6	S8	S11	S16
i)	Constant S							
ii)	For $t_w =$	90	158	150	139	125	115	107
iii)		95	165	157	145	131	121	112
iv)		100	172	164	152	137	127	118
v)		105	179	171	158	144	132	123
vi)		110	187	178	165	150	138	129
vii)		115	194	185	171	156	144	134
viii)		120	201	192	178	162	150	140
ix)		125	208	199	184	168	155	145
x)		130	216	206	191	174	161	151
xi)		135	223	213	198	180	167	156
xii)		140	231	220	204	186	173	162
xiii)		145	238	227	211	193	179	168
xiv)		150	246	234	218	199	184	173

luminaires, 1.1 times the rated voltage or the maximum of the rated voltage range.

For motors contained in luminaires, 1.1 times the rated voltage (or the maximum of the rated voltage range of the luminaire).

During short-circuit according to as per **12.5.1** (4) between 0.9 and 1.1 times the rated supply voltage.

NOTE — If a luminaire contains both a filament lamp and a tubular fluorescent or other discharge lamp, or a motor, it may be necessary to provide it temporarily with two separate supplies.

- c) If the luminaire ceases to operate because of a defective part of the luminaire (including the lamp), the part should be replaced and the test continued. Measurements already made need not be repeated but the luminaire shall be stabilized before further measurements are made. If, however, a hazardous condition has arisen, or if any part becomes unserviceable as a type defect, then the luminaire is deemed to have failed the test.

If a protective device in the luminaire (for example, a thermal or current cut-out of the one-short or cycling type) operates during the test, the highest temperatures reached should be taken as the final temperatures.

- d) If the luminaire incorporates a capacitor (other than a capacitor connected directly across the supply), this capacitor shall be short-circuit, notwithstanding the requirements of Annex C, if the voltage across it under test conditions would exceed 1.25 times its rated voltage for self-healing capacitors or 1.3 times its rated voltage for non-self-healing capacitors.

- e) Luminaires for metal halide lamps which according to the lamp specification can lead to ballast or transformer overheating are tested in accordance with **2** (b) of Annex C. The values given in Table 12.3 shall not be exceeded.

12.5.2 Compliance

In the test of **12.5.1**, none of the temperatures shall exceed the appropriate value given in Table 12.3 (subject only to the concession of **12.5.2** (a) when the luminaire is operated at its rated ambient temperature t_a . In cases where the temperature of the test enclosure differs from t_a , the difference shall be taken into account when applying the limits given in the table.

- a) Temperatures shall not exceed the values shown in Table 12.3 by more than 5°C.

NOTE — The allowance of 5°C is made to take into account the inevitable variability of temperature measurements in luminaires.

NOTE — For lamp control gear subjected to an endurance test duration other than 30 or 60 days, equation (2) specified in the relevant standards on auxiliary for lamps should be used to calculate the maximum temperature which should correspond to the number of days equal to two-thirds of the theoretical endurance test.

(An explanation of the constant S and its use is given in the relevant standard on auxiliary for lamps).

12.6 Thermal Test (Failed Lamp Controlgear Conditions)

These tests apply only to luminaires marked with the ∇ symbol and incorporating lamp controlgear that either does not meet the spacing requirements of **4.16.1** or does not provide thermal protection in accordance with **4.16.2**. Electronic lamp controlgear and small

IS 10322 (Part 1) : 2014

wound devices that may be incorporated into these components are exempt from the requirements of this clause.

12.6.1 Test for Luminaires without Thermal Cut-Outs

The luminaire shall be tested under the conditions specified in 12.4.1 (a), (c), (e), (f) and (h). In addition, the following shall apply.

20 percent of the lamp circuits in the luminaire, and not less than one lamp circuit, shall be subjected to abnormal conditions [see 12.5.1(a)].

The circuits which have the most thermal influence on the mounting surface shall be chosen, and other lamp circuits shall be operated at rated voltage, or at the maximum of the rated voltage range under normal conditions.

Circuits subjected to abnormal conditions shall then be operated at 1.1 times the rated voltage, or the maximum of the rated voltage range.

For fluorescent lamp luminaires with an a.c. supplied electronic lamp control gear incorporating a filter coil, the filter coil shall be tested separately by applying a test voltage across the coil adjusted to give the nominal operating current. All other parts of the lamp control gear and the lamp shall be inoperative for this test.

NOTE — For the purpose of this test specially prepared lamp control gear is needed.

Compliance is checked as follows:

- a) The temperature of the mounting surface shall not exceed 130°C when the lamp circuit(s), subjected to abnormal conditions, is (are) operated at 1.1 times rated voltage.
- b) The values of the ambient temperature and the temperature measured at 1.1 times (the rated voltage or the maximum of the rated voltage range) are plotted on a graph (see Fig. 9) and the best straight line obtained using linear regression is drawn through these points. The extrapolation of this straight line shall not reach a point representing a mounting surface temperature of 180°C at a ballast or transformer winding temperature of less than 350°C.
- c) For track-mounted luminaires, no part of the track shall show symptoms of unsafe deterioration, for example cracks, scorches or deformation.

12.6.2 Test for luminaires with temperature sensing controls external to the ballast or transformer and luminaires with temperature declared thermally protected ballasts symbol ▽ with a marked value above 130°C.

The luminaire shall be set up for this test as described in 12.6.1.

The circuits subjected to the above conditions shall be operated with a slowly and steadily increasing current through the windings until the thermal cut-out operates. Time intervals and increments in current shall be such that thermal equilibrium between winding temperatures and mounting surface temperatures is achieved as far as is practicable.

During the test, the highest temperature of any part of the surface on which the luminaire is mounted shall be continuously measured. This completes the test for luminaires fitted with thermal links.

For luminaires fitted with manual-reset thermal cut-outs, the test shall be repeated three times, allowing a 30 min interval between tests. At the end of each 30 min interval, the cut-out shall be reset.

For luminaires fitted with auto-reset thermal cut-outs, the test shall be continued until a stable mounting surface temperature is achieved. The auto-reset thermal cut-out shall operate three times by switching the ballast off and on, under the given conditions.

Conformity is checked as follows:

During the test the temperature of any part of the mounting surface shall not exceed 135°C and shall be not more than 110°C when the protector recloses the circuit (with a resetting type protector) except that:

During any cycle of operation of the protector during the test, the surface temperature may be more than 135°C provided that the length of time between the instant when the surface temperature first exceeds the limit and the instant of attainment of the maximum temperature indicated in Table 12.6 does not exceed the time correspondingly indicated in the table.

Table 12.6 Temperature Overshoot Time Limitation
(Clause 12.6.2)

SI No.	Maximum Temperature of the Mounting Surface °C	Maximum Time for Attainment of the Maximum Temperature from 135°C
(1)	(2)	(3)
i)	over 180	0
ii)	between 175 and 180	15
iii)	between 170 and 175	20
iv)	between 165 and 170	25
v)	between 160 and 165	30
vi)	between 155 and 160	40
vii)	between 150 and 155	50
viii)	between 145 and 150	60
ix)	between 140 and 145	90
x)	between 135 and 140	120

IS 10322 (Part 1) : 2014

After the test, the following applies:

The highest temperature of any part of the mounting surface shall not exceed 180°C at any time during tests for thermal links and manual-reset thermal cut-outs, or 130°C during tests for auto-reset thermal cut-outs.

For track-mounted luminaires, after the test no part of the track shall show symptoms of unsafe deterioration, for example cracks, scorches or deformation.

NOTE — Associated transformers not tested with their own enclosure should be subjected to the test since these characteristics are not verified by the component standard.

12.7 Thermal Test in Regard to Fault Conditions in Lamp Controlgear or Electronic Devices in Plastic Luminaries

The test applies only to luminaires with a thermoplastic housing not fitted with an extra mechanical temperature-independent device as per 4.15.2.

12.7.1 Test for Luminaires without Temperature Sensing Controls

The luminaire shall be tested under the conditions specified in 12.4.1 (a), (c), (e), (f) and (h). In addition, the following shall apply.

20 percent of the lamp circuits in the luminaire, and not less than one lamp circuit, shall be subjected to abnormal conditions [see of 12.5.1(a)].

The circuits which have the most thermal influence on the fixation point and exposed parts shall be chosen and other lamp circuits shall be operated at rated voltage under normal conditions.

The circuits subjected to abnormal conditions shall be operated at 1.1 times (the rated voltage or the maximum of the rated voltage range). When conditions are stable, the highest winding temperature and highest temperature of fixing points and most thermally influenced exposed parts shall be measured. It is not necessary to measure the temperature of small wound devices that are incorporated within electronic circuits.

Compliance is checked as follows:

The values of the ambient temperature and the temperature measured at 1.1 times (the rated voltage or the maximum of the voltage range) are used for the linear regression formula in calculating the temperature of fixing points and other exposed parts in relation to a ballast/transformer winding temperature of 350°C. The calculated value shall not exceed the temperature of the deflection under load of the material in accordance with method A as defined in ISO 75 (1987).

12.7.2 Test for luminaires with Temperature Sensing Controls Internal/External to the Ballast or Transformer

The luminaires shall be set up for this test as described in the first three paragraphs of 12.7.1.

The circuits subjected to abnormal conditions shall be operated with a slowly and steadily increasing current through the windings until the temperature sensing control operates.

Time intervals and increments in current shall be such that thermal equilibrium between winding temperatures and temperature of fixing points and most thermally influenced exposed parts is achieved as far as is practicable. During the test, the highest temperature of the spots tested shall be continuously measured.

For luminaires fitted out with manual-reset thermal cut-outs, the test shall be repeated six times allowing 30 min intervals between tests. At the end of each 30 min interval, the cut-out shall be reset.

For luminaires fitted out with auto-reset thermal cut-outs, the tests shall be continued until a stable temperature is achieved.

Compliance is checked as follows:

The highest temperature of the fixing points and most thermally influenced exposed parts, shall not exceed the temperature of deflection under load of the material.

SECTION 13 RESISTANCE TO HEAT, FIRE AND TRACKING

13.1 General

This section specifies requirements and tests relating to the resistance to heat, fire and tracking of certain parts of insulating material of luminaries.

For printed wiring boards, reference should be made to the requirements of IS 5921 (Part 1).

13.2 Resistance to Heat

External parts of insulating material providing protection against electric shock, and parts of insulating material retaining current-carrying parts or SELV parts in position shall be sufficiently resistant to heat.

The ball pressure test does not have to be applied to plastic parts of a luminaire which provide supplementary insulation.

13.2.1 Compliance is checked by the following test:

The test is not made on parts of ceramic material or on insulation of wiring.

The test shall be made in a heating cabinet having a temperature of $27 \pm 5^\circ\text{C}$ in excess of the operating

IS 10322 (Part 1) : 2014

temperature of the relevant part determined during the temperature test (normal operation) of Section 12, with a minimum temperature of 125°C when parts retaining current-carrying parts or SELV parts in position are tested, and 75°C for other parts.

The surface of the part to be tested shall be placed in the horizontal position and a steel ball of 5 mm diameter pressed against this surface with a force of 20 N. A suitable apparatus for this test is shown in Fig. 10. If the surface under test bends, the part where the ball presses should be supported.

After 1 h the ball shall be removed from the sample, and the sample be cooled by immersion in cold water for 10 s. The diameter of the impression shall be measured and shall not exceed 2 mm.

13.3 Resistance to Flame and Ignition

Parts of insulating material retaining current-carrying parts or SELV parts in position, and external parts of insulating material providing protection against electric shock shall be resistant to flame and ignition.

For materials other than ceramic, compliance is checked by the test of 13.3.1 or 13.3.2, as appropriate.

13.3.1 Parts of insulating material retaining current-carrying parts in position shall withstand the following tests:

The parts to be tested are subjected to the needle-flame test of IS 11000 (Part 2/Sec 2), the test flame being applied to the sample for 10 s at the point where the highest temperatures are likely to occur, measured if necessary during the thermal tests of Section 12.

The duration of burning shall not exceed 30 s after removal of the test flame, and any burning drop from the sample shall not ignite the underlying parts or tissue paper spread out horizontally 200 ± 5 mm below the sample.

The requirements of this subclause do not apply in those cases where the luminaire provides an effective barrier to burning drops.

13.3.2 Parts of insulating material which do not retain live parts in position, but which provide protection against electric shock, and parts of insulating material retaining SELV, parts in position shall withstand the following test:

Parts are subjected to a test using a nickel-chromium glow-wire heated to 650°C. The test apparatus and test procedure shall be those described in IS 11000 (Part 2/Sec 1).

Any flame or glowing of the sample shall extinguish within 30 s of withdrawing the glow-wire, and any

burning or molten drop shall not ignite a single layer of tissue paper spread out horizontally 200 ± 5 mm below the sample.

The requirements of this subclause do not apply in those cases where the luminaires provide an effective barrier to burning drops or where the insulation material is ceramic.

13.4 Resistance to Tracking

Insulating parts of luminaires, other than ordinary luminaires, which retain current-carrying parts or SELV parts in position or are in contact with such parts, shall be of material resistant to tracking unless they are protected against dust and moisture.

13.4.1 Compliance is checked by the following test, which is made at three places on the test sample.

For materials other than ceramic, compliance is checked by the proof tracking test in accordance with IS 2824 subject to the following details:

- a) If the specimen has no flat surface of at least 15 mm × 15 mm, the test may be carried out on a flat surface with reduced dimensions provided drops of liquid do not flow off the specimen during the test. No artificial means should, however, be used to retain the liquid on the surface. In case of doubt the test may be made on a separate strip of the same material, having the required dimensions and manufactured by the same process.
- b) If the thickness of the specimen is less than 3 mm, two, or if necessary more, specimens should be stacked to obtain a thickness of at least 3 mm.

The test shall be made at three places of the specimen or on three specimens.

The electrodes shall be of platinum and test solution A, described in IS 1401, shall be used.

13.4.2 The specimen shall withstand 50 drops without failure at a test voltage of PTI 175.

A failure has occurred, if a current of 0.5 A or more flows for at least 2 s by a conducting path between the electrodes on the surface of the specimen, thus operating the over current relay, or if the specimen burns without releasing the over current relay.

The Note 1 of 6.4, of IS 2824 regarding determination of erosion does not apply.

The Note 2 of 3, of IS 2824 regarding surface treatment, does not apply.

SECTION 14 SCREW TERMINALS

14.1 General

This section specifies requirements for all types of terminals which employ screws incorporated in luminaires.

Examples of screw terminals are shown in Fig. 12 to Fig. 16.

14.2 Terminology

14.2.1 Pillar Terminal — A terminal in which the conductor is inserted in a hole or cavity, where it is clamped under the shank of the screw or screws. The clamping pressure may be applied directly by the shank of the screw or through an intermediate clamping member to which pressure is applied by the shank of the screw.

Examples of pillar terminals are shown in Fig. 12.

14.2.2 Screw Terminal — A terminal in which the conductor is clamped under the head of the screw. The clamping pressure may be applied directly by the head of the screw or through an intermediate part, such as a washer, clamping plate or anti-spread device.

Examples of screw terminals are shown in Fig. 13.

14.2.3 Stud Terminal — A terminal in which the conductor is clamped under a nut. The clamping pressure may be applied directly by a suitably shaped nut or through an intermediate part, such as a washer, clamping plate or antispread device.

Examples of stud terminals are shown in Fig. 13.

14.2.4 Saddle Terminal — A terminal in which the conductor is clamped under a saddled by means of two or more screws or nuts.

Examples of saddle terminals are shown in Fig. 14.

14.2.5 Lug Terminal — A screw terminal or a stud terminal, designed for clamping a cable lug or bar by means of a screw or nut.

Examples of lug terminals are shown in Fig. 15.

14.2.6 Mantle Terminal — A terminal in which the conductor is clamped against the base of a slot by a suitably shaped washer under the nut, by a central peg, if the nut is a cap nut, or by equally effective means for transmitting the pressure from the nut to the conductor within the slot.

Examples of mantle terminals are shown in Fig. 16.

14.3 General Requirements and Basic Principles

14.3.1 These requirements apply to terminals with screw clamping carrying a current not exceeding 63 A, intended for the connection, by clamping only, of copper conductors of cables and flexible cords.

These requirements do not exclude terminals of types other than those shown in Fig. 12 to Fig. 16.

14.3.2 Terminals are of varied design and have different shapes: they include, among others, terminals in which the conductor is clamped directly or indirectly under the shank of the screw, terminals in which the conductor is clamped or indirectly under the head of the screw, terminals in which the conductor is clamped directly or indirectly under a nut, and terminals intended solely for use with cable lugs or bars.

The basic principles governing these requirements are specified in **14.3.2.1** to **14.3.2.3**.

14.3.2.1 Terminals are primarily for the connection of only one conductor, although, owing to the wide range of conductors that each terminal is required to clamp,

Table 14.1 Nominal Cross-Sectional Areas of Conductors According to Terminal Sizes
(Clause 14.3.2.3)

Sl No.	Terminal Size	Flexible Conductors				Rigid Conductors, Solid or Stranded			
		Nominal Cross-sectional Areas mm ²			Diameter of Largest Conductor mm	Nominal Cross-sectional Areas mm ²			Diameter of Largest Conductor mm
(1)	(2)	(3)				(4)	(5)		
i)	0 ¹⁾	0.5	0.75	1	1.45	—	—	—	—
ii)	1 ²⁾	0.75	1	1.5	1.73	0.75	1	1.5	1.45
iii)	2	1	1.5	2.5	2.21	1	1.5	2.5	2.13
iv)	3	1.5	2.5	4	2.84	1.5	2.5	4	2.72
v)	4 ³⁾	2.5	4	6	3.87	2.5	4	6	3.34
vi)	5	2.5	4	6	4.19	4	6	10	4.32
vii)	6	4	6	10	5.31	6	10	16	5.46
viii)	7	6	10	16	6.81	10	16	25	6.83

¹⁾ Not suitable for rigid conductors. Suitable for flexible conductors of 0.4 mm² cross-sectional area (see 5.3.1).

²⁾ Also suitable for flexible conductors having a nominal cross-sectional area of 0.5 mm² if the end of the conductor is folded back on itself.

³⁾ Not suitable for 6 mm² flexible conductors of some special constructions.

IS 10322 (Part 1) : 2014

they may in some cases be suitable for clamping two conductors having the same nominal cross-sectional area, which is smaller than the maximum value for which the terminal is designed.

Certain types of terminals, in particular pillar terminals and mantle terminals, may be used for looping-in, when two or more conductors of the same or different nominal cross-sectional area or composition have to be connected. In such cases, the terminal sizes specified in this standard may not be applicable.

14.3.2.2 In general, terminals shall be suitable for the connection of cables and flexible cords without special preparation of the conductor but provision is made in certain cases for connection by means of cable lugs or for connection to bars.

14.3.2.3 A numerical classification for terminals is adopted, based on the nominal cross-sectional areas of the conductors that the terminal can accept. According to this classification each terminal can accept any one of three successive sizes of conductors in the range of nominal cross-sectional areas specified in IS 694 or IS 9968 (Part 1).

With one exception, the sizes of the conductors within each range advance by one step for each increase in the size of the terminal.

The nominal cross-sectional areas of the conductors assigned to each terminal are given in Table 14.1, which also gives the diameter of the largest conductor that each terminal can accept.

Terminals may be used with conductors smaller than the nominal given range, provided the conductor is clamped with sufficient pressure to ensure adequate electrical and mechanical connection.

14.3.3 Terminals shall allow the proper connection of copper conductors having nominal cross-sectional areas as given in Table 14.2 and the conductor space shall be at least that given in Fig. 12, 13, 14 or 16, as appropriate.

These requirements do not apply to lug terminals.

Compliance is checked by inspection, by measurement and by fitting conductors of the smallest and largest cross-sectional areas specified.

14.3.4 Terminals shall provide adequate connection of the conductors.

Compliance is checked by carrying out all tests of **14.4**.

14.4 Mechanical Tests

14.4.1 For pillar terminals, the distance between the clamping screw and the end of the conductor, when fully inserted, shall be at least that given in Fig. 12.

The minimum distance between the clamping screw and the end of the conductor applies only to pillar terminals through which the conductor cannot pass.

For mantle terminals, the distance between the fixed part and the end of the conductor, when fully inserted, shall be at least that given in Fig. 16.

Compliance is checked by measurement, after a solid conductor of the largest cross-sectional area given in Table 14.2 has been fully inserted and fully clamped.

14.4.2 Terminals shall be so designed or placed that neither a solid conductor nor a strand of a stranded conductor can slip out while the clamping screws or nuts are being tightened.

This requirement does not apply to lug terminals.

Table 14.2 Nominal Cross-Sectional Areas of Conductors According to Maximum Current
(Clauses 14.3.3 and 14.4.7)

Sl No.	Maximum Current Carried by the Terminal A	Flexible Conductors		Rigid Conductors Solid or Stranded	
		Nominal Cross-Sectional Areas ¹⁾ mm ²	Terminal Size	Nominal Cross-Sectional Areas ¹⁾ mm ²	Terminal Size
(1)	(2)	(3)	(4)	(5)	(6)
i)	2	0.4	0	—	—
ii)	6	0.50 - 01.0	0	0.75 - 01.5	1
iii)	10	0.75 - 01.5	1	1.00 - 02.5	2
iv)	16	1.00 - 02.5	2	1.50 - 04.0	3
v)	20	1.50 - 04.0	3	1.50 - 04.0	3
vi)	25	1.50 - 04.0	3	2.50 - 06.0	4
vii)	32	2.50 - 06.0	4 or 5 ²⁾	4.00 - 10.0	5
viii)	40	4.00 - 10.0	6	6.00 - 16.0	6
ix)	63	6.00 - 16.0	7	10.00 - 25.0	7

¹⁾ These requirements do not apply to terminals used for the interconnections of different components of luminaires by means of cables or flexible cords not complying with IS 694 or IS 9968 (Part 1), if the other requirements of this standard are met.

²⁾ Terminal size 4 is not suitable for 6 mm² of flexible conductors of some special constructions, in which case terminal size 5 should be used.

For fixed luminaires intended solely for permanent connection to fixed (external) wiring this requirement applies only to the use of solid or rigid stranded conductors. The test is made with rigid stranded conductors.

Compliance is checked by the following test.

Terminals are fitted with a conductor having the composition given in Table 14.3.

Table 14.3 Composition of Conductors
(Clause 14.3)

SI No.	Terminal Size	Number of Strands and Nominal Diameter of Strands (n × mm)	
		Flexible Conductors (3)	Rigid Stranded Conductors (4)
(1)	(2)	(3)	(4)
i)	0	32 × 0.20	—
ii)	1	30 × 0.25	7 × 0.50
iii)	2	50 × 0.25	7 × 0.67
iv)	3	56 × 0.30	7 × 0.85
v)	4	84 × 0.30	7 × 1.04
vi)	5	84 × 0.30	7 × 1.35
vii)	6	80 × 0.40	7 × 1.70
viii)	7	126 × 0.40	7 × 2.14

Before insertion in the terminal, strands of rigid conductors are straightened and flexible conductors are twisted in one direction so that there is a uniform twist of one complete turn in a length of approximately 20 mm.

The conductor is inserted in the terminal for the minimum distance prescribed or, where no distance is prescribed, until it just projects from the far side of the terminal and in the position most likely to assist the strand to slip out. The clamping screw is then tightened with a torque equal to two-thirds of that given in the appropriate column of Table 14.4.

For flexible conductors, the test is repeated with a new conductor which is twisted as before, but in the opposite direction.

After the test, no strand of the conductor shall have slipped out through the gap between the clamping means and the retaining device.

14.4.3 Terminal sizes up to and including size 5 shall allow the conductor to be connected without special preparation.

Compliance is checked by inspection.

The bonding together by heating of the tinned strands of a flexible conductor without the addition of solder is not considered special preparation.

NOTE — The term 'special preparation' covers the application of additional solder to the strands of the conductor, use of cable lugs, formation of eyelets, etc, but not the re-shaping of the

Table 14.4 Torque to be Applied to Screws and Nuts
(Clause 14.4.2)

SI No.	Nominal Diameter of Thread mm	Torque Nm				
		I (3)	II (4)	III (5)	IV (6)	V (7)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
i)	Up to and including 2.8	0.2	—	0.4	0.4	—
ii)	Over 2.8 up to and including 3.0	0.25	—	0.5	0.5	—
iii)	Over 3.0 up to and including 3.2	0.3	—	0.6	0.6	—
iv)	Over 3.2 up to and including 3.6	0.4	—	0.8	0.8	—
v)	Over 3.6 up to and including 4.1	0.7	1.2	1.2	1.2	1.2
vi)	Over 4.1 up to and including 4.7	0.8	1.2	1.8	1.8	1.8
vii)	Over 4.7 up to and including 5.3	0.8	1.4	2.0	2.0	2.0
viii)	Over 5.3 up to and including 6.0	—	1.8	2.5	3.0	3.0
ix)	Over 6.0 up to and including 8.0	—	2.5	3.5	6.0	4.0
x)	Over 8.0 up to and including 10.0	—	3.5	4.0	10.0	6.0
xi)	Over 10.0 up to and including 12.0	—	4.0	—	—	8.0
xii)	Over 12.0 up to and including 15.0	—	5.0	—	—	10.0

conductor for its introduction into the terminal or the twisting of a stranded conductor to consolidate the end.

14.4.4 Terminals shall have adequate mechanical strength.

Screws and nuts for clamping the conductors shall have a metric ISO thread. Terminals for external wiring shall not serve to fix any other component, except that they may also clamp internal conductors, if these are so arranged that they are unlikely to be displaced when fitting external conductors.

Screws shall not be of metal which is soft or liable to creep, such as zinc or aluminium.

Compliance is checked by inspection and by the tests of **14.3.3**, **14.4.6**, **14.4.7** and **14.4.8**.

14.4.5 Terminals shall be resistant to corrosion.

Compliance is checked by the corrosion test specified in Section 4.

14.4.6 Terminals shall be fixed to the luminaires or to a terminal block or otherwise fixed in position. When the clamping screws or nuts are tightened or loosened, the terminals shall not work loose, terminal wiring shall not be subjected to stress, and creepage distances and clearances shall not be reduced below the values specified in Section 11.

These requirements do not imply that the terminals should be so designed that their rotation or displacement is prevented, but any movement shall be sufficiently limited so as to ensure compliance with this standard.

Covering with sealing compound or resin is sufficient to prevent a terminal from working loose, provided

IS 10322 (Part 1) : 2014

that the sealing compound or resin is not subject to stress during normal use and the effectiveness of the sealing compound or resin is not impaired by temperatures attained by the terminal under the most unfavourable conditions specified in Section 12.

Compliance is checked by inspection, by measurements and by the following test.

A rigid copper conductor of the largest cross-sectional area given in Table 14.2 is placed in the terminal. Screws and nuts are tightened and loosened five times by means of a suitable test screwdriver or wrench, the torque applied when tightened being equal to that given in the appropriate column of Table 14.4 or in the appropriate table of Fig. 12, 13, 14, 15 or 16, whichever is the higher.

The conductor is moved each time the screw or nut is loosened.

Col I applies to screws without heads if the screw when tightened does not protrude from the hole, and to other screws which cannot be tightened by means of a screwdriver with a blade wider than the diameter of the screw.

Col II applies to the nuts of mantle terminals with cap nuts which are tightened by means of a screwdriver.

Col III applies to other screws which are tightened by means of a screwdriver.

Col IV applies to screw and nuts, other than nuts of mantle terminals, which are tightened by means other than a screwdriver.

Col V applies to nuts of mantle terminals in which the nut is tightened by means other than a screwdriver.

Where a screw has a hexagonal head with means for tightening with a screwdriver and the values in Col III and IV are different, the test is made twice, first applying to the hexagonal head the torque given in Col IV, and then on another set of samples, applying the torque given in column III by means of a screwdriver. If the values in Col III and IV are the same, only the test with the screwdriver is made.

During the test, terminals shall not work and there shall be no damage, such as breakage of screws or damage to the head slots, threads, washers or stirrups that will impair the further use of the terminals.

NOTE — For mantle terminals, the specific nominal diameter is that of the slotted stud. The shape of the blade of the test screwdriver shall suit the head of the screw to be tested. The screws and nuts shall not be tightened in jerks.

14.4.7 Terminals shall clamp the conductor reliably between metal surfaces.

For lug terminals, a spring washer, or equally effective locking means, shall be provided and the surface within the clamping area shall be smooth.

For mantle terminals, the bottom of the conductor space shall be slightly rounded in order to obtain a reliable connection.

Compliance is checked by inspection and by the following test.

The terminals are fitted with rigid conductors of the smallest and largest cross-sectional areas given in Table 14.2, the terminal screws being tightened with a torque equal to two-thirds of that given in the appropriate column of Table 14.4.

If the screw has a hexagonal head with a slot, the torque applied is equal to two-thirds of that given in Col III of that table.

Each conductor is then subjected to a pull of the value, in Newton's, given in Table 14.5; the pull is applied without jerks, for 1 min, in the direction of the axis of the conductor space.

During the test, the conductor shall not move noticeably in the terminal.

Table 14.5 Pull to be Applied to Conductor
(Clause 14.4.7)

Terminal Size	0	1	2	3	4	5	6	7
Pull (N)	30	40	50	50	60	80	90	100

14.4.8 Terminals shall clamp the conductor without undue damage to the conductor.

Compliance is checked by inspection of the conductors, after conductors of the smallest and largest cross-sectional areas given in Table 14.2 have been clamped once and loosened, the torque applied to clamp the conductor being equal to two-thirds of that given in Table 14.4.

If the screw has a hexagonal head with a slot, the torque applied is equal to two-thirds of that given in col IV of Table 14.4.

NOTE — Conductors are unduly damaged if they show deep or sharp indentations.

SECTION 15 SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS

15.1 General

This section specifies requirements for all types of terminals and electrical connections, that do not employ screws, for solid or stranded copper conductors up to

IS 10322 (Part 1) : 2014

2.5 mm² for internal wiring of luminaires and for connectors to external wiring of luminaires.

Some examples of screw less terminals and electrical connections are shown in Figs. 17, 18 and 19.

15.2 Terminology

15.2.1 Screw Less Terminals — Parts required to make connections in electrical circuits by mechanical means without screws.

15.2.2 Permanent Connections — Connectors designed to be made only once with the same conductor (for example, wire wrapping or crimping).

15.2.3 Non-Permanent Connections — Connectors which allow lead assemblies or conductors to be connected and disconnected several times (for example, pin or tab and receptacle, or some spring-type terminals).

15.2.4 Lead Assemblies — Conductors fitted with auxiliary parts, usually by permanent connection.

15.2.5 Non-Prepared Conductors — Conductors without special preparation or auxiliary parts. Insulation may, however, be stripped to expose the conductor.

NOTE — The term ‘special preparation’ covers the application of additional solder to the strands of the conductor, use of cable lugs, tabs and receptacles, formation of eyelets, etc., but not the reshaping of the conductor for its introduction into the terminal or the twisting of a stranded conductor to consolidate the end.

The bonding together by heating of the tinned strands of a flexible conductor without the addition of solder is not considered to be special preparation.

15.2.6 Test Current — Current assigned to a terminal or connection by the manufacturer. When terminals are part of a component, the test current shall be the rated current of the component.

15.3 General Requirements

15.3.1 Parts of terminals or connections for carrying current shall be made of one of the following materials:

- a) Copper;
- b) An alloy containing at least 58 percent copper for parts that are worked cold or at least 50 percent copper for other parts; and
- c) Another metal no less resistant to corrosion than copper and having mechanical properties no less suitable.

15.3.2 Terminals and connections shall clamp the conductor with sufficient pressure and without undue damage to the conductor.

The conductor shall be clamped between metal surfaces. However, terminals for circuits having a rated current not exceeding 2 A may have one non-metallic surface, if the requirements of **15.3.5** are met.

Insulation piercing terminals are acceptable only, if used in the SELV circuits of luminaires or as permanent, non-rewireable connections in other luminaires.

NOTE — Conductors are unduly damaged, if they show deep or sharp indentations.

15.3.3 Terminals shall be so designed that, when the conductor has been adequately inserted into the terminal, further insertion of its end is prevented by a stop.

15.3.4 Terminals other than those for lead assemblies, shall accept ‘non-prepared conductors’ (see **15.2.5**).

Compliance with the requirements of **15.3.2**, **15.3.3** and **15.3.4** is checked by inspection of the terminals or connections, after fitting with appropriate conductors, and after the heating test of **15.6.2** or **15.9.2**.

15.3.5 Electrical connectors shall be so designed that the pressure essential for good electrical conductivity is not transmitted through insulating material other than ceramic, pure mica, or other material with characteristics no less suitable, unless there is sufficient resilience in the metallic parts to compensate for any possible shrinking of the insulating material (see Fig. 17 and Fig. 18).

15.3.6 It shall be clear in which way the connection of the conductor to, and the disconnection from, spring-type non-permanent screwless terminals is effected.

The disconnection of a conductor shall require an operation other than a pull of the conductor and shall be such that it can be made by hand or with the aid of a simple, generally available device.

15.3.7 Terminals for connection to several conductors under spring clamps shall clamp each conductor independently.

For terminals designed for non-permanent connections, it shall be possible to withdraw the conductors together or separately.

15.3.8 Terminals shall be suitably fixed to the equipment or to a terminal block or otherwise fixed in position. They shall not work loose when conductors are inserted or withdrawn.

Compliance is checked by inspection and, if there is a doubt, by applying the mechanical test given in **15.5** or **15.8**. During the test, the terminals shall not work

IS 10322 (Part 1) : 2014

loose and there shall be no damage that shall impair their further use.

The above conditions apply not only to terminals which are fixed to equipment but also to terminals which are delivered separately. Covering with sealing compound without other means of locking is not sufficient. Self-hardening resins may however be used to lock terminals which are not subject to torsion in normal use.

15.3.9 Terminals and connections shall withstand the mechanical, electrical and thermal stresses occurring in normal use.

Compliance is checked by the tests of **15.5**, **15.6**, **15.8** or **15.9** as appropriate.

15.3.10 Manufacturers shall state the conductor size or sizes for which the component is designed and the type of conductor, for example, solid or stranded.

15.4 General Instructions on Tests

15.4.1 Preparation of Samples

The 'tests for ingress of dust and moisture' of Section 9, if appropriate, shall be carried out before testing terminals or connections contained within the luminaires.

15.4.2 Test Conductors

Tests shall be carried out with copper conductors of the types and dimensions recommended by the manufacturer. If a range of conductors is specified, the smallest and largest shall be selected for testing.

15.4.3 Multi-conductor Terminals

Screwless terminals having provision for the simultaneous connection of several conductors shall be tested with the number of conductors indicated in the data provided by the manufacturer.

15.4.4 Multi-way Terminals

Each terminal in a group or strip of terminals, for example, a terminal block on a ballast, may be used as a separate sample.

15.4.5 Test Quantities

The tests described in **15.5** to **15.8** are carried out on four terminals (or connections). At least three terminals shall meet the requirements. If one terminal fails, four further terminals are tested and these shall meet the requirements.

The tests described in **15.9** are carried out on ten terminals.

TERMINALS AND CONNECTIONS FOR INTERNAL WIRING

15.5 Mechanical Tests

Terminals and connections shall have adequate mechanical strength.

Compliance is checked by the tests of **15.5.1** and **15.5.2**.

15.5.1 Non-Permanent Connections

The mechanical strength of the terminals (or connections) is checked on a set of four terminals. If all the terminals contained within the luminaire are not of the same design, one set of four terminals of each design is subjected to the test.

This test shall only be applied to devices on which the user may work to complete assembly of the luminaire before it is put into service.

15.5.1.1 In the case of spring-type terminals (*see* Fig. 18) the test is made with solid copper conductors of the size or sizes specified by the manufacturer. If a range of conductors is specified, the smallest and largest are selected for testing.

Of the four terminals, two are tested with conductors having the smallest cross-sectional area and the two remaining samples with conductors having the largest cross-sectional area. These conductors are connected to, and disconnected from, each terminal five times.

For the first four connections, new conductors are used each time. For the fifth connection, the same conductor is used as for the fourth connection and it is clamped at the same place. For each connection, the conductors are pushed into the terminals as far as the stop.

If the terminal is suitable for stranded conductors, an additional test is then made with one rigid stranded copper conductor. If, however, a range of conductors is specified, those with the smallest and largest cross-sectional areas are selected for testing. Each conductor is subjected to only one connection and disconnection with the corresponding terminal used for the testing with solid conductors.

After the final connection, each conductor is subjected to a test pull of 4 N.

15.5.1.2 Pin or tab and receptacle type connections are also subjected to a test pull of 4 N.

The pull is applied without jerks, for 1 min, in the direction opposite to that used for the application or insertion of the conductor or lead assembly.

During the test, the conductor or lead assembly shall not move from the terminal and neither the terminal

IS 10322 (Part 1) : 2014

nor the conductor or lead assembly shall undergo any alteration impairing its future use.

The maximum force for the application or insertion of the conductor or lead assembly shall not exceed 50 N, and in the case of pin or tab and receptacle type connections the force for disconnection shall not exceed this value.

15.5.2 Permanent Connections

The connection shall remain fully effective when a pull-off force of 20 N is applied, for 1 min, in a direction opposite to that used for the application or insertion of the conductors.

In some cases, a special tool may be used to apply the force correctly (for example, in the case of wire-wrapped terminals).

Multi-conductor terminals are tested with the above force applied to each conductor in turn.

15.6 Electrical Tests

Terminals and connections shall have adequate electrical performance.

Compliance is checked by the tests of **15.6.1** and **15.6.2**.

15.6.1 Contact Resistance Test

The electrical performance of terminals (or connections) is checked on a set of four terminals. If all the terminals contained within the luminaires are not of the same design, one set of four terminals of each design is subjected to the test.

15.6.1.1 For spring-type terminals, the test according to **15.6.1.3** is made with four solid copper non-insulated conductors.

If a range of conductors is specified, two of the terminals are tested with conductors having the smallest cross-sectional area and the two remaining terminals with conductors having the largest cross-sectional area.

15.6.1.2 In the case of pin or tab and receptacle type terminals, the test of **15.6.1.3** is made with lead assemblies.

15.6.1.3 Each terminal with its conductor is loaded with the test current (a.c. or d.c.) and after 1h, the voltage drop across the terminal, still at the test current, is measured. The measuring points are located as close as possible to the contact point across which the voltage drop is being measured. The measured voltage drop shall not exceed 15 mV.

The voltage drop for each joint or contact is considered separately, for example, the junction of conductor to

receptacle is considered separately from the junction of receptacle to pin.

The total voltage drop of two inseparable joints, when measured together, shall not exceed twice the value given in this sub-clause.

15.6.2 Heating Tests

15.6.2.1 Terminals (or connections) with rated current up to and including 6 A are then subjected to an ageing test, without current, of 25 cycles duration, each cycle comprising 30 min at a temperature of $T \pm 5^\circ\text{C}$ or $100 \pm 5^\circ\text{C}$, whichever is the higher, followed by a cooling down period to a temperature between 15°C and 35°C . Terminals (or connections) with rated current exceeding 6 A are subjected to an ageing test of 100 such cycles.

NOTE — The temperature T is the marked maximum rated temperature for T -marked components such as lampholders.

15.6.2.2 The voltage drop is again measured on each terminal:

- a) After the 10th and 25th cycles for terminals with rated current up to and including 6 A;
- b) After the 50th and 100th cycles for terminals with rated current greater than 6 A.

If, for all terminals, the voltage drop, in both cases, does not exceed by more than 50 percent the voltage drop measurements on the same terminal tested under **15.6.1**, or if the increase in voltage drop is less than 2 mV, the terminals comply with the requirements.

If the voltage drop of any of the terminals exceeds 22.5 mV, the terminals are rejected.

If, for one of the terminals, the voltage drop measured under 15.6.2.2(a) or (b) exceeds by more than 50 percent with a minimum of 2 mV, the voltage drop measured on the same terminal under **15.6.1** but does not exceed 22.5 mV, the four terminals are subjected to a new ageing test, according to current rating, of 25 cycles or 100 cycles duration without current.

After the 10th and 25th or 50th and 100th cycles (according to the rating), the voltage drops are again

Table 15.1 Conductor Rating
(Clause 15.7)

SI No.	Maximum Rated Current of Terminals	Nominal Cross-sectional Areas of Conductors
(1)	A (2)	mm ² (3)
i)	6	0.5 to 1
ii)	10	> 1 to 1.5
iii)	16	> 1.5 to 2.5

NOTE — Terminals are usually referred to by a designation. Size 0, for example, is generally a 6 A rating.

IS 10322 (Part 1) : 2014

measured. For any terminal, the voltage drop shall not exceed 22.5 mV.

The total voltage drop of two inseparable joints, when measured together, shall not exceed twice the values given in this subclause.

15.6.2.3 If a terminal is so designed that the conductor is tightened against a surface of insulating material, this surface shall not be deformed during these heating tests.

Compliance is checked by inspection.

TERMINALS AND CONNECTIONS FOR EXTERNAL WIRING

15.7 Conductors

Spring-type terminals shall be suitable for the connection of rigid conductors, solid or stranded, with the nominal cross-sectional areas of conductors given in Table 15.1.

If the component rating is less than the technical capacity, the component rating is used.

Compliance is checked by inspection, by measurement and by fitting conductors of the smallest and largest cross-sectional areas specified.

15.8 Mechanical Tests

Terminals and connections shall have adequate mechanical strength.

Compliance is checked by the tests of **15.8.1** and **15.8.2**, which are made on one terminal of each of four samples.

15.8.1 In the case of spring-type terminals, the test is made alternately with solid copper conductors having the largest and then the smallest cross-sectional areas specified in **15.7**. These conductors are connected to, and disconnected from, each terminal five times. If all the terminals contained within the luminaire are not of the same design, one terminal of each design is subjected to the test.

For the first four connections, new conductors are used each time. For the fifth connection, the same conductor is used as for the fourth connection and it is clamped at the same place. For each connection, the conductors are pushed into the terminals as far as the stop.

If the terminal is stated by the manufacturer to be suitable for stranded conductors (*see 15.3.10*), an additional test is then made with two rigid stranded copper conductors, the first having the largest cross-sectional area specified in **15.7**, and the second having the smallest cross-sectional area. These conductors

Table 15.2 Conductor Pull Force
(Clause 15.8.1)

Sl No.	Maximum Rated Current of Terminals A	Pull N	
		Spring- Type (3)	Pin or Tab and Receptacle Type (4)
(1)	(2)	(3)	(4)
i)	6	20	8
ii)	10	30	15
iii)	16	30	15

NOTE — If the component rating is less than the terminal capacity, the component rating is used.

are subjected to only one connection and disconnection.

After the final connection, each conductor is subjected to a pull test according to Table 15.2.

15.8.2 Pin or tab and receptacle type connections are also subjected to a pull test according to Table 15.2.

The pull is applied without jerks, for 1 min, in the direction opposite to that used for the application or insertion of the conductor or lead assembly.

During the test, the conductor or lead assembly shall not move out from the terminal and neither the terminal nor the conductor or lead assembly shall undergo any alternation impairing its future use.

15.9 Electrical Tests

Terminals and connections shall have adequate electrical performance.

Compliance is checked by the tests of **15.9.1** and **15.9.2**.

15.9.1 Contact Resistance Test

The electrical performance of terminals (or connections) is checked on a set of ten terminals. If all the terminals contained within the luminaire are not of the same design, one set of ten terminals of each design is subjected to the test.

15.9.1.1 For spring-type terminals, the test according to **15.9.1.3** is made with ten solid copper non-insulated conductors.

Five conductors having the smallest cross-sectional areas specified in **15.7** are connected as in normal use, each to one terminal.

Five conductors having the smallest cross-sectional areas specified in **15.7** are connected as in normal use, each to one of the five remaining terminals.

IS 10322 (Part 1) : 2014

15.9.1.2 In the case of pin or tab and receptacle type terminals, the test according to **15.9.1.3** is made with lead assemblies.

15.9.1.3 Each terminal with its conductor is loaded with the test current (a.c. or d.c.) and after 1 h the voltage drop across the terminal, still at the test current is measured. The measuring points are located as close as possible to the contact point across which the voltage drop is being measured.

The measured voltage drop shall not exceed 15 mV.

The total voltage drop of two inseparable joints, when measured together, shall not exceed twice the value given in this subclause.

15.9.2 Heating Tests

The thermal performance of terminals (or connections) is checked on the terminals which have been subjected to the test of **15.9.1**.

15.9.2.1 After having cooled down to the ambient temperature, each conductor is replaced by a new solid copper non-insulated conductor having the largest cross-sectional area specified in **15.7** and each lead assembly is replaced by a new appropriate lead assembly which is then connected to, and withdrawn from, the terminal or the relevant part of the connection five times.

The conductors are then replaced by new non-insulated conductors.

15.9.2.2 Each terminal with its conductor is loaded with the test current (a.c. or d.c.) for a time just sufficient for the voltage drop to be measured. For these measurements and the measurements of **15.9.2.4**, the requirements of **15.9.1** shall apply.

15.9.2.3 Terminals (or connections) with rated current up to and including 6 A are then subjected to an ageing test, without current, of 25 cycles duration, each cycle comprising 30 min at a temperature of $T \pm 5^\circ\text{C}$ or $100 \pm 5^\circ\text{C}$, whichever is the higher, followed by a cooling down period to a temperature between 15°C

and 30°C . Terminals (or connections) with rated current exceeding 6 A are subjected to an ageing test of 100 such cycles.

NOTE — The temperature T is the maximum rated temperature for T-marked components, such as lampholders.

15.9.2.4 The voltage drop is again measured on each terminal,

- a) after the 10th and 25th cycles for terminals with rated current up to and including 6 A; and
- b) after the 50th and 100th cycles for terminals with rated current greater than 6 A.

If, for all terminals, the voltage drop, in both cases, does not exceed by more than 50 percent the voltage drop measurements on the same terminal tested under **15.9.2.2**, or if the increase in voltage drop is less than 2 mV, the terminals comply with the requirement.

If the voltage drop of any of the terminals exceeds 22.5 mV, the terminals are rejected.

If, the one of the terminals, the voltage drop measured under a) or b) exceeds by more than 50 percent, with a minimum of 2 mV, the voltage drop measured on the same terminal under **15.9.2.2** but does not exceed 22.5 mV, the ten terminals are subjected to a new ageing test, according to current rating, of 25 cycles or 100 cycles duration without current.

After the 10th and 25th or 50th and 100th cycles (according to current rating), the voltage drops are again measured. For any terminal, the voltage drop shall not exceed 22.5 mV.

The total voltage drop of two inseparable joints, when measured together, shall not exceed twice the value given in this sub-clause.

15.9.2.5 If a terminal is so designed that the conductor is tightened against its surface of insulating material, this surface shall not become deformed during these heating tests.

Compliance is checked by inspection.

IS 10322 (Part 1) : 2014















Amperes	A	
Frequency (hertz)	Hz	
Volts	V	
Watts	W	
a.c. supply		
d.c. supply		
d.c. and a.c. supply		
Class II		
Class III		
Rated maximum ambient temperature	ta ... °C	
Warning against the use of cool-beam lamps		
Minimum distance from lighted object (metres)		
Luminaires suitable for direct mounting on flammable surfaces		
Luminaires not suitable for direct mounting on normally flammable surfaces (suitable only for mounting on non-flammable surfaces)		
Luminaires suitable for mounting in/on normally flammable surfaces when thermally insulating may cover the luminaire		
NOTE — The marking of the symbols corresponding to IP numerals is optional		
Ordinary	IP20	No symbol
Drip-proof	IPX1	 (One drop)
Rain-proof	IPX3	 (One drop in a square)
Splash-proof	IPX4	 (One drop in a triangle)
Jet-proof	IPX5	 (Two triangles with one drop in each)

FIG. 1 SYMBOLS

IS 10322 (Part 1) : 2014














Powerful water jet-proof	IPX6	No symbol
Watertight (immersible)	IPX7	 (Two drops)
Pressure-watertight (submersible)	IPX8	 —m (Two drops followed by an indication of the maximum depth of submersion in metres)
Protected against solid object greater than 2.5 mm	IPX3	No symbol
Protected against solid objects greater than 1 mm	IPX4	No symbol
Dust-proof	IP5X	 (A mesh without a frame)
Dust-tight	IP6X	 (A mesh with a frame)
Use of heat resistant supply cables, interconnecting cables or external wiring		(The number of cores shown is optional)
Luminaires designed for use with bowl mirror lamps		
Rough service luminaires		
Luminaires for use with high pressure sodium lamps that require an external ignitor (to the lamp)		
Luminaires for use with high pressure sodium lamps having an internal starting device		
Replace any cracked protective shield		(Rectangular)
	or	
		(Round)
Luminaires designed for use with self-shielded tungsten halogen lamps only		

FIG. 1 SYMBOLS


IS 10322 (Part 1) : 2014



All dimensions in millimetres.

FIG. 2 TERMINAL BLOCK ARRANGEMENT FOR INSTALLATION TEST FOR LUMINARIES WITH CONNECTING LEADS (TAILS)

FIG. 3 VOID



All dimensions in millimetres.

FIG. 4 ILLUSTRATION OF THE REQUIREMENTS OF CLAUSE 4.15

FIG. 5 VOID

IS 10322 (Part 1) : 2014






FIG. 6 APPARATUS FOR PROVIDING PROTECTION AGAINST DUST




	Luminaire Protection	
	Rain Proof	Splash Proof
Oscillation half-angle	± 60°	± 180°
Holes within half angle	± 60°	± 180°

FIG. 7 APPARATUS FOR TESTING PROTECTION AGAINST RAIN AND SPLASHING




D' = 6.3 mm for the test of 9.2.6 (second characteristic numeral 5)
 D' = 12.5 mm for the test of 9.2.7 (second characteristic numeral 6)



All dimensions in millimetres.

FIG. 8 NOZZLE FOR SPRAY TEST





Y = Mounting surface temperature °C
 X = Winding temperature °C

- 1 Limiting value of mounting surface temperature in case of failed winding.
- 2 Limiting value of mounting surface temperature during abnormal operation at 1.1 times rated voltage {see 12.6.1(a)}.
- 3 Measuring point at 1.1 times rated voltage {see 12.6.1 (b)}.
- 6 Straight line drawn through the single measuring points and the 25°C point indicating a satisfactory luminaire as the extrapolation of the line to a winding temperature of 350°C is below a mounting surface temperature of 180°C.
- 7 Straight dashed line drawn through two measuring points and indicating a luminaire which fails the test because the extrapolation of the line exceeds a mounting surface temperature of 180°C before reaching a winding temperature of 350°C.
- 8 Assumed maximum values of the winding temperature of a failed winding.

FIG. 9 RELATION BETWEEN WINDING TEMPERATURE AND MOUNTING SURFACE TEMPERATURE


IS 10322 (Part 1) : 2014

FIG. 10 BALL PRESSURE APPARATUS



All dimensions in millimetres.

FIG. 11 ARRANGEMENTS AND DIMENSIONS OF THE ELECTRODES FOR THE TRACKING TEST



Terminals without pressure plate

Terminals with pressure plate

D = conductor space

G = distance between clamping screw and end of conductor when fully inserted

NOTE — The part of the terminal containing the threaded hole and the part of the terminal against which the conductor is clamped by the screw may be two separate parts, as in the case of terminals provided with a stirrup.

The space of the conductor may differ from those shown, provided a circle with a diameter equal to the minimum value specified for D can be inscribed.


Terminal Size	Minimum Diameter D of Conductor Space mm	Minimum Distance G between Clamping Screw and End of Conductor when Fully Inserted		Torque Nm					
				I ¹⁾		III ¹⁾		IV ¹⁾	
				One screw	Two screw	One screw	Two screw	One screw	Two screw
1	2.5	1.5	1.5	0.2	0.2	0.4	0.4	0.4	0.4
2	3.0	1.5	1.5	0.25	0.2	0.5	0.4	0.5	0.4
3	3.6	1.8	1.5	0.4	0.2	0.8	0.4	0.8	0.4
4	4.0	1.8	1.5	0.4	0.25	0.8	0.5	0.8	0.5
5	4.5	2.0	1.5	0.7	0.25	1.2	0.5	1.2	0.5
6	5.5	2.5	2.0	0.8	0.7	2.0	1.2	2.0	1.2
7	7.0	3.0	2.0	1.2	0.7	2.5	1.2	3.0	1.2

¹⁾ The values specified apply to the screws covered by the corresponding columns in Table 14.4




FIG. 12 PILLAR TERMINALS

IS 10322 (Part 1) : 2014



Screw not requiring washer or clamping plate



Screw requiring washer or clamping plate



Screw terminals



STUD TERMINALS

Key

- A = fixed part
- B = washer or clamping plate
- C = anti-spread device
- D = conductor space
- E = stud

NOTE — The part which retains the conductor in position may be of insulating material provided the pressure necessary to clamp the conductor is not transmitting through the insulating material.

FIG. 13 SCREW TERMINALS AND STUD TERMINALS (Continued)


IS 10322 (Part 1) : 2014

Sl No.	Terminal Size	Minimum Diameter <i>D</i> of Conductor Space mm	Torque Nm			
			III ¹⁾		IV ¹⁾	
			One Screw (4)	Two Screw (5)	One Screw or Stud (6)	Two Screw or Stud (7)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
i)	0	1.4	0.4	—	0.4	—
ii)	1	1.7	0.5	—	0.5	—
iii)	2	2.0	0.8	—	0.8	—
iv)	3	2.7	1.2	0.5	1.2	0.5
v)	4	3.6	2.0	1.2	2.0	1.2
vi)	5	4.3	2.0	1.2	2.0	1.2
vii)	6	5.5	2.0	1.2	2.0	1.2
viii)	7	7.0	2.5	2.0	3.0	2.0

¹⁾ The values specified apply to the screws or studs covered by the corresponding columns in Table 14.4

FIG. 13 SCREW TERMINALS AND STUD TERMINALS (*Concluded*)

IS 10322 (Part 1) : 2014



Key

A = saddle
C = stud

B = fixed part
D = conductor space


NOTE — The shape of the section of the conductor space may differ from those shown in the figures, provided a circle with a diameter equal to the minimum value specified for *D* can be inscribed.

The shape of the upper and lower faces of the saddle may be different, to accommodate conductors of either small or large cross-sectional area, by reversing the saddle.

The terminals may have more than two clamping screws or studs.

Terminal Size	Minimum Diameter <i>D</i> of Conductor Space mm	Torque Nm
3	3.0	0.5
4	4.0	0.8
5	4.5	1.2
6	5.5	1.2
7	7.0	2.0

FIG. 14 SADDLE TERMINALS



Key

A = locking means
B = cable lug or bar
E = fixed part

F = stud
G = distance between edge of hole and side of clamping area

NOTE — For certain types of equipment, the use of terminals of a size smaller than those specified is allowed.

Terminal Size	Minimum Distance <i>G</i> Between Edge of Hole and Side of Clamping Area mm	Torque	
		III ¹⁾	IV ¹⁾
6	7.5	2.0	2.0
7	9.0	2.5	3.0

¹⁾The value specified apply to the studs covered by the corresponding columns in Table 14.4

FIG. 15 LUG TERMINALS



Key

- A = fixed part
- D = conductor space

All dimensions in millimetres.

Terminal Size	Minimum Diameter D of Conductor Space ¹⁾	Minimum Distance Between Fixed Part and End of Conductor when Fully Inserted
0	1.4	1.5
1	1.7	1.5
2	2.0	1.5
3	2.7	1.8
4	3.6	1.8
5	4.3	2.0
6	5.5	2.5
7	7.0	3.0

¹⁾ The torque value to be applied is that specified in column II or V of Table 14.4 as appropriate.

FIG. 16 MANTLE TERMINALS




FIG. 17 CONSTRUCTION OF ELECTRICAL CONNECTIONS ACCEPTABLE

IS 10322 (Part 1) : 2014




FIG. 18 EXAMPLES OF SPRING — TYPE SCREWLESS TERMINALS






FIG. 19 FURTHER EXAMPLES OF SCREWLESS TERMINALS

IS 10322 (Part 1) : 2014




20 A ILLUSTRATION OF THE TERM "LOOPING-IN (FEED THROUGH)"



Key

- | | |
|---------------|-----------------|
| 1 = terminals | 5 = lamp |
| 2 = supply | 6 = luminaire A |
| 3 = ballast | 7 = luminaire B |
| 4 = starter | |

20B ILLUSTRATION OF THE TERM 'THROUGH WIRING' TERMINATING IN THE LUMINAIRE




Key

- | | |
|---------------|-----------------|
| 1 = terminals | 5 = lamp |
| 2 = supply | 6 = luminaire A |
| 3 = ballast | 7 = luminaire B |
| 4 = starter | |

20C ILLUSTRATION OF THE TERM 'THROUGH WIRING' NOT TERMINATING IN THE LUMINAIRE

FIG. 20 ILLUSTRATION OF THE TERM 'LOOPING-IN' AND 'THROUGH WIRING'



NOTE — The rigid supporting surface should be arranged vertically for a side impact test.

FIG. 21 APPARATUS FOR BALL IMPACT TEST



Self-tapping screw: pointed or flat




Thread-cutting screw



Thread-forming screw (thread formed by deformation)

FIG. 22 EXAMPLES OF SELF-TAPPING, THREAD-CUTTING AND THREAD-FORMING SCREWS

FIG. 23 VOID




Key

- | | |
|---------------------------------|-------------------------------|
| A = creepage distance | B = clearance (supply wiring) |
| C = clearance (internal wiring) | D = conductor |
| E = insulation | |

FIG. 24 ILLUSTRATION OF CREEPAGE AND CLEARANCE MEASUREMENTS AT A SUPPLY TERMINAL


IS 10322 (Part 1) : 2014



All dimensions in millimetres.


NOTE — The width of the tumbling barrel is not specified.

FIG. 25 TUMBLING BARREL



NOTE — The polarity of the diode to be reversed, if necessary.

FIG. 26 TEST CIRCUIT FOR SAFETY DURING INSERTION



NOTE — The polarity of the diode to be reversed, if necessary.

FIG. 27 IGNITION TEMPERATURE OF WOOD AS A FUNCTION OF TIME




FIG. 28 EXAMPLE OF PERMITTED DEGREE OF SOLDERING

IS 10322 (Part 1) : 2014

ANNEX A

(Clauses 1.2, 4.15, 8.1, 10.2)

TEST TO ESTABLISH WHETHER A CONDUCTIVE PART MAY CAUSE AN ELECTRIC SHOCK

A-1 In order to determine whether a conductive part is a live part which may cause an electric shock, the luminaire is operated at rated supply voltage and nominal frequency and the following tests conducted:

- a) The current flowing between the part concerned and earth is measured, the measuring circuit having a non-inductive resistance of $2\,000 \pm 50\ \Omega$. The part concerned is a live part if an a.c. current of more than 0.7 mA (peak) or 2 mA d.c. is measured.

For frequencies above 1 kHz, the limit of 0.7 mA is multiplied by the values of the frequency, in kHz, but shall not exceed 70 mA

(peak). The limits of the leakage current components are cumulative.

- b) The voltage between the part concerned and any accessible part is measured, the measuring circuit having a non-inductive resistance of $50\,000\ \Omega$. The part concerned is a live part if a voltage of more than 34 V (peak) is measured.

For the above tests, one pole of the test supply shall be at earth potential.

NOTE — A simplified method of measurement is under consideration.

ANNEX B

[Clauses 12.2 and 12.4.1 (d)]

TEST LAMPS

B-1 For the tests of Section 12, it is convenient to keep a stock of lamp types commonly required. These are selected from normal production lamps for characteristics as close as possible to the objective characteristics listed in the appropriate standards. The selected lamps are aged (at least 24 h for filament lamps and at least 100 h for tubular fluorescent and other discharge lamps, with occasional off periods), and a further check is made that these characteristics are still satisfactory and stable. Lamps shall not be retained as test lamps for longer than about three-quarters of their typical operating period in normal service. Lamps are inspected before each test for any damage or signs of approaching unserviceability. Discharge lamps shall be checked regularly to ensure that there has been no appreciable shift in electrical characteristics which would influence the temperatures in luminaires.

If a lamp can be inserted in a circuit in more than one position, for example in the case of a fluorescent lamp, marks shall be made to assist consistent insertion. Great care shall be taken in handling test lamps; in particular, sodium and mercury-halide discharge lamps and amalgam fluorescent lamps shall not be moved while still hot.

A lamp selected for a particular test shall be of a rating and type for which the luminaire is claimed to be suitable. If a choice of lamp shape, construction or

finish is indicated by the manufacturer, the thermally most onerous shall be taken. Otherwise, the most common type shall be used.

The following requirements refer to the selection of lamps as test lamps, and to lamp selection for a particular test of a luminaire.

B-2 FILAMENT LAMPS

In seeking to test the luminaire with lamps which develop the most onerous conditions within it, consideration needs to be given to two principal modes of heat transfer, radiation and conduction:

- a) Radiation

The materials of the luminaire are heated by radiation from the lamp filament, supplemented, for the area immediately around and especially above the lamp, by convected heat from the bulb surface. In general, for testing such conditions, clear lamps are used. The filament shapes used in most HV lamps provide a slightly irregular radiation pattern but are unlikely to have highly directional properties. There is more variation in lamps designed for LV (100-130 V), as lamps with transverse or axial filaments may produce different heating patterns which could be important in certain designs. Where reflector lamps are involved, note is taken of clear areas in the neck region. If it is

IS 10322 (Part 1) : 2014

intended to use lamps with heat transmitting reflectors, such lamps are used for tests. Light centre length also plays a role.

b) Conduction

The lampholder and associated wiring receive heat by conduction from the lamp cap and if the luminaire can operate with the lamp in the cap-up position, by convection transfer from the outer surface of the lamp.

Where HTS lamps are not available, an alternative heat test source (AHTS) lamp is used. This is defined as follows:

An Alternative Heat Test Source (AHTS) represents a commercial lamp of the same category which has a Δt_s value from 5°C below to the specified value of Table 3 of IS 15118 (Part 1) when measured under the conditions specified in IS 8913.

The following guidelines shall help in selection of suitable lamps:

Compared with clear or frosted lamps, higher cap temperatures are principally to be found on lamps which have:

- a) a white coated or dark coloured bulb;
- b) a smaller bulb; and
- c) a shorter light centre length.

Small differences from the specified Δt_s Table 3 of IS 15118 (Part 1) are corrected for the adjustment of the HTS lamp by the test voltage, but such adjustment shall not cause the wattage to exceed 105 percent of the rated wattage (corresponding to **103.2** percent voltage).

Additionally, for the thermal test by conduction only, the outer surface of a lamp may be hand painted with a suitable high temperature paint, commencing in the area of the cap and, if necessary, extending over all the bulb surface.

For reflector and bowl mirror lamps, only the test voltage shall be used for adjustment of the temperature.

For endurance testing, HTS lamps which have been modified to give increased cap temperature are not used.

If the luminaire is provided with a marking for special lamps, or if it is obvious that special lamps are to be used in the luminaire, the tests are made with such special lamps.

Lamps are chosen in accordance with the maximum wattage for which the luminaire is marked. In case of doubt for luminaires marked with a maximum 60 W, E27 or B22 cap, test shall also be made with a 40 W round bulb lamp.

The voltage rating of the test lamps shall be typical of the voltage rating in the market for which the luminaire is intended. If the luminaire is intended for two or more different groups of voltages supply, for example for 200-250 V and for 100-130 V, then the testing shall at least be carried out with lamps in the low voltage range (that is, with the higher current).

When choosing the range of lamps for testing, the requirement of **3.2.8** should be taken into account.

If a lamp is operated by a transformer or similar device within or external to the luminaire, the rating of the test lamp shall correspond to the marking on the luminaire, transformer or similar instructions.

B-2 TUBULAR FLUORESCENT AND OTHER DISCHARGE LAMPS

When a lamp is operated under reference conditions (according to the relevant lamp standard), the lamp voltage, current and power shall be as close as possible to the lamp rated values, and shall be within 2.5 percent of these values.

If a reference ballast is not available, lamps are selected using a production ballast which at the calibration current has an impedance within ± 1 percent of that of the reference ballast.

If the luminaire is for use with either filament or discharge lamps, it should be tested with the more onerous (or, if not known, with each in turn).

It is usually found that translucent materials attain a higher temperature with a discharge lamp or a discharge lamp incorporating a series filament than with a filament lamp, for a given lamp power.

NOTES

1 Self-ballasted lamps are considered as fluorescent or other discharge lamps for the purpose of Section 12. If the luminaire is for use with filament lamps and self-ballasted lamps or other discharge lamps incorporating series filaments, it should be tested with the most onerous lamp (which in general will be with filament lamps).

2 If the luminaire is for use with a combination of lamp types (for example, filament lamp plus a discharge lamp), it should be tested with the thermally most onerous.

3 If the luminaire is designed for a lamp type for which specifications have not yet been established, a test lamp should be selected after consultation with the lamp manufacturer.

IS 10322 (Part 1) : 2014

ANNEX C

[Clauses 12.3.1 (c), and 12.5.1]

ABNORMAL CIRCUIT CONDITIONS

C-1 The following is a list of abnormal circuit conditions which are applicable to a tubular fluorescent or other discharge lamp luminaire and from which the thermally most onerous condition shall be taken (*see* 12.5.1). If the luminaire contains more than one lamp, the abnormal conditions shall be applied only to the one lamp, which leads to the most adverse results. The abnormal conditions shall be set up before the test is started. Conditions 4) and 5) refer only to lamps with two pre-heated electrodes (for example, fluorescent lamps). The descriptions include instructions on test arrangements. Conveniently the abnormal circuit condition is produced or simulated by remote switching so that it is not necessary to disturb a luminaire which has just completed the test of normal operation.

(1) Short-Circuit of Starter Contacts

The condition applies to starters with moving contacts, including starters incorporated in lamps.

(2) Lamp Rectification

- a) Luminaires for fluorescent lamps (Fig. C-1 and C-2)

This is a fault conditions which may occur after extended use in luminaires employing starterless ballasts with capacitive reactance control. When testing luminaires for the rectifying effect, the circuit shown in Fig. C-1 shall be used. The lamp is connected to the midpoint of the appropriate equivalent resistors. The rectifier polarity is chosen so as to give the most unfavourable operating conditions. If necessary, the lamp is started using a suitable starting device.

The rectifier characteristics shall be:

Peak inverse voltage	≥ 800 V
Reverse leakage current	≤ 10 μ A
Forward current	> 3 times nominal lamp running current
Transition time	≤ 50 μ s

Luminaires for tubular fluorescent lamps having Fa6 caps however, shall be tested as follows:

Initially the lamp is operated under normal conditions with a short-circuited rectifier in series with the lamp. Then the bridging of the rectifier is opened. The rectifier shall be inserted in both polarities. The test is finished,

if the lamp extinguishes. If not, the following test is carried out:

The lamp is operated as shown in Fig. C-2. The rectifier polarity shall be chosen so as to give the most unfavourable operating conditions. If necessary, the lamp is started using a suitable starting device.

- b) Luminaires for metal halide lamps which, according to the lamp specification, can lead to ballast, transformer or starting device overloading (*see* Fig. C-3).

- i) Luminaires not containing special devices and whose safety is covered by design only.

The lamp in the luminaire is replaced by the test circuit as shown in Fig. C-3. By varying the resistor R_2 , the lamp current is adjusted to maximum, but in any case not higher than three times the normal lamp current.

- ii) Luminaires containing a special device within the luminaire but outside the ballast, transformer or starting device or incorporated into the ballast, transformer or starting device, where the ballast, transformer or starting device is marked accordingly.

The lamp in the luminaire is replaced by the test circuit as shown in Fig. C-3. By varying the resistor R_2 , the lamp current is adjusted to a value equal to twice the normal lamp current. After having reached steady conditions the current is increased in suitable steps until the protection device has reacted. Care is taken to achieve steady conditions as far as possible at each step.

(3) Lamps Removed and not Replaced

(4) One Electrode of lamp Open-Circuited

The conditions may be produced by switching. (Alternatively, a test lamp may be suitably modified.)

The electrode selected shall be that which more adversely affects the results.

(5) Lamp shall not Started but Both Electrodes are Intact. For this Condition, a Non-Serviceable or Modified Test Lamp may be Used

(6) Blockage of the Motor(s) Contained in the Luminaire




FIG. C-1 CIRCUIT FOR TESTING RECTIFYING EFFECT
(Some Capacitive Starterless Ballasts Only)





FIG. C-2 CIRCUIT FOR TESTING RECTIFYING EFFECT
(Ballasts for Single Pin Lamps)



Key

A = 0.1 μ F/400-V/low attenuation

D = 100 A, inverse voltage

R_1 = 200 Ω /50 Ω

R_2 = 0.....100 Ω continuous

or

0.....1 Ω continuous

1..... 10 Ω continuous

10.....50 Ω continuous

50.....100 Ω continuous

NOTE — The components specifications given are typical for a circuit replacing a 75 W lamp. The wattage of the resistors should be increased, if allowance has to be made for a replacement for lamps of a higher wattage.

FIG. C-3 TEST CIRCUIT FOR THE OPERATION OF METAL HALIDE LAMP LUMINAIRE

IS 10322 (Part 1) : 2014

ANNEX D

[Clause 12.4.1 (a) and (j)]

DRAUGHT-PROOF ENCLOSURE

D-1 The following recommendations refer to the construction and use of a suitable draught-proof enclosure for luminaires, as required for the tests of normal and abnormal operation. Alternative constructions for draught-proof enclosures are suitable if it is established that similar results are obtained.

The draught-proof enclosure is rectangular, with a double skin on top and on at least three sides and with a solid base. The double skins are of perforated metal, spaced approximately 150 mm apart, with regular perforations of 1 mm to 2 mm diameter, occupying about 40 percent of the whole area of each skin.

The internal surfaces are painted with a matt paint. The three principal internal dimensions are each at least 900 mm. There shall be a clearance of at least 200 mm between the internal surfaces and any part of the largest luminaire for which the enclosure is designed.

NOTE — If it is required to test two or more luminaires in a large enclosure, care should be taken that radiation from one luminaire cannot affect any other.

There is a clearance of at least 300 mm above the top of the enclosure and around the perforated sides. The enclosure is at a location protected as far as possible from draughts and sudden changes in air temperature; it is also protected from sources of radiant heat.

A luminaire under test is positioned as far away as possible from the six internal surfaces of the enclosure. The luminaire is mounted (subject to the requirements of 12.4.1 and 12.5.1) as under service conditions.

A luminaire for direct fixing to a ceiling or wall should be fixed to a mounting surface comprising a wood or wood-fibre board. A non-combustible insulating material is used if the luminaire is not suitable for mounting on a combustible surface. The board is 15 mm to 20 mm thick and extends not less than 100 mm (but preferably not more than 200 mm) beyond the normal projection of the smoothed outline of the luminaire. There is a clearance of at least 100 mm between the board and the internal surfaces of the enclosure. The board is painted black with a matt non-metallic paint.

A luminaire for corner-fixing is fixed in a corner comprising two boards, each complying with the preceding requirements.


A third board is required, if the luminaire is to be fixed in a vertical corner immediately below a simulated ceiling.

Luminaires shall not cause the recess to attain temperatures likely to cause a hazard or fire risk and compliance is checked by the following test.

Recessed luminaires are mounted in a test recess, consisting of a suspended ceiling, on top of which is a rectangular box with vertical sides and horizontal top.


The suspended ceiling is made of a 12 mm thick porous wood-fibre board, in which a suitable opening has been made for the luminaire. The wood-fibre board shall extend at least 100 mm outside the projection of the luminaire on this board. The vertical sides of the box are made of 19 mm thick laminated wood and the top of 12 mm thick porous wood-fibre board tightly sealed to the sides.

The position of the recessed luminaire within the test box shall be as follows:

- a) F mark insulating ceilings — 

Sealed box touching luminaire all round with two sheets of insulating material 100 mm thick and with a coefficient of thermal conductivity equal to 0.04 W/mK (see Note) tightly fitting the outside shape of the test box.

NOTE — This may be achieved by insulating material of 5 m² k/W.


- b) F mark — 

During the test, the sides of the box are placed at a distance of 50 mm to 75 mm from the luminaire, where it is mounted in the suspended ceiling.

NOTE — The distance of 50 mm to 75 mm takes into account circular luminaires tested in rectangular boxes.

The top of the luminaire shall be in contact with the inside top of the test recess.

- c) No F mark (see Fig. 1), or warning notice — Luminaires suitable for direct mounting on non-combustible surfaces only.

For recessed luminaires of this kind, the test recess shall be of the same materials. The same dimensions as those used for  marked luminaires shall apply but with 25 mm spacing between the top of the luminaire and the box unless the manufacturers' installation instructions indicate otherwise for any of these dimensions. Non-combustible insulating material may have to be used for the test recess construction.

IS 10322 (Part 1) : 2014

The 25 mm dimension shall be measured from the inside top of the box to the substantially flat top surface of the luminaire. If there are spacers or connecting boxes on top of the luminaire which project more than 25 mm above its top surface, these spacers or connection boxes are placed in direct contact with the top of the test box.

If a luminaire is provided having separated parts intended for recessed mounting (for example, having separate lamp enclosure and control gear enclosure), the test recess shall be constructed as a single box observing the manufacturers' recommendations for minimum spacing between parts (*see* Fig. D-1). Where no spacing information is provided, separate test recesses shall be used for each part.

For F-mark and F-mark insulated ceilings, if there are projecting spacers or connecting boxes on the top or sides of the luminaire, then these spacers or connecting boxes shall be placed in direct contact with respectively the test box or insulating material.

The suspended ceiling and the interior of the box are painted black with a matt non-metallic paint and there shall be a gap of not ≥ 100 mm between this assembly and the inside walls, ceiling and floor of the test enclosure.


When a luminaire is intended to be recessed into a wall, the test is made using a test recess similar to that described above, but with the board placed vertically.

No part of the test recess shall exceed 90°C during the normal operation thermal test and 130°C during the abnormal operation thermal test. For luminaires marked with a F symbol, no part of the test recess shall exceed the temperature permitted for the mounting surface, as in Table 12.1.

A track-mounted luminaire is connected to a track system appropriate to the luminaire. The track is mounted as in normal use, according to the manufacturer's installation instructions. The luminaire is connected to the track in the most onerous thermal position of normal use permitted by the mounting instructions or marking. The luminaire is operated under the conditions specified in 12.4.1 and 12.5.1.

All spacing shall be measured from the extremes of the positions of movement where luminaires are adjustable in overall dimension or position in either axis when fully installed and during normal operation (*see* Fig. D-2).

Figure D-2 illustrates the correct test box size for a luminaire which is adjustable in both axis and thus needs space within a ceiling for the adjustment.



a = minimum separation as specified by the manufacturer.
Other distances are in accordance with Annex D

FIG. D-1 EXAMPLES OF TEST RECESSES WHERE A LUMINAIRE COMPRISES SEPARATE PARTS

IS 10322 (Part 1) : 2014




FIG. D-2 CORRECT TEST BOX SIZE F MARK AND F MARK(INSULATING CEILINGS) FOR ADJUSTABLE LUMINAIRE

ANNEX E

[Clause 12.4.1 (a)]

DETERMINATION OF WINDING TEMPERATURE RISES BY THE INCREASE-IN-RESISTANCE METHOD

NOTE — Reference to ballasts also applies to similar components such as transformers.

E-1 Before commencing the test, arrangements are made whereby the ballast may be quickly connected by appropriate means of negligible resistance to a Wheatstone bridge, or other suitable measuring instrument, after the luminaire has been disconnected from the supply.

A chronometer with an easily-read second hand is essential. The test procedure is as follows:

The luminaire remains unenergized for a period long enough to ensure that the complete luminaire, including the ballast windings, is thermally stable in a substantially constant ambient temperature (t_1), which shall not change by more than 3°C during this period.

The resistance (R_1) of the cold ballast winding is measured and t_1 noted. The luminaire is operated until thermal stability has been achieved as indicated by a suitable temperature measuring device attached to the body of the ballast. The ambient air temperature (t_3) in the draught-proof enclosure is noted.

The luminaire is then disconnected from the supply, the time noted and the ballast connected immediately to the Wheatstone bridge. The resistance is measured as quickly as possible and the corresponding time noted.

Further resistance measurements, if necessary, are made of suitable intervals whilst the ballast is cooling, the times at which the measurements made are being recorded. These measurements enable a time/resistance curve to be plotted which is extrapolated back to the point corresponding to the instant of disconnection of the supply and the resistance R_2 of the hot winding is read.

Since the resistance of copper varies in direct proportion to the temperatures as measured from a reference point of -234.5°C, the hot temperature t_2 may be calculated from the ratio of the hot resistance R_2 to the cold resistance R_1 by means of the equation:

$$\frac{R_2}{R_1} = \frac{t_2 - 234.5}{t_1 - 234.5}$$

The constant 234.5 relates to copper windings; for aluminium this constant is 229. Hence, for windings of copper wire:

$$t_2 = \frac{R_2}{R_1} (t_1 - 234.5) + 234.5$$

The temperature rise is the difference between the calculated temperature t_2 and the ambient air temperature t_3 at the conclusion of the test, that is: temperature rise = $(t_2 - t_3)$ K

ANNEX F

(Clause 4.18)

TEST FOR RESISTANCE TO STRESS CORROSION OF COPPER AND COPPER ALLOYS

F-1 TEST CABINET

Closeable glass vessels shall be used for the test. These may be, for example desiccator vessels or sample glass troughs with ground rim and lid. The vessels volume shall be at least 10 : 1. A certain ratio of test space to volume of test solution shall be maintained (20 : 1 to 10 : 1).

F-2 TEST SOLUTION

Preparation of 1.0 litre of solution:

Dissolve 107 g of ammonium chloride (reagent grade NH_4Cl) is about 0.75 litre of distilled or fully demineralized water and add as much of 30 percent sodium hydroxide solution (prepared from reagent NaOH and distilled or fully demineralized water) as is

IS 10322 (Part 1) : 2014

necessary to reach a *pH* value of 10 at 22 °C. For other temperatures, adjust this solution to the corresponding *pH* values specified in Table F-1.

After the *pH* adjustment, make up to 1.0 l with distilled or fully demineralized water.

This does not change the *pH* value any more.

Keep the temperature in any event constant to within $\pm 1^\circ\text{C}$ during the *pH* adjustment, carry out the *pH* measurement using an instrument which permits an adjustment of the *pH* value to within ± 0.02 .

The test solution may be used over a prolonged period, but the *pH* value which represents a measure of the ammonia concentration in the vapour atmosphere, shall be checked at least every three weeks and adjusted, if necessary.

Table F-1 *pH* Value of the Test Solution

Sl No. (1)	Temperature °C (2)	Test Solution <i>pH</i> (3)
i)	22 \pm 1	10.0 \pm 0.1
ii)	25 \pm 1	9.9 \pm 0.1
iii)	27 \pm 1	9.8 \pm 0.1
iv)	30 \pm 1	9.7 \pm 1

F-3 TEST PIECE

The test is a made on test pieces taken from the

luminaires.

F-4 TEST PROCEDURE

The surfaces of the test pieces shall be carefully cleaned, varnish being removed by acetone grease and finger prints by petroleum spirit or similar product.

The test cabinet containing the test solution shall be brought to a temperature of $30 \pm 1^\circ\text{C}$. The test pieces, pre-heated to 30°C shall be placed in the test cabinet as quickly as possible in such a way that the ammonia vapour can take effect unhindered. The test pieces shall preferably be suspended so that they do not dip into the test solution nor touch each other. Supports or suspension devices shall be made of materials which are not susceptible to attack by ammonia vapour, for example glass or porcelain.

Testing shall be carried out at a constant temperature of $30 \pm 1^\circ\text{C}$ to exclude visible condensed water formation caused by temperature fluctuations, which could severely distort the test results. The test period shall commence when the test cabinet is closed and shall last for 24 h. After this treatment the test pieces shall be washed in running water; 24 h later they shall show no cracks when inspected at an optical magnification of 8X.

NOTE — In order not to influence the results of the test, the test pieces shall be handled with care.

ANNEX G

Void

ANNEX H

Void

ANNEX J
(Clauses 3.2.6, 9.2)

EXPLANATION OF IP NUMBERS FOR DEGREE OF PROTECTION

J-1 For full details *see* IS 12063 from which the following is an extract.

b) Protection of the equipment inside the enclosure against harmful ingress of water.

The type of protection covered by this system of classification is as follows:

The designation to indicate the degrees of protection consists of the characteristic letters IP followed by two numerals (the characteristic numerals) indicating conformity with the conditions stated in Tables J-1 and J-2 respectively. The first numeral indicates the degree of protection described under (a) and the second numeral the degree of protection described under (b).

- a) Protection of persons against contact with or approach to live parts and against contact with moving parts (other than smooth rotating shafts and the like) inside the enclosure and protection of the equipment against ingress of solid foreign bodies.

Degrees of Protection Indicated by the First Characteristic Numeral

Sl No.	First Characteristic Numeral	Degree of Protection	
		Degree of Protection	Brief Details of Objects which shall be 'Excluded' from the Enclosure
(1)	(2)	(3)	(4)
i)	0	Non-protected	No special protection
ii)	1	Protected against solid objects greater than 50 mm	A large surface of the body, such as a hand (but no protection against deliberate access). Solid objects exceeding 50 mm in diameter
iii)	2	Protected against solid objects greater than 12 mm	Fingers or similar objects not exceeding 80 mm in length. Solid objects exceeding 12 mm in diameter
iv)	3	Protected against solid objects greater than 2.5 mm	Tools, wires, etc. of diameter or thickness greater than 2.5 mm. Solid objects exceeding 2.5 mm in diameter
v)	4	Protected against solid objects greater than 1.0 mm	Wires or strips of thickness greater than 1.0 mm. Solid objects exceeding 1.0 mm in diameter
vi)	5	Dust-protected	Ingress of dust is not totally prevented but dust does not enter in sufficient quantity to interfere with satisfactory operation of the equipment
vii)	6	Dust-tight	No ingress of dust

Degrees of Protection Indicated by the Second Characteristic Numeral

Sl No.	Second Characteristic Numeral	Degree of Protection	
		Short Description	Details of the Type of Protection Provided by the Enclosure
(1)	(2)	(3)	(4)
i)	0	Non-protected	No special protection
ii)	1	Protected against dripping water	Dripping water (vertically falling drops) shall have no harmful effect
iii)	2	Protected against dripping water when tilted up to 15°C	Vertically dripping water shall have no harmful effect when the enclosure is tilted at any angle up to 15° from its normal position
iv)	3	Protected against spraying water	Water falling as a spray at an angle up to 60° from the vertical shall have no harmful effect
v)	4	Protected against splashing water	Water splashed against the enclosure from any direction shall have no harmful effect
vi)	5	Protected against water jets	Water projected by a nozzle against the enclosure from any direction shall have no harmful effect
vii)	6	Protected against heavy seas	Water from heavy seas or water projected in powerful jets shall not enter the enclosure in harmful quantities
viii)	7	Protected against the effects of immersion	Ingress of water in a harmful quantity shall not be possible when the enclosure is immersed in water under defined conditions of pressure and time
ix)	8	Protected against submersion	The equipment is suitable for continuous submersion in water under conditions which shall be specified by the manufacturer.

NOTE — Normally, this shall mean that the equipment is hermetically sealed. However with certain types of equipment it can mean that water can enter but only in such a manner that it produces no harmful effects.

Specialist cleaning techniques are not covered by IP ratings. Manufacturers are recommended to give appropriate information regarding cleaning techniques, where necessary. This is in line with the recommendations contained within IS 12063 for specialist cleaning techniques.

IS 10322 (Part 1) : 2014

ANNEX K

[Clause 12.3.1, 12.4.1 (a)]

TEMPERATURE MEASUREMENT

K-1.1 The following recommendations refer to methods of making temperature measurements on luminaires in a draught-proof enclosure in accordance with 12.4.1. These methods of measurement have evolved as being particularly suitable for luminaires; alternative methods may be used, if it is established that they are of at least equal precision and accuracy.

Temperatures of solid materials are usually measured by means of thermocouples. The output voltage is read by a high-impedance device such as a potentiometer. With a direct-reading instrument it is important to check that its input impedance is suited to the impedance of the thermocouple. Temperature-indicators of the chemical type are at present suitable only for rough checks of measurement.

The thermocouple wires should be of low thermal conductivity. A suitable thermocouple consists of 80/20 nickel-chromium paired with 40/60 nickel-copper (or with 40/60 nickel-aluminium). Each of the two wires (usually of strip form, or circular in section) is fine enough to pass through a 0.3 mm hole. All the end-ports of the wires liable to be exposed to radiation have a high-reflectance metal finish. The insulation of each wire is of suitable temperature and voltage rating; it is also thin but robust.

Thermocouples are attached to the measuring point with minimum disturbance of thermal conditions and with low-resistance thermal contact. If a particular point on a part is not specified, the point of highest temperature should be found by preliminary exploration (for this purpose, a thermocouple may be mounted in a holder made of material of low thermal conductance; instruments using thermistors are also convenient). It is important to explore materials such as glass, since the temperature may vary rapidly with position. Thermocouples mounted within or near a luminaire should have minimum exposure to conducted or radiant heat. Care should be taken to avoid voltages from current-carrying parts.

The following methods have been found useful for attaching thermocouple junctions at measuring points:

- a) Mechanical clamping, for example, under a fixing device (clamping under current-carrying parts should be avoided).
- b) Soldering to a metal surface (with a minimum amount of solder).
- c) By an adhesive (minimum amount required). The adhesive should not separate the

thermocouple from the measuring point. An adhesive used with a translucent material should be as translucent as possible. A suitable adhesive for use with glass is formed of one part of sodium silicate to two parts of calcium sulphate, with water medium.

On non-metal parts the last 20 mm of the thermocouple are attached to the surface to offset the flow of heat from the measuring point.

- d) Cables. The insulation is slit and the thermocouple inserted (without touching a conductor); the insulation is then bound up.
- e) Mounting surfaces (*see* Annex D). A thermocouple is attached to a copper disc (approximately 15 mm in diameter, 1 mm thick and with a matt black finish), sunk level with the surface at the hottest point.

The average ambient temperature in the draught-proof enclosure is taken to be the air temperature at a position near one of the perforated walls on a level with the centre of the luminaire. The temperature is usually measured by a mercury-in-glass thermometer the bulb of which is shielded against radiation by a double-walled cylinder of polished metal.

The average temperature throughout a winding is measured by the increase-in-resistance method. The procedure to be followed is described in Annex E.

NOTE — It is found that errors are often made in the estimated calculation. An independent rough check should be made by measuring the case temperature of the component and adding a winding-to-case differential appropriate to the construction.

It is important that all temperature measuring instruments should be checked regularly. It is also recommended that measuring authorities should interchange luminaires to improve consistency in the measurement of different materials at different temperature levels.

K-1.2 Temperature Measurement of the Insulation Parts of Lampholders

Thermocouples should be applied on the following measuring points, as shown in Fig. K-1:


- a) Lampholder rim (not on metal or ceramic lampholders);
- b) At the point of contact between the lamp cap and the lampholder (if made of insulation material other than ceramic).

IS 10322 (Part 1) : 2014

It is the intention that measurement takes place on the lampholder and should be as near as possible to the point of contact between the lamp cap and the lampholder without touching the lamp cap;

c) At bifurcation of cable with a maximum of 10 mm from the lampholder terminals (if any, this measuring point being important as the wiring may touch it).

NOTE — Lampholder may be either ES or BC.



NOTE — Lampholder may be either ES or BC.

FIG. K-1 PLACING OF THERMOCOUPLES ON A TYPICAL LAMPHOLDER

IS 10322 (Part 1) : 2014

ANNEX L
(Clauses 4.1, and 4.18.3)

GUIDE TO GOOD PRACTICE IN LUMINAIRE DESIGN

L-1 SCOPE

This guide to good practice is intended to advise luminaire manufacturers on the behaviour of plastic materials and finishes under the influence of temperature, UV radiation, moisture and aggressive atmospheres and to offer good practice in reflector design.

It applies to luminaires for indoor and outdoor use and advises on generally accepted constructions but is not exhaustive. This guide should therefore never be interpreted as a requirement since other solutions can be equally effective or even better in certain specific applications.

A classification of external influences is given in IS 15382 (Part 3).

L-2 PLASTICS IN LUMINAIRES

In luminaire construction, plastic components have become important and proven functional elements. This applies to internal parts and wiring and to components such as translucent covers, shields and parts for structural support.

The applications relative to the 'normal' usage of luminaires determine the normal running life (ageing) of these plastic parts.

Excessive hard usage and damaging influences diminish the resistance to ageing.

Damaging Influences

Sl No. (1)	Damaging Influence (2)	Cause (3)	Effects ¹⁾ (4)
i)	High operating temperature	Operating voltage too high	Deformation
		Ambient temperature too high	Embrittlement
ii)	UV radiation	Inappropriate mounting	Discoloration
		Mercury-dosed high-pressure lamps with excessive UV component	Yellowing
iii)	Aggressive substance	Germicidal lamps	Embrittlement
		Softeners (plasticizers)	Cracking
		Incorrect cleaning (with disinfecting means)	Reduced strength Outer surface damage

¹⁾ All causes can relate to all effects.

Special attention should be given to,

- a) continuous service temperature;
- b) UV and visible radiation;
- c) static and dynamic mechanical impact; and
- d) oxidizing atmospheres.

Some combinations of these influences have particular importance and may make the material unsuitable for the intended application. For example, the combination UV radiation and heat may produce a green substance from PVC cable insulation, indicating the degradation of the insulation. The properties published in respect of particular materials of given generic names can differ depending on the fillers or inhibitors used, the manufacturing procedure and the design.

L-3 RUST RESISTANCE

Luminaires for use in normal indoor atmospheres may be made from a wide variety of materials.

Sheet metal components of the luminaire should be suitably pre-treated and surface finished, for example stove-enamelled.

Unpainted aluminium reflectors and louvers should be of an aluminium alloy with an anodic coating.

Auxiliary components of luminaires, such as clips, hinges, etc, when electroplated with suitable materials will give satisfactory service in normal indoor atmospheres. Suitable coatings are zinc, nickel/ chromium and tin.

NOTE — The electrical safety of luminaires for indoor use under humid conditions is checked by the tests of Section 9.

L-4 CORROSION RESISTANCE

Luminaires for use outdoors, or indoors in atmospheres of high humidity should have adequate resistance to corrosion. Although it is assumed that these luminaires will not be required to operate in conditions where chemical vapours are present, it should be remembered that all atmospheres contain a small proportion of corrosive gases such as sulphur dioxide and that in the presence of moisture these can cause severe corrosion over a long period of time.

In the assessment of the resistance to corrosion of a luminaire, it should be borne in mind that the interior of a closed luminaire (even if it has one or more drain-

IS 10322 (Part 1) : 2014

holes) is much less subject to corrosion than the exterior.

The following metals or combinations are known to provide adequate corrosion resistance:

- a) Copper and bronze, or brass containing not less than 80 percent copper;
- b) Stainless steel;
- c) Aluminium (sheet, extruded or cast) and die-cast zinc, known to be resistant to atmospheric corrosion;
- d) Cast iron or malleable iron at least 3.2 mm thick, coated with a minimum of 0.05 mm zinc on the outside surfaces and a visible coating of such material on the inside surface;
- e) Sheet steel, zinc-coated, average coating thickness 0.02 mm;
- f) Polymeric materials (*see L-1*).

Metal components in contact with one another should be made from metals which lie close to each other in the galvanic series to avoid electrolytic corrosion. For example, brass or other copper alloys should not be used in contact with aluminium or aluminium alloys; contact between either of these groups of materials and stainless steel is much more acceptable.

Plastic materials used outdoors should usually be chosen from those whose characteristics do not change significantly during long periods of service, for example acrylics.

Cellulose materials are in general unsatisfactory for conditions of high humidity, either indoors or outdoors and others including polystyrene, while suitable for use indoors, are liable to severe deterioration if used outdoors owing to the combination of moisture and solar radiation.

Where the construction of plastic luminaires intended for high humidity conditions (indoor or outdoors) includes cemented joints, it is essential that the cement used be able to withstand continuous exposure to moisture for long periods without deterioration.

NOTE — The electrical safety of luminaires for outdoor use under humid conditions is checked by the tests of Section 9.

L-5 CHEMICALLY CORROSIVE ATMOSPHERES

Luminaires to be used in atmospheres where chemically corrosive vapour or gases may be present in considerable concentration and especially whereas

condensation appears, require precautions given above for outdoor luminaires be observed and that the following additional precautions be taken:

- a) In general, luminaires whose bodies are made by casting a corrosion-resistant metal shall give better service than sheet metal luminaires.
- b) Where metals are used they should, as far as possible, be chosen for resistance to the particular corrosive substance present, as most metals are subject to attack by some corrosive substance. Die-cast aluminium shall be satisfactory for most applications.
- c) Similarly, the paints or other protective systems used should be chosen with regard to particular corrosive substances or groups of corrosive substances. For example, paints which are highly acid-resistant may not be able to withstand attack by some alkalis.
- d) Plastics such as acrylics, PVC and polystyrene are very resistant to attack by most inorganic acids and alkalis. They are, however, liable to attack by a number of organic liquids and vapours and as the effect depends on both the type of plastic and the particular chemical, materials should be chosen to suit the particular conditions.
- e) Vitreous enamel finishes are resistant to many chemicals, but it is essential that the enamel coating be free from broken areas or cracks if satisfactory service is to be obtained in highly corrosive atmospheres.

L-6 REFLECTOR DESIGN

The materials used in the reflection of light also reflect the infra-red spectrum in a very similar manner. Thus an optically efficient reflector will also reflect most IR radiation from the luminaire thus reducing overheating effects.

It is very important that hot spot are not concentrated on parts of the luminaire and lamp where they can affect performance or reduce the durability of materials. In particular, it is recommended that reflected light (and IR) is not focused back onto the lamp wall, lamp filament or arc tube. This will affect the life of the lamp and in extreme cases may cause failure of the lamp envelope or arc tube.

The maximum operating temperatures given in the lamp standards should not be exceeded (*see 0.2*).

IS 10322 (Part 1) : 2014

ANNEX M

(Table 11.2)

CONVERSION GUIDE TO TABLE 11.1 — DETERMINATION OF CREEPAGE DISTANCES AND CLEARANCES

M-1 The presence of informative Annex M is for guidance only and should not be used as a compliance clause.


Sl No. (1)	Creepage Distances and Clearances in Between mm (2)	Luminaires of Class I (3)	Luminaires of Class II (4)	Luminaires of Class III (5)
i)	Maximum working voltage (not exceeding), V	24 250 500 1 000	24 250 500	50
ii)	Live parts of different polarity	Basic insulation Creepage or clearance PTI ≥ or < 600	Basic insulation Creepage or clearance PTI ≥ or < 600	Basic insulation Creepage or clearance PTI ≥ or < 600
iii)	Live parts and accessible metal parts, also between live parts and the outer accessible surface of insulating parts	Basic insulation Creepage or clearance PTI ≥ or < 600	Reinforced insulation Creepage or clearance PTI ≥ or < 600	Basic insulation Creepage or clearance PTI ≥ or < 600
iv)	Parts which may become live due to the breakdown of functional ¹⁾ insulation in luminaires of class II and accessible metal parts		Supplementary insulation Creepage or clearance PTI ≥ or < 600	
v)	The outer surface of a flexible cord or cable and an accessible metal part to which it is secured by means of a cord grip, cable carrier or clip of insulating material		Supplementary insulation Creepage or clearance PTI ≥ or < 600	
vi)	Not used			
vii)	Live parts and other metal parts, between them and the supporting surface (ceiling, wall, table, etc) or between live parts and the supporting surface where there is no intervening metal	Supplementary insulation	Reinforced insulation	Basic insulation


¹⁾In this context functional insulation is understood to be basic insulation.


ANNEX N

(Clause 4.16.3)

EXPLANATION OF LUMINAIRE  MARKING

N-1 When a luminaire is provided with the symbol , this denotes that it is suitable for direct mounting on normally flammable surfaces. Normally flammable surfaces re defined to include building materials such as wood and materials based on wood, or more than 2 mm thickness.

Originally the relevant luminaire requirements applied only to luminaires incorporating a ballast or transformer. Since the use of the symbol , has received wide acceptance over the last ten years, the use of the symbol is extended to cover all luminaires, including luminaires for incandescent lamps.

The original  marking requirements were based on two distinct characteristics:

a) Protection against flames, which were expected to be possible at the end of ballast life.

b) Protection against heat produced by the ballast both during abnormal condition (short-circuited starter) as well as due to accidental failure.

N-1 PROTECTION AGAINST FLAME

Practical experience over the last ten years has shown no evidence in regard to the supposed emission of flames from ballast windings at the end of ballast life.

Other components, such as capacitors, are subjected to a destruction test to verify that these components will fail in a safe way.

Other components, such as capacitors, are subjected to a destruction test to verify that these components will fail in a safe way.

Further bearing in mind that extinguishing properties of flammable luminaire materials are tested in

IS 10322 (Part 1) : 2014

accordance with 4.15, it was concluded that there was no evidence which justified to keep the requirement for intervening material between windings and mounting surface.

N-2 PROTECTION AGAINST HEAT

To safeguard the mounting surface against excessive heat, three equivalent protection options are given by the standard, at the choice of the manufacturer:

- a) spacing;
- b) temperature measurement; and
- c) thermal protector.

N-2.1 Spacing

The ballast or transformer is spaced from the mounting surface by a minimum distance of either,

- a) 10 mm, including a minimum of 3 mm air space between the outer surface of the luminaire case and the mounting surface of the luminaire and a minimum of 3 mm air space between the ballast or transformer and the inner surface of the luminaire case.

If there is no ballast or transformer case, the distance of 10 mm shall apply from the active part, for example winding of the ballast.

The luminaire case should be substantially continuous in the protected area of the ballast/transformer permitting a separation of less than 35 mm between the active part of the ballast/transformer and the mounting surface, otherwise the requirement of item b) applies. There are no requirements with regard to the substance of the luminaire case material, which can be insulating material complying with 4.15.

If there is no luminaire case between ballast or transformer and the luminaire mounting surface, then the distance between the two should be at least 35 mm.

- b) 35 mm The spacing of 35 mm is primarily to take account of stirrup mounted luminaires where the ballast/transformer to mounting surface distance is often much greater than 10 mm.

N-2.2 Temperature Measurements of Mounting Surface under Abnormal or Failed Ballast Conditions

Temperature measurements can be carried out to verify that the luminaire mounting surface will not reach too high temperatures whether under abnormal conditions or under failed ballast conditions.

These requirements and tests are based on the assumption that during failure of the ballast or transformer, for example owing to short-circuited windings, the ballast winding temperature will not exceed 350°C for a duration of more than 15 min and that the related temperature of the mounting surface will then not exceed 180°C for a duration of more than 15 min.

Similarly, during abnormal ballast conditions the temperature of the mounting surface shall not exceed 130°C. At ambient temperature and at 1.1 times the supply voltage, the temperature of the windings and mounting surface are measured and plotted on a graph; then a straight line is drawn through these points. The extrapolation of this straight line shall not reach a point representing a mounting surface temperature of 180°C at a winding temperature 350°C (see Fig. 9).

For normally flammable surfaces, the limiting temperatures for the mounting surface related to the ignition temperature of wood as a function of time (see Fig. 27).

N-3 THERMAL PROTECTORS

Thermal protectors can be part of the ballast or external to the ballast.

Requirements for thermally protected ballasts are covered by the relevant ballast standard.

Thermally protected ballasts are marked with the symbol ∇ or ∇ . The dots are replaced by the rated maximum case temperature, in °C, when the protector opens the circuit.

Thermally protected ballasts with the symbol ∇ or ∇ with values up to and including 130°C provide complete protection of the luminaire mounting surface without any additional measures in the luminaire being necessary. This implies compliance on a time related basis with the maximum case temperature permitted under abnormal conditions i.e. 130°C, and, under failed ballast conditions, with a mounting surface temperature not exceeding 180°C.

Thermally protected ballasts with a symbol ∇ with values above 130°C have to be checked in combination with the luminaire as specified for luminaires with a thermal protector external to the ballast.

Luminaires with a thermal protector external to the ballast, and luminaires with thermally protected ballasts with a marked value above 130°C, are checked by measuring the temperature of the luminaire mounting surface until the thermal protector opens the circuit. During the test the temperature of the luminaire mounting surface is recorded and shall not exceed, the

IS 10322 (Part 1) : 2014

maximum temperature permitted under abnormal conditions, i.e. 130°C nor on time related basis up to

the maximum temperature under failed ballast conditions (*see* Table N-1).

Table N-1 Thermal Protection Operation

Sl No.	Maximum Temperature of the Mounting Surface °C	Maximum Time for Attainment of Maximum Temperature from 135°C min
(1)	(2)	(3)
i)	Over 180	0
ii)	Between 175 and 180	15
iii)	Between 170 and 175	20
iv)	Between 165 and 170	25
v)	Between 160 and 165	30
vi)	Between 155 and 160	40
vii)	Between 150 and 155	50
viii)	Between 145 and 150	60
ix)	Between 140 and 145	90
x)	Between 135 and 140	120

ANNEX P

(Clause 4.24)

REQUIREMENTS FOR THE PROTECTIVE SHIELD TO BE FITTED TO LUMINAIRES USING METAL HALIDE LAMPS FOR PROTECTIVE MEASURES AGAINST UV RADIATION

P-1 INTRODUCTION

Luminaires, intended for use with metal halide lamps for which protective measures regarding emitted UV radiation are required, shall be fitted with an adequate protective shield. The following procedure shall be used for the selection of the shield.

P-2 PROCEDURE A

- a) Establish the maximum P_{eff} value for the lamp from information made available by the lamp manufacturer.

NOTES

1 P_{eff}^* stands for specific effective power of an unshielded lamp and is defined as the effective power of the UV radiation P_{eff}^* related to the luminous flux. For practical reasons its dimension is: mW/klm.

2 P_{eff}^* is obtained by weighting the spectral power distribution of the lamp with the action spectrum.

3 The range of the action spectrum will be extended from 200 nm to 315 nm to 200 nm to 400 nm; however, for the purpose of this estimation the weighting between 200 nm and 315 nm should suffice for white-light sources for general lighting purposes.

- b) Estimate the requirements for the protective shield regarding the UV radiation in terms of its transmission characteristics T for the practical situation as follows, taking into account the expected application of the luminaire:

$$T \leq \frac{DEL}{3.6 \cdot P_{eff}^* \cdot t_s} \cdot \frac{1000}{E_a}$$

where

- T Maximum transmission at operating temperature for any wavelength between 200 nm and 315 nm;
- DEL Daily Exposure Limit (= 300 J/m²);
- t_s Expected maximum exposure time per day in hours; and
- E_a Expected maximum illuminance in lux.

The equation can be simplified to be:

$$T < \frac{8.3 \cdot 10^3}{P_{eff}^* \cdot t_s \cdot E_a}$$

NOTE — The formula is valid under the assumption that common reflector materials, for example anodized aluminium have the same reflectivity for UV radiation as for the visible radiation, which is the case within the necessary accuracy.

- c) Choose a protective shield that has a transmission throughout the region 200 nm-315 nm in accordance with the calculated value T .

IS 10322 (Part 1) : 2014

Example

$$P_{\text{eff}}^* = 50 \text{ mW/klm}$$

$$t_s = 8 \text{ h per day}$$

$$E_a = 200 \text{ lx}$$

$T < 0.01$. The transmission of the protective shield should be lower than 1 percent throughout the actinic region of the spectrum.

The procedure described in **P-2** (a), (b) and (c) will ensure the interchangeability of metal halide lamps and also in the case of different metal halide additives, provided that the maximum P_{eff}^* value of a lamp is observed.

P-3 PROCEDURE B

In the case of doubt, direct measurement of the UV radiation from a luminaire shall be performed in order

to check the suitability of the shield and the influence of reflector materials having significant differences in reflectance for UV and visible radiation, for example when non-metallic Finishes are used.

The result of the direct measurement for a luminaire E_{eff}^* shall comply to the following requirement:

$$E_{\text{eff}}^* \leq \frac{8.3 \cdot 10^3}{t_s E_a}$$

where

E_{eff}^* = measured specific effective irradiance, defined as the effective irradiance of the UV radiation E_{eff} related to the illuminance.

The dimension of E_{eff}^*] $\frac{mW}{m}$ /klx

ANNEX Q

CONFORMITY TESTING DURING MANUFACTURE

Q-1 GENERAL

The tests specified in this annex should be carried out by the manufacturer on each luminaire after production and are intended to reveal, as far as safety is concerned, unacceptable variations in material and manufacture. These tests are intended not to impair the properties and the reliability of the luminaire, and they vary from certain type tests in the standard by the lower voltages utilized.

More tests may have to be conducted to ensure that every luminaire conforms with the sample approved under the type test to this specification. The manufacturer should determine these tests from his experience.

Within the framework of the quality manual, the manufacturer may vary this test procedure and its values to one better suited to his production arrangements, and may make certain tests at an appropriate stage during manufacture, provided it can

be proved that at least the same degree of safety is ensured as specified in this Annex.

Q-2 TESTING

Electrical tests should be conducted on 100 percent of all units produced as scheduled in Table Q-1. Failed products are to be quarantined for scrap or rebuild.

Visual inspection should take place to ensure that,

- a) all specified labels are securely in place;
- b) manufacturers' instructions are placed within the luminaire, where necessary;
- c) luminaire is complete and that mechanical check against a checklist for the product has been carried out.

All products passing these tests should be suitably identified.

IS 10322 (Part 1) : 2014

Table Q-1 Minimum Values for Electrical Tests

Test	Class of Luminaire and Compliance			
	Class I Luminaires	Class II Luminaires Metal Encased	Class III Metal Encased with Supply Above 25 V	Class II and Class III Luminaires Insulation Encased
FUNCTION TEST/CIRCUIT CONTINUITY (with lamp or simulation lamp)	Generally at normal operating voltage			
EARTH CONTINUITY Applied between earthing terminal on luminaire and the most accessible parts likely to become live. Adjustable luminaires placed in most onerous position	Maximum resistance 0.50 Ω Measured by passing a minimum current of 10 A at between 6V and 12V for at least 1 s.	Not applicable		
a) Electric Strength	Maximum breakdown current 5 mA. Measured by applying a minimum voltage of 1.5 kV a.c. for a minimum of 1 s or 1.5 d.c. kV	Maximum breakdown current 5 mA. Measured by applying a minimum voltage of 1.5 kV a.c. for a minimum of 1 s or 1.5 d.c. kV	Maximum breakdown current 5 mA. Measured by applying a minimum voltage of 400 V a.c. for a minimum of 1 s or 400 d.c. V	Not applicable
OR b) Insulation Resistance Measured between the live and neutral terminals linked together and the earth terminal or between the conductors of class II and class III luminaires and the metal enclosure	Minimum resistance 2 M Ω Measured by applying 500 V d.c. for 1 s	Minimum resistance 2 M Ω Measured by applying 500 V d.c. for 1 s	Minimum resistance 2 M Ω Measured by applying 100 V d.c. for 1 s	
POLARITY Tested at incoming terminals	Where necessary for correct functioning of luminaire		Not applicable	

ANNEX R
(Clause 4.3)

SCHEDULE OF AMENDED CLAUSES CONTAINING MORE SERIOUS/CRITICAL REQUIREMENTS WHICH REQUIRE PRODUCTS TO BE RETESTED

NOTE — Clauses marked 'R' and scheduled in this annex is under consideration.

ANNEX S
(Clause 0.4.2)

REQUIREMENTS FOR THE IDENTIFICATION OF A FAMILY OR RANGE OF LUMINAIRES FOR TYPE TESTING

S-1 GENERAL

When selecting type test sample(s) from a range of luminaires of similar construction for type test verification, the luminaire(s) chosen shall be those which represent the most unfavourable combination of components and housing.

S-2 RANGE FOR FAMILY OF LUMINAIRES

A range or family of luminaires of similar construction shall be considered to be,

- a) in compliance with the same of the applicable standard;
- b) equipped with lamps of the same nature as;

- 1) tungsten including tungsten halogen lamps;
- 2) fluorescent lamps; and
- 3) discharge lamps.
- c) within the same class of protection against electrical shocks; and
- d) within the same IP classification.

Compliance shall be established by conformity with **S-2**.

NOTE — Each range of luminaires requires a case-by-case consideration. The range of luminaires should be manufactured by the same manufacturer, under the same quality assurance system. The type variants of the range should be essentially identical in respect of materials used, components and technology applied. Type test sample(s) should be selected with the cooperation of the manufacturer and the testing station.

(Continued from second cover)

Improvements in safety to take account of the state of the art technology are incorporated in the standards with revisions and amendments on an ongoing basis. Regional standardization bodies may include statements in their derived standards to cover products which have complied with the previous document as shown by the manufacturer or standardization body. The statements may require that for such products the previous standard may continue to apply to production until a defined date after which the new standard shall apply.

The list of various sections of Part 5 of this standard are as follows:

- Section 1 Fixed general purpose luminaries
- Section 2 Recessed luminaries
- Section 3 Luminaires for road and street lighting
- Section 4 Portable general purpose luminaries
- Section 5 Floodlights
- Section 6 Handlamps
- Section 7 Lighting chains
- Section 8 Emergency lighting

With the publication of this standard, following parts of IS 10322 shall be treated as withdrawn:

- Part 2 Constructional requirements
- Part 3 Screw and screwless terminals
- Part 4 Method of tests

This standard is based on IEC 60598-1(2003-10), Edition 6 'Luminaires, Part 1 'General requirements and tests', issued by International Electrotechnical Commission (IEC).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 1986* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards : Monthly Additions'.

This Indian Standard has been developed from Doc No.: ET 24 (5797).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones : 2323 0131, 2323 3375, 2323 9402

Website: www.bis.org.in

Regional Offices:

Telephones

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg
NEW DELHI 110002

{ 2323 7617
2323 3841

Eastern : 1/14 C.I.T. Scheme VII M, V. I. P. Road, Kankurgachi
KOLKATA 700054

{ 2337 8499, 2337 8561
2337 8626, 2337 9120

Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022

{ 260 3843
260 9285

Southern : C.I.T. Campus, IV Cross Road, CHENNAI 600113

{ 2254 1216, 2254 1442
2254 2519, 2254 2315

Western : Manakalaya, E9 MIDC, Marol, Andheri (East)
MUMBAI 400093

{ 2832 9295, 2832 7858
2832 7891, 2832 7892

Branches: AHMEDABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. DEHRADUN. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. KOCHI. LUCKNOW. NAGPUR. PARWANOO. PATNA. PUNE. RAJKOT. VISAKHAPATNAM.