

---

---

वस्त्रादि — रिंग डबलिंग और ट्विस्टिंग के  
लिए कान आकार के नायलॉन ट्रैवेलर्स —  
विशिष्टि

( पहला पुनरीक्षण )

**Textiles — Ear-Shaped Nylon  
Travellers for Ring Doubling and  
Twisting — Specification**

( *First Revision* )

ICS 59.120.10

© BIS 2024



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS  
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI - 110002  
[www.bis.gov.in](http://www.bis.gov.in) [www.standardsbis.in](http://www.standardsbis.in)

## FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Textile Machinery and Accessories Sectional Committee had been approved by the Textiles Division Council.

Travellers are components that guide yarn during the winding process onto bobbins. As they move around the spinning rings, they create friction, allowing them to hold the fibers tightly. This friction imparts twist to the yarn, resulting in high-quality yarn production. While the energy to drive the twisting mechanism comes from the bobbin, the level of twist is controlled by the traveller. Each revolution of the traveller inserts one turn of twist into the yarn. Achieving the perfect balance in spinning tension is essential. By minimizing the friction coefficient, rings and travellers work together to create an ideal spinning geometry. This balance ensures consistent smooth running behavior, high-speed spinning, and better yarn quality.

This standard was first published in 1992. This revision has been made to incorporate the following changes:

- a) References to Indian standards have been updated; and
- b) Marking clause has been modified.

The composition of the Committee responsible for the formulation of this standard is given in [Annex A](#).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

*Indian Standard***TEXTILES — EAR-SHAPED NYLON TRAVELLERS FOR RING DOUBLING AND TWISTING — SPECIFICATION***( First Revision )***1 SCOPE**

This standard prescribes the requirements of ear-shaped travellers of different forms made of nylon (Polyamide artificial synthetic resin) used on rings for doubling (*see* IS 3078). It also specifies the method of designation of these travellers.

**2 REFERENCES**

The standards given below contain provisions which, through reference in this text, constitute provisions of this standards. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standards are encouraged to investigate the possibility of applying the most recent edition of these standards:

<i>IS No.</i>	<i>Title</i>
IS 1501 (Part 1) : 2020/ISO 6507-1 : 2018	Metallic materials — Vickers hardness test: Part 1 Test method ( <i>fifth revision</i> )
IS 3078 : 2023	Textiles — Rings for spinning and doubling frames — Specification ( <i>fifth revision</i> )

**3 NOMENCLATURE**

For the purpose of this standard the nomenclature of the terms associated with travellers for doubling and twisting shall be as shown in [Table 1](#).

**4 SPECIFICATION****4.1 Material**

Suitable material shall be nylon 6.6 natural in virgin quality.

**4.2 Traveller Numbering**

The number of traveller represents the numerical value of the nominal mass, in grams, of 1 000 travellers of the same type.

**4.3 Range of Number**

The numerical values of the range correspond with those of R-20 series of preferred numbers. The range comprising of values from 25 to 2 000 inclusive.

**4.4 Mass Tolerance**

The admitted tolerance of the nominal mass for 1 000 travellers of the same type is  ${}_{-0}^{+5}$  percent of the numerical values of the traveller number.

**4.5 Hardness**

Hardness of travellers shall be within a range of 10 HV to 20 HV.

**4.5.1** The Vickers hardness shall be determined by the method prescribed in IS 1501 (Part 1) using 1 kg as test load.

**4.6 Flexibility**

Travellers shall not break or deform permanently while mounting on the ring of suitable depth.

**4.7 Workmanship and Finish**

The surface of the traveller shall be smooth and without sharp edges. Dimensional accuracy and mismatch is critical and to be controlled during moulding.

**5 DESIGNATION**

The designation of a traveller shall comprise, in order, traveller type, ring height, traveller number and the material of which it is made.

*Example:*

- a) HZ traveller, no. 800 for ring height 16.7 mm in nylon shall be designated as follows:

HZ 16.7 — 800 nylon; and

- b) J traveller, no. 400 for ring height 11.1 mm in nylon shall be designated as follows:

J 11.1 — 400 nylon.

To access Indian Standards click on the link below:

[https://www.services.bis.gov.in/php/BIS\\_2.0/bisconnect/knowyourstandards/Indian\\_standards/isdetails/](https://www.services.bis.gov.in/php/BIS_2.0/bisconnect/knowyourstandards/Indian_standards/isdetails/)

**Table 1 HZ and J Type Travellers and Rings**

(Clause 3)

SI No.	Traveller			Ring Height	
	Type	Form	Range of the numbers	Height, h	Designation
(1)	(2)	(3)	(4)	(5)	(6)
i)	HZ	see <a href="#">Fig. 1</a>	(25), (28), 30, (31.5), (35.5), 40, (45),	6.3	HZ 6.3
			50, (56), 60, (63), 70, (71), 80, 90, 100,	9.5	HZ 9.5
			110, (112), 120, (125), 130, 140, 160,	10.3	HZ 10.3
			(180), 195, 200, 220, (224), 240, 250,	11.1	HZ 11.1
			270, (280), 310, (315), (335), 360, 400,	16.7	HZ 16.7
			(450), (500), 510, (560), 610, 620, 630,	25.4	HZ 25.4
ii)	J	see <a href="#">Fig. 2</a>	710, 760, 800, 890, (900), 1000, 1125,	38.1	HZ 38.1
			1250, (1400), 1580, (1600), 1780,	11.1	J 11.1
			(1800), 2000	17.4	J 17.4

NOTE — The sizes within parenthesis are not popular.




FIG. 1 TRAVELLERS TYPE HZ ON VERTICAL RING




FIG. 2 TRAVELLERS TYPE J ON CONICAL RING

## 6 SAMPLING

### 6.1 Lot

The number of travellers of the same type, size and designation manufactured in a batch by the manufacturer shall constitute a lot.

**6.2** The conformity of the lot to the requirements of this standard shall be determined on the basis of the tests carried out on the samples selected from it.

**6.3** Unless otherwise agreed to between the buyer and the seller, the number of boxes of travellers to be selected at random shall be in accordance with [Table 2](#).

**Table 2 Sample Size**

(Clauses [6.3](#) and [6.4](#))

SI No.	No. of Boxes in the Lot	No. of Boxes to be Selected
(1)	(2)	(3)
i)	Up to 15	2
ii)	16 to 25	3
iii)	25 to 100	5
iv)	101 and above	8

**6.4** The boxes selected according to [Table 2](#) shall constitute the gross sample.

**6.4.1** From each box in the gross sample, two groups of ten or hundred travellers each shall be selected and examined for mass.

**6.4.2** From each box in the gross sample, two travellers shall be collected at random and tested for hardness and flexibility.

**6.4.3** From each box in the gross sample, ten travellers shall be collected at random and examined for workmanship and finish.

### 6.5 Criteria for Conformity

The lot shall be considered conforming to the requirements of this specification if the following conditions are satisfied:

- a) All the groups tested for weight and hardness satisfy the relevant requirements; and

- b) The number of travellers failing to satisfy the requirements for workmanship and finish does not exceed the corresponding number given below:

SI No.	No. of Travellers Tested	Permissible No. of Non-conforming Travellers
(1)	(2)	(3)
i)	20	1
ii)	30	2
iii)	50	3
iv)	80	5

## 7 MARKING

**7.1** All containers of traveller shall be marked with the following:

- a) Designation of traveller;
- b) Type of traveller;
- c) Numerical quantity of travellers in the container;
- d) Indication of the source of manufacture;
- e) Month and year of packing; and
- f) Lot number.

### 7.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.

## 8 PACKING

Travellers shall be packed in suitable containers to withstand normal hazards encountered during handling and transport. Travellers shall be suitably protected so that their finish does not deteriorate on storage. The number of travellers in each container for different sizes be as agreed to between the buyer and the seller.

ANNEX A

*(Foreword)*

COMMITTEE COMPOSITION

Textile Machinery and Accessories Sectional Committee, TXD 14

<i>Organization</i>	<i>Representative(s)</i>
Central Manufacturing Technology Institute, Bengaluru	DR NAGAHANUMAIAN ( <b>Chairperson</b> )
National Safety Council, Navi Mumbai	SHRI LALIT R. GABHANE SHRI R. R. DEOGHARE ( <i>Alternate</i> )
ATE Enterprises Private Limited, New Delhi	SHRI ABHIJIT KULKARNI SHRI ANIL KUMAR SHARMA ( <i>Alternate</i> )
Bajaj Industries Private Limited, Kolkata	REPRESENTATIVE
Bhowmick Calculator, Kolkata	SHRI GOUTAM BHOWMICK SHRI VIVEKANANDA BHOWMICK ( <i>Alternate</i> )
Bombay Textile Research Association, Mumbai	SHRI VIJAY GAWDE SHRI R. A. SHAIKH ( <i>Alternate</i> )
Central Manufacturing Technology Institute, Bengaluru	SHRI B. R. MOHANRAJ SHRI K. SARAVANAN ( <i>Alternate</i> )
Confederation of Indian Textile Industry, New Delhi	SHRIMATI CHANDRIMA CHATTERJEE SHRI ANMOL GUPTA ( <i>Alternate</i> )
ICAR-Central Institute for Research on Cotton Technology, Mumbai	DR N. SHANMUGAM DR T. SENTHIL KUMAR ( <i>Alternate</i> )
India ITME Society, Mumbai	SHRI S. SENTHIL KUMAR SHRIMATI SEEMA SRIVASTAVA ( <i>Alternate</i> )
Indian Jute Industries Research Association, Kolkata	SHRIMATI SAUMITA CHOUDHURY SHRI PARTHA SANYAL ( <i>Alternate</i> )
Indian Jute Mills Association, Kolkata	SHRI BHUDIPTA SAHA SHRI TANMOY SINGHA ( <i>Alternate</i> )
Indian Textile Accessories and Machinery Manufacturers Association, Mumbai	SHRI N. D. MHATRE SHRI CHANDRESH SHAH ( <i>Alternate</i> )
Inspiron Engineering Private Limited, Ahmedabad	SHRI ANKUR SONI
Kusters Calico Machinery Limited, Karjan	SHRI DEVANG PARIKH SHRI SHUBHASIS SUR ( <i>Alternate</i> )
Lagan Engineering Company Limited, Kolkata	REPRESENTATIVE
Lakshmi Machine Works Limited, Coimbatore	SHRIMATI KALPANA A. SHRIMATI DIVYA V. ( <i>Alternate</i> )

<i>Organization</i>	<i>Representative(s)</i>
Laxmi Shuttleless Looms Private Limited, Ahmedabad	SHRI KETAN SANGHVI
Ludlow Jute Limited, Kolkata	REPRESENTATIVE
Ministry of Heavy Industries and Public Enterprises, Department of Heavy Industry, New Delhi	SHRI SANJEEV GUPTA SHRI S. SUNDAR ( <i>Alternate</i> )
Office of the Textile Commissioner, Mumbai	SHRI N. K. SINGH SHRI NAROTTAM KUMAR ( <i>Alternate</i> )
Peass Industrial Engineers Private Limited, Navsari	SHRI RAVI S. RAO SHRI NAIMISHKUMAR RAMANLAL TANDEL ( <i>Alternate</i> )
Synthetic and Art Silk Mills Research Association, Mumbai	DR MANISHA MATHUR SHRI SANJAY SAINI ( <i>Alternate</i> )
Technocraft Industries India Limited, Mumbai	SHRI RAVINDER KUMAR SHRI R. MURALI ( <i>Alternate</i> )
Truetzschler India Private Limited, Ahmedabad	SHRI PRAVIN KANDGE SHRI SHILADITYA JOSHI ( <i>Alternate</i> )
Veer mata Jijabai Technological Institute, Mumbai	DR SURANJANA GANGOPADHYAY DR S. P. BORKAR ( <i>Alternate</i> )
BIS Directorate General	SHRI J. K. GUPTA, SCIENTIST 'E'/DIRECTOR AND HEAD (TEXTILES) [REPRESENTING DIRECTOR GENERAL ( <i>Ex-officio</i> )]

*Member Secretary*  
SHRI SWAPNIL  
SCIENTIST 'B'/ASSISTANT DIRECTOR  
(TEXTILES), BIS







## Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

### Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

### Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-[www.bis.gov.in](http://www.bis.gov.in) or [www.standardsbis.in](http://www.standardsbis.in).

This Indian Standard has been developed from Doc No.: TXD 14 (24790).

### Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

## BUREAU OF INDIAN STANDARDS

### Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: [www.bis.gov.in](http://www.bis.gov.in)

### Regional Offices:

Central : 601/A, Konnectus Tower -1, 6<sup>th</sup> Floor,  
DMRC Building, Bhavbhuti Marg, New  
Delhi 110002

Telephones

{ 2323 7617

Eastern : 8<sup>th</sup> Floor, Plot No 7/7 & 7/8, CP Block, Sector V,  
Salt Lake, Kolkata, West Bengal 700091

{ 2367 0012  
2320 9474

Northern : Plot No. 4-A, Sector 27-B, Madhya Marg,  
Chandigarh 160019

{ 265 9930

Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113

{ 2254 1442  
2254 1216

Western : 5<sup>th</sup> Floor/MTNL CETTM, Technology Street, Hiranandani Gardens, Powai  
Mumbai 400076

{ 25700030  
25702715

**Branches :** AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.