



# भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

## BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुरशाह जफर मार्ग नई, दिल्ली-110002

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002

Phones: 23230131 / 23233375 / 23239402

Website: www.bis.org.in, www.bis.gov.in

### Review Document

#### Basic Details

1.	Sectional Committee No. & Title:	CHD 8 - Occupational Safety and Health
2.	IS No :	IS 10592 : 2018
3.	Title :	Industrial emergency showers, eye and face fountains and combination units - Specification (First Revision)
4.	Date of Previous Review:	May, 2018

#### Review Analysis

##### 5.1 Status of standard(s), if any from which assistance had been drawn in the formulation of this IS.

S.No.	Standard (No.)	Standard (Title)	Whether the standard has since been revised	Major changes	Action proposed
1	N/A	N/A	N/A	N/A	N/A

##### 5.2 Status of standard referred in the IS.

S.No.	Referred standards (No.)	Referred standards (Title)	Since revised IS no. of the corresponding IS	Changes in the referred Standards since last review of IS	Changes in the referred standard which are affecting the standard under review	Action proposed
1	N/A	N/A	N/A	N/A	N/A	N/A

##### 5.3 Any other standards available related to the subject & scope of the standard being reviewed (International/regional/other national/association/consortia, etc or of new or revision of existing Indian Standard).

S.No.	Standard (No.)	Standard (Title)	Provisions that could be relevant while reviewing the IS	Action proposed
1	N/A	N/A	N/A	N/A

##### 5.4 Technical comments on the standard received, if any.

S.No.	Source	Clause of IS	Comment	Action proposed
No entry made in this table				

5.5 Information available on relevant technical developments				
S.No.	Source	Development	Relevant clause of the IS under review that is likely to be impacted (Clause & IS No.)	Action proposed
1	Committee Member	Shri Diptendu Das, Atomic Energy Regulatory Board, Mumbai informed that it is covered all requirements as per the current practices /technology followed by industry. Hence, it may be re-affirmed for now and will take up by the committee in future if required.	Nil	It may be re-affirmed
2	Committee Member	The committee in its 24th meeting, has informed that standard is available in it latest practice followed by manufacturers and users. Hence it may re-affirmed	Nil	It may be re-affirmed

5.6 Issues arising out of changes in any related IS or due to formulation of new Indian Standard.					
S.No.	Related IS (revised or new)	Related IS Title	Provision in the IS under review that would be impacted & the clause no. or addition of new clause/provision	Changes that may be necessary in the Standards under review	Action proposed
No entry made in this table					

5.7 Any consequential changes to be considered in other IS.			
S.No.	Related IS to get impacted	Related IS Title	Requirements to be impacted
1	IS 13441-1992	Ethyl ether - Code of safety	No changes required.
2	IS 11141-1984	Code of safety for acrylonitrile	No changes required.

Other Details	
6.	Any other observation: No other observation
7.	Upload Supporting Document(s)
7.1 ARP Report	<a href="#">62_1432_231129035115_ARP_Report.docx</a>
7.2 Draft Document	No Document Uploaded
8.	<p>Recommendations - On the basis of the analysis of the info available as mentioned above consideration of sectional committee is solicited on the following aspects of the IS under review:</p> <div style="border: 1px solid black; padding: 5px; margin-top: 10px;"> <p>Based on the above observations, it is recommended that IS 10592 : 2018 may be re-affirmed. As it available as per the latest practices followed by the manufacturers/users.</p> </div>