



भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुरशाह जफर मार्ग नई, दिल्ली-110002

Manak Bhavan ,9 Bahadur Shah Zafar Marg, New Delhi-110002

Phones: 23230131 / 23233375 / 23239402

Website: www.bis.org.in , www.bis.gov.in

Review Document

Basic Details

1.	Sectional Committee No. & Title:	MHD 1 - Surgical Instruments
2.	IS No :	IS 3319 : 1995
3.	Title :	Blades, surgical, detachable (Bard Parker Type) and handles - Specification (Fourth Revision)
4.	Date of Previous Review:	January, 2016

Review Analysis

5.1 Status of standard(s), if any from which assistance had been drawn in the formulation of this IS.

S.No.	Standard (No.)	Standard (Title)	Whether the standard has since been revised	Major changes	Action proposed
No entry made in this table					

5.2 Status of standard referred in the IS.

S.No.	Referred standards (No.)	Referred standards (Title)	Since revised IS no. of the corresponding IS	Changes in the referred Standards since last review of IS	Changes in the referred standard which are affecting the standard under review	Action proposed
1	IS 4905-1968	Methods for random sampling	IS 4905: 2015/ ISO 24153: 2009 Random sampling and randomization procedures (First Revision)	Sampling Criteria		
2	IS 10150 : 1981	Guide for sterilization of medical products	Current			
3	IS 6911 : 1992	Specification for stainless steel plate, sheet and strip (first revision)	IS 6911:2017/ ISO 9444-1 2, 9445-1 2,15510, Stainless steel plate, sheet and strip - Specification (Second Revision)	Material Composition of Blade		
4	IS 6263 : 1972	Specification for volatile corrosion inhibitor (VCI) treated paper	IS 6263:2018 Volatile corrosion inhibitor (VCI) treated paper - Specification (First Revision)	Packing Material		

5.3 Any other standards available related to the subject & scope of the standard being reviewed (International/regional/other national/association/consortia, etc or of new or revision of existing Indian Standard).

S.No.	Standard (No.)	Standard (Title)	Provisions that could be relevant while reviewing the IS	Action proposed
No entry made in this table				

5.4 Technical comments on the standard received, if any.

S.No.	Source	Clause of IS	Comment	Action proposed
No entry made in this table				

5.5 Information available on relevant technical developments

S.No.	Source	Development	Relevant clause of the IS under review that is likely to be impacted (Clause & IS No.)	Action proposed
No entry made in this table				

5.6 Issues arising out of changes in any related IS or due to formulation of new Indian Standard.

S.No.	Related IS (revised or new)	Related IS Title	Provision in the IS under review that would be impacted & the clause no. or addition of new clause/provision	Changes that may be necessary in the Standards under review	Action proposed
No entry made in this table					

5.7 Any consequential changes to be considered in other IS.

S.No.	Related IS to get impacted	Related IS Title	Requirements to be impacted
No entry made in this table			

Other Details

6.	Any other observation:	
7.	Upload Supporting Document(s)	

7.1 ARP Report	IS_3319.docx
7.2 Draft Document	No Document Uploaded

8.	Recommendations - On the basis of the analysis of the info available as mentioned above consideration of sectional committee is solicited on the following aspects of the IS under review:	<div style="border: 1px solid black; padding: 5px;"> It is recommended to revise the standard considering the changes in the Material Characteristics (Composition, Hardness, Finishing, Corrosion resistance), Performance testing, Sterilization Packaging, Sampling Criteria </div>
----	--	--