

भारतीयमानकब्यूरो
(अहमदाबादशाखाकार्यालय)

सन्दर्भ: AHBO/आई एस 16534/ए-72000769

दिनांक: 30.07.2018

भा०मा० 16534:2017 के अनुसार उत्पाद 'स्वचालित स्प्रिंकलर अग्निशमन तंत्र के लिए क्लोरीनकृत पॉलीविनायल क्लोराइड, सीपीवीसी पाइप फिटिंग का आवेदन अ०श०का० को सरलीकृत प्रणाली के अंतर्गत प्राप्त हुआ है।

वेबसाइट, सर्क्युलर एवं एच ओ/आर ओ जांच से पता चलता है कि :


1. उपरोक्त उत्पाद के लिए कोई भी बी आई एस अनुज्ञप्ति नहीं है।
2. उपरोक्त उत्पाद के लिए कोई अन्य आवेदन लंबित नहीं है।
3. उपरोक्त उत्पाद के लिए मुहंकन शुल्क, एस टी आई एवं ग्रुपिंग गाइडलाईन्स उपलब्ध नहीं है।

अंत: उपरोक्तवर्णित आवेदन को अखिल भारतीय स्तर पर प्रथम आवेदन माना जा सकता है।

सी एम डी-3 एवं सभी क्षेत्रीय और शाखा कार्यालयों से निवेदन है की, उपरोक्त विषय में कोई भी उपलब्ध जानकारी अ०श०का० को ई-मेल (ahbo@bis.gov.in) से आवेदन की आगे की प्रक्रिया हेतु दे।

प्रमुख (अ०श०का०)

आलोक सिंह


(मानवेंद्र सिंह)
वैज्ञानिक सी

उप निदेशक (प०क्षे०का०) / सी एम डी 3 / एल पी पी डी / सभी आर ओ एवं बी ओ /

आईटीएस; इंटरनेट पर सूचनार्थ हेतु

Bureau of Indian Standards
Ahmedabad Branch Office

Ref: AHBO/IS 16534/A-72000769

30.07.2018

Subject: All India First Application as per 16534:2017.

AHBO has received an application under Simplified Procedure for grant of license to use BIS Standard Mark on the product "Chlorinated Polyvinyl Chloride (CPVC) Pipe Fittings for Automatic Sprinkler Fire Extinguishing System "as per IS 16534:2017.

As per the information obtained from BIS website, circulars of CMD's to ROs/BOs, the following are observed

1. No BIS license exists for the above mentioned product
2. No other BIS application is pending for the above mentioned product
3. Marking Fee, STI, Grouping guidelines are not available for the product

Therefore, this application may be considered as All India First Application for the above mentioned product.

CMD-3 is requested to provide us with relevant grouping guidelines, STI, Marking fee, if any, prevailing for this product.


All ROs and BOs are requested to send information regarding the above product by return mail/e-mail with respect to any application pending at their end or any other information which may be helpful to process the application.

ITSD is also requested for circulation on intranet.



(Manvendra Singh)

Scientist-C

~~Head (AHBO)~~ 

CC: DDGW/ Head (CMD-3)/All ROs/ BOs

ITSD- for circulation on Intranet