

विदेशी उत्पादक प्रमाणन विभाग

हमारा संदर्भ : एफएमसीडी/ऐआईआर/आई एस 15225:2002

21 नवम्बर 2019

विषय : पाइप्स और फिटिंग्स के लिए उपयोग किया जाने वाला क्लोरीनयुक्त पॉलीविनाइल क्लोराइड आई एस 15225:2002 के अनुसार के लिए अखिल भारतीय पहला आवेदन

एफएमसीडी को स्टैंडर्ड मार्क का उपयोग करने के लिए लाइसेंस देने की स्कीम के तहत पाइप्स और फिटिंग्स के लिए उपयोग किया जाने वाला क्लोरीनयुक्त पॉलीविनाइल क्लोराइड आई एस 15225:2002 के अनुसार के लिए अखिल भारतीय पहला आवेदन प्राप्त हुआ है

बीआईएस वेबसाइट / इंटरनेट पर उपलब्ध सूचना से, निम्नलिखित सूचना प्राप्त हुई है :


1. अभी तक इस उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है
2. इस उत्पाद के लिए मार्किंग शुल्क दरें व एसआईटी उपलब्ध है।

इसलिए, इस आवेदन को उपरोक्त उत्पाद के लिए 'अखिल भारतीय प्रथम आवेदन' माना जाएगा।

इसके अलावा, सभी आरओ और बीओ से अनुरोध किया जाता है कि यदि उपरोक्त उत्पाद के संबंध में कोई भी आवेदन उनके अंत में लंबित है या कोई ऐसी अन्य सूचना जो कि आवेदन को संसाधित करने के लिए उपयोगी हो सकती है, मेल द्वारा भेज सकते हैं।

सीएमडी/आरओ/बीओ को यह सूचित करने के लिए पुनः आमंत्रित किया जाता है कि क्या कोई लाइसेंस अतीत में और बाद में रद्द कर दिया गया था, और यदि ऐसा है, तो उसके बारे में जानकारी प्रदान करें।

एलपीपीडी को यह सूचित करने के लिए अनुरोध किया जाता है कि क्या आईएस 15225:2002 के अनुसार उत्पाद के लिए पूर्ण परीक्षण सुविधा किसी भी अन्य बीआईएस/बीआईएस मान्यता प्राप्त प्रयोगशाला के पास उपलब्ध है, और यदि है तो परीक्षण शुल्क के साथ सूचित करने की कृपा करें।


(शौविक चंदा)
21/11/2019
वै.सी. (एफएमसीडी)

प्रमुख (एफएमसीडी)

प्रतिलिपि :

डीडीजी (प्रमाणन)

प्रमुख (सीएमडी I, II व III)

प्रमुख (एलपीपीडी)

प्रमुख (सभी आरओ व बीओ)

आईटीएसडी - इंटरनेट पर परिपत्र को डालने हेतु

FMCD

Our Ref : FMCD/AIR/15225:2002

21 Nov 2019

Subject : All India First Application for Chlorinated Polyvinyl Chloride Compounds Used for Pipes and Fittings as per IS 15225:2002

FMCD has received an application under Normal Procedure for grant of licence to use Standard Mark on Chlorinated Polyvinyl Chloride Compounds Used for Pipes and Fittings as per IS 15225:2002

- As per the information available at BIS website/ CMMS, following points have been observed:
- As on date no BIS licence exists for the product on all India basis.
 - Marking fee rate & STI/SIT are also not available for the product.

Therefore, this application would be considered to be All India First Application for the product.

All ROs and BOs are, therefore, requested to send any information regarding the above product by return mail with respect to any application pending at their end or any other information which may be useful to process the application.

CMD/ROs/BOs are requested to inform if any licence had been granted in past and subsequently cancelled, and if so, information regarding relevant STI/SIT/Marking fee/Test Lab may kindly be provided.

LPPD is requested to inform whether the complete testing facility for the product is available with any other BIS / BIS accredited laboratory as per IS 15225:2002, along with the testing charges.

Shouvik Chanda
21/11/2019
(Shouvik Chanda)
Sc.C (FMCD)

Head (FMCD)

DDG (Certification)

Head (CMD I)

Head (CMD II)

Head (CMD III)

Head (LPPD)

All ROs/BOs

प्रस्तावित
21/11/19

जावक डाक/Outgoing Dak

एफएमसीडी नं.

FMCD No. 319

दिनांक/Dated. 22.11.19