

Bureau of Indian Standards

(Mumbai Branch Office-1)

Our Ref:MUBO-1/IS 8521:PART 1/ A-77000497

Dated:16/04/2019

MUBO-1 has received an application under Normal Procedure for Grant of Licence to use Standard Mark on the product 'INDUSTRIAL SAFETY FACE SHIELDS WITH PLASTIC VISOR' as per IS 8521:Part 1:1977.


As per the information obtained from BIS website, circulars and HO/RO queries:

1. As on date, no BIS licence exists for the mentioned product.
2. As on date, no other BIS application is pending for the aforementioned product.
3. Marking Fee and STI are not available for the product.
4. No BIS, or BIS approved lab has testing facility as per IS 8521:Part 1:1977.

Therefore, this application may be considered to be All India First Application for the above product.

CMD-3, LPPD and all ROs & BOs are, therefore, requested to provide any information with respect to the above IS or any other information which may be useful to process the application.

ITSD is requested to host the information pertaining to the above application on intranet.


(Rahul Pushkar)
Sc.-B , MUBO-1

Sc.-F & Head (MUBO-1)

P. V. V. V.
30/4/2019

DDGW

Head (CMD-3)

Head(LPPD)

All RO's & BO's

ITSD- For circulation on intranet

भारतीय मानक ब्यूरो

मुंबई शाखा कार्यालय - १

हमारा संदर्भ : मयूबीओ-१/आई एस 8521: पार्ट 1/ए-77000497

दिनांक: १६.०४.२०१९

मुंबई शाखा कार्यालय- १ मे सामान्य प्रणाली के तहत एक आवेदन " औद्योगिक सुरक्षा ढाल प्लास्टिक विसोर के साथ " भा. मा. ८५२१:पार्ट १ के अनुसार प्राप्त हुआ है।


बी आई एस वेबसाइट,सर्क्युलर एवं एच ओ/ आर ओ जॉच में पता चलता है की :-

- 1 उपरोक्त उत्पादों के लिए कोई भी अनुज्ञप्ति अस्तित्व में नहीं है ।
- 2 उपरोक्त उत्पादों के लिए कोई भी आवेदन विचाराधीन नहीं है ।
- 3 उपरोक्त उत्पादों के लिए मुहरंकन शुल्क एवं एस टी आई उपलब्ध नहीं है ।
- 4 भारतीय मानक ब्यूरो तथा बाहरी, प्रयोगशालाओं मे इस उत्पादन की जांच सुविधाएं उपलब्ध नहीं है ।

अतः उपरोक्त वर्णित आवेदन को अखिल भारतीय स्तरपर प्रथम आवेदन माना जा सकता है ।

सी एम डी-3, एल पी डी और सभी क्षेत्रीय और शाखा कार्यालयों से अनुरोध है की उपरोक्त विषय में कोई भी जानकारी उपलब्ध हो तो मुंबई शाखा कार्यालय-१ को प्रेषित करें जो की आवेदन की आगे की कार्यवाही में सहायक हो सके ।

आई टी एस डी से अनुरोध है की उपरोक्त आवेदन से संबंधित सूचना को इंटरनेट पर जारी करें ।



(रहित पुष्कर)
वैज्ञानिक बी

वैज्ञानिक एफ एवं प्रमुख (मुंबी-१)
उपमहानिदेशक, प. का. मुंबई

P. K. Kulkarni
30/4/19

प्रमुख सीएमडी-3

प्रमुख एलपीपीडी

सभी क्षेत्रीय एवं शाखा कार्यालय

आईटीएसडी-इंटरनेट पर परिचालन हेतु ।