## भारतीय मानक ब्युरो (स्रत शाखा कार्यालय)

हमारा संदर्भ : सू.शा.का / आईएस 17261 / A-71000028

दिनांक 20.04.2021

विषय : IS 17261 के अंतर्गत अखिल भारतीय स्तर पर प्रथम आवेदन

सू.शा.का. को आई एस 17261:2019 के अनुसार from M/s Aym Syntex Ltd, Silvassa वस्त्रादि -पॉलिएस्टर सतत तंतु पूर्ण आहत धागे - विशिष्टी पर मानक मार्क का उपयोग करने के लिए लाइसेंस देने के लिए विकल्प के तहत एक आवेदन प्राप्त हुआ है।

बी आई एस बेवसाईट / इंट्रानेट पर उपलब्ध सुचना से, निम्नलिखित बिंदु देखे गए है।

- 1. तारिख के अनुसार, सभी भारतीय आधार पर उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है
- 2. उत्पाद के लिए अंकन शुल्क दर और एसआईटी उपलब्ध नही है।
- 3. कोई बीआईएस अनुमोदित प्रयोगशाला / ओएसएल मे आईएस 17261:2019 के अनुसार परीक्षण सुविधाएं नहीं है।

इसलिए, इस एप्लिकेशन को उत्पाद के लिए अखिल भारतीय स्तर पर प्रथम आवेदन है

सभी कार्यालयों और बीओ **से आग्रह है की** उपरोक्त उत्पाद के बारे में कोई भी सुचना उनके मेल पर या उनके पास लंबित किसी भी आवेदन के संबंध में रिर्टन मेल द्वारा भेजने का अनुरोध किया जाता है।

अध्यक्ष एवं प्रबंध निदेशक / कार्यालयों / बीओ को अनुरोध किया जाता है कि क्या कोई लाइसेंस अतीत में और बाद में रद्द कर दिया गया था , यदि ऐसा है तो कृपया इससे सम्बधित सुचना उपलब्ध करवाई जाये

एलपीपीडी को सुचित करने के लिए भी अनुरोध किया जाता है कि आईएस 17261:2019 के अनुसार किसी भी बीआईएस / बीआईएस अनुमोदित प्रयोगशाला/ओएसएल के साथ पूर्ण परीक्षण सुविधा उपलब्ध है, यदि ऐसा परीक्षण शुल्क सूचित किए जा सकते हैं।

19 morte 2019

**५१।** (ईशॉन त्रिवेदी) वैज्ञानिक—सी

प्रमुख (सूसा.का.) डीडीजीडब्लु

सीसी:-प्रमुख (सीएमडी-2)

प्रमुख (एल पी पी डी)

प्रमुख (सभी क्षेत्रीय व शाखा कार्यालयो और प्रयोगशालाओं ) आईटीएसडी– भा मा इंट्रानेट पर प्रदर्शित करने हेतु अनुरोध सहित

## Bureau of Indian Standards (Surat Branch Office)

Our Ref: SUBO/IS 17261/A-71000028

Dated: 20.04.2021

Scientist-.C

Subject: All India First Application as per IS 17261

SUBO has received an application from M/s Aym Syntex Ltd, Silvassa under Option I for grant of licence to use Standard Mark on Textiles- Polyester Continuous Filament Fully Drawn Yarn -

From the information available on BIS website/ Intranet, following points have been observed:i) As on date, no BIS licence exists for the product on all India basis.

ii) Marking fee rate & SIT are not available for the product.

iii) No BIS approved lab/OSL has testing facilities as per IS 17261:2019.

Therefore, this application would be considered to be 'All India First Application' for the product.

All ROs and BOs are, further, requested to send any information regarding the above product by return mail with respect to any application pending at their end or any other information which

CMD/ROs/BOs are requested to inform if any licence had been granted in past and subsequently cancelled, and if so, information regarding relevant information may kindly be provided.

LPPD is also requested to inform whether complete test facility is available with any BIS and/or BIS recognized lab/OSL, if so testing charges may also be informed, for the product as per IS essy wood rou

DDGW

Cc:

Head (CMD-II)

Head (LPPD)

Head (All ROs & BOs)

ITSD- for hosting the circular on intranet and BIS website