



भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुरशाह जफर मार्ग नई, दिल्ली-110002

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002

Phones: 23230131 / 23233375 / 23239402

Website: www.bis.org.in, www.bis.gov.in

BIS HEADQUARTER

9, Bahadur Shah Zafar Marg, New Delhi-110002, India
Tel : +91 11 23230131, 23233375, 23239402 (10 lines)
Fax : +91 11 23234062, 23239399, 23239382
After office hours : +91 11 23215936
Email : info[at]mail[dot]gov[dot]in
Website: www.bis.gov.in

Name & Designation	Telephone	Fax	E-mail
Shri Pramod Kumar Tiwari, IAS (AM:1991) Director General (DG)	23237991, 23236980	23235414	dg[at]bis[dot]gov[dot]in
Smt.MamtaUpadhyayLal IOFS:1989 Additional Director General (ADG)	23215948	23217421	adg[dot]bis[dot]gov[dot]in
Smt. Seema Sharma IRTS(1994) Chief Vigilance Officer (CVO)	23235336	23235336	cvo[dot]bis[dot]gov[dot]in

REGIONAL OFFICES

CENTRAL REGIONAL OFFICE

Administrative Office

601/A, Konnectus Tower-1
6th Floor, DMRC Building,
Bhavbhuti Marg, New Delhi-110002
Tel : 011-23237401, 2366161
Grams: Manaksanstha, Email : cro[at]bis[dot]gov[dot]in

EASTERN REGIONAL OFFICE	
Administrative Office 1/14 CIT Scheme VII M, V.I.P. Road, Kankurgachi, Kolkata 700 054. Tel : 033-23208662, 23208499, 23208561, 23208626, 23202910 Fax : 033-23209474 Grams : Manaksanstha Email : ero[at]bis[dot]gov[dot]in	Sales Point 5 Chowringhee Approach, P. O. Princep Street, Kolkata – 700072 Tel: 033- 22126215 Email : salesero[at]bis[dot]gov[dot]in
NORTHERN REGIONAL OFFICE	
Administrative Office Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh – 160 019. (PBX) 0172-2650206, 2650290 Fax : 0172-2650259 E-mail : nro[at]bis[dot]gov[dot]in	Sales Point Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh – 160 019. Extn No. 145 E-mail : salesnro[at]bis[dot]gov[dot]in
SOUTHERN REGIONAL OFFICE	
Administrative Office C.I.T. Campus, IV Cross Road, Chennai 600 113. Tel : 044-22541442, 22541216, 22542519 Fax : 91-044-22541087 Email : sro[at]bis[dot]gov[dot]in	Sales Point IV Cross Road, Chennai 600 113. Tel : 044-25541442 & 22541216 E-mail : srosales[at]bis[dot]gov[dot]in
WESTERN REGIONAL OFFICE	
Administrative Office Manakalaya, E9, Behind Marol Telephone Exchange, Andheri (East), Mumbai 400 093. Tel : 022-28329295, 28327891, 28327892 Fax : 022-28253433 Grams : Manaksanstha Email :- wro[at]bis[dot]gov[dot]in	Sales Point Manakalaya, E9, Behind Marol Telephone Exchange, Andheri (East), Mumbai 400 093. Tel : 022-28329295 Fax : 022-28364820 Grams : Manaksanstha Email :- saleswro[at]bis[dot]gov[dot]in

Central Region Office	Northern Region Office	Eastern Region Office	Southern Region	Western Region
Bhopal Branch Office	Lucknow	Patna Branch Office	Bangaluru Branch Office	Ahmedabad Branch Office
Ghazianad Branch Office	Himachal Pradesh Branch Office	Bhubaneshwar Branch Office	Hyderabad Branch Office	Pune Branch Office
Faridabad Branch Office	Dehradun Branch Office	Guwahati Branch Office	Coitambore Branch Office	Rajkot Branch Office
Jaipur Branch Office	Jammu & Kashmir Branch Office	Kolkata Branch Office	Kochi Branch Office	Nagpur Branch Office
Delhi (DLBO-I, DLBO-II)	Chandigarh (HRBO, CHBO)	Raipur Branch Office	Vishakhapatnam Branch Office	Mumbai (MUBO-I, MUBO-II)
		Jamshedpur Branch Office	Chennai (CNBO-I, CNBO-II)	
			Hubli	

Central Region Office

Branch and Address	Name & Designation	Contact & Fax Number	E-mail Number
Bhopal Branch Office Commercial cum Office Complex Manakalya Opp. Dushera Maidan, E-5 Area Colony Bittan Market, Bhopal 462 016	Shri ParthaSarathiMandal Scientist-E & Head	0755-2423453 (O) 0755-2443449, 0755-2423452, 0755-2423454 0755-2423451 (Fax)	hbpbbo[at]bis[dot]gov[dot]in bpbbo[at]bis[dot]gov[dot]in
Ghazianad Branch Office Central Laboratory (Chemical Lab Block) Ghaziabad(GZBO) Savitri Complex, 116, G.T. Road, Ghaziabad – 201 001	Dr R K Tyagi Scientist-F & Head	0120-2861174 0120-2861996	hgzbo[at]bis[dot]gov[dot]in gzbo[at]bis[dot]gov[dot]in
Faridabad Branch Office SCO 21 Sector 12 Faridabad 121007	Shri Praveen Khanna Scientist-F & Head	0129-2292173 0129-2292175, 0129-2292179 0129-2291860 (Fax)	hfrbo[at]bis[dot]gov[dot]in frbo[at]bis[dot]gov[dot]in
Jaipur Branch Office Prithavi Raj Road Opp-Bharat Overseas Bank Limited C-Scheme Jaipur 302 001	Shri Vishal Tomer Scientist-E & Head	0141-2223286 0141-2223282, 2223283,2223284 0141-2223281 (Fax)	hjpbo[at]bis[dot]gov[dot]in jpbo[at]bis[dot]gov[dot]in
601/A, Konnectus Tower-1 6th Floor, DMRC Building, Bhavbhuti Marg, New Delhi-110002 Tel : 011-23237401, 2366161	(DLBO-I)	23237401	hdlbo1[at]bis[dot]gov[dot]in dlbo1[at]bis[dot]gov[dot]in
	(DLBO-II)		hdlbo2[at]bis[dot]gov[dot]in dlbo2[at]bis[dot]gov[dot]in
	Smt Rosy Dhawan Scientist- F & Head	23232922 Grams: Manaksanstha	

Northern Region Office			
Branch and Address	Name & Designation	Contact & Fax Number	E-mail Number
Bureau of Indian Standards Lucknow Branch Office 4th Floor, B-2 Block PICUP BHAWAN Gomti Nagar Lucknow – 226 010	Shri M A J Vinod Scientist-E & Head	Tel: 0522-2728808 Tel :0522-2306664	hlkbo[at]bis[dot]gov[dot]in lkbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Himachal Pradesh Branch Office H. No. 15, Sector – 3, Parwanoo – 173 220 Distt: Solan (H.P.)	Shri Kumar Animesh Scientist-E & Head	01792-235436 01792-235437 to 235439 (Ph) 01792-235435 (Fax)	hnlbo[at]bis[dot]gov[dot]in nlbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Dehradun Branch Office UCF Sadan Ground Floor, Block D Deep Nagar Road, Vishnu Vihar, Dehradun Uttarakhand -248001	Shri Sudhir Bishnoi Scientist-F & Head	761 777 7281 761 777 7278 761 777 7270	hdhbo[at]bis[dot]gov[dot]in dhbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Jammu & Kashmir Branch Office Lane No. 4, SIDCO Industrial Complex, Bari Brahmana, Jammu – 181133 (J&K)	Shri R.C Dass Scientist-D	01923-222690, 222696 Tel: 01923-222690, 222696	hjkbo[at]bis[dot]gov[dot]in jkbo[at]bis[dot]gov[dot]in
Chandigarh (HRBO, CHBO)	Shri Deepak Kumar Singla Scientist-E & Head (HRBO) Shri Samir Kumar Sahana Scientist-F & Head (CHBO) Shri Rajeev Sharma Scientist-F & Head NRO Laboratory (Mohali)	2659065 (Telefax) 2659072 (Telefax) 3246935	hhrbo[at]bis[dot]gov[dot]in hchbo[at]bis[dot]gov[dot]in

	<p>Administrative Office</p> <p>Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh – 160 019. (PBX) 0172-2650206, 2650290 Fax : 0172-2650259</p>	<p>Sale Point</p> <p>Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh – 160 019. Tel : 0172 2659031 E-mail : salesnro[at]bis[dot]gov[dot]in</p>
--	---	--

Eastern Region Office			
Branch and Address	Name & Designation	Contact & Fax Number	E-mail Number
Bureau of Indian Standards Patna Branch Office Patliputra Industrial Estate Patna 800013	Shri Suman Kumar Gupta Scientist-E & Head	0612-2275342 0612-2262808 0612-2275342 (Fax)	hptbo[at]bis[dot]gov[dot]in ptbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Bhubaneswar Branch Office 6th Floor, Gruha Nirman Bhawan (OSHB Building) Sachivalaya Marg Bhubaneswar 751001	Shri Dibyendu Chakrabarti, Scientist-F & Head	0674-2390847 Tel. : 0674-2394193 Fax. : 0674-2393039 EPBX : 0674-2391727	hbhbo[at]bis[dot]gov[dot]in bhbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Guwahati Branch Office 2nd Floor, West End Block HOUSEFED Building Complex Last Gate, Dispur Guwahati 781 006	Shri Pawan Kumar Kandoi Scientist-F & Head	0361-2525937 0361-2224670 0361-2224670 (Fax)	hghbo[at]bis[dot]gov[dot]in ghbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Kolkata Branch Office	Shri A K Chatterjee Scientist-E & Head (KKBO)	033-23208373	hkkbo[at]bis[dot]gov[dot]in
	Shri U S P Yadav, Scientist-F & Head (EROL)	033-23556587, Fax : 033-23555300	herol[at]bis[dot]gov[dot]in
	Administrative Office 1/14 CIT Scheme VII M, V.I.P. Road, Kankurgachi, Kolkata 700 054. Tel : 033-23208662, 23208499,23208561 , 23208626,23202910 Fax : 033-23209474 Grams : Manaksanstha Email : salesero[at]bis[dot]gov[dot]in	Sales Point 5 Chowringhee Approach, P. O. Princep Street, Kolkata – 700072 Tel: 033- 22371085 Email : salesero[at]bis[dot]gov[dot]in	
Bureau of Indian Standards Raipur Branch Office Govind Sarang Complex	Shri V Gopinath Scientist-F & Head	Tel: 0771-2412236 Tel: 0771-2419404	hrpbo[at]bis[dot]gov[dot]in rpbo[at]bis[dot]gov[dot]in

2nd Floor, New Rajendra Nagar Raipur – 492006 (Chhattisgarh)d		Fax: 0771- 2419404	
Bureau of Indian Standards Jamshedpur Branch Office F/10-A, Namdih Road P.O. Burmamines, Jamshedpur – 831007 (Jharkhand)	Shri S D Dayanand Scientist-E & Head	Tel: 0657- 2345481, 2345498 Fax: 0657- 2345498	hjdbo[at]bis[dot]gov[dot]in jdbo[at]bis[dot]gov[dot]in

Southern Region Office

Branch and Address	Name & Designation	Contact & Fax Number	E-mail Number
Bureau of Indian Standards Bangaluru Branch Office Peenya Industrial Area 1st Stage, Bangaluru – Tumkur Road Bangaluru 560 058	Shri Amit Roy Scientist F & Head	080-28395604 080-28394955, 28394956, 28396324, 28398860, 28392296 080-28398841 (Fax)	hbnbo[at]bis[dot]gov[dot]in bnbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Hyderabad Branch Office Plot no 1, Sy no 367/1 Industrial Development Park, Moula ali, Hyderabad - 500 040	Shri K V Rao Scientist-E & Head	040-29884381 040-29884384, 29884385, 29884387, 29884389 (Sales), 29884391, 29884393	hhybo[at]bis[dot]gov[dot]in hybo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Coimbatore Branch Office 5th Floor, Kovai Towers 44 Bala Sundaram Road Coimbatore 641018	Smt. MeenakshiGanesan Scientist-F and Head	0422-2248892 (O) 0422-2210141, 2249016, 2245622 0422-2246705 (Fax)	hctbo[at]bis[dot]gov[dot]in ctbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Kochi Branch Office II Floor Central Ware Housing Corporation Office Complex Maveli Road, Gandhi Nagar Kadavanthara Kochi 682 020 Kerala	Shri Rajeev P, Scientist – F & Head	0484-220 7366 0484-220 7174, 220 7175, 220 3176	hkobo[at]bis[dot]gov[dot]in kobo[at]bis[dot]gov[dot]in

Bureau of Indian Standards Vishakhapatnam Branch Office 1st Floor, C-Block, Udyog Bhavan VUDA Complex, Siripuram Vishakapattanam- 530003	Ms. B. Sandhya Scientist-E & Head	0891-2712833 0891-2712833, 0891-2712834	hvzbo[at]bis[dot]gov[dot]in vzbo[at]bis[dot]gov[dot]in
Bureau of Indian Standards Chennai (CNBO-I, CNBO-II) C.I.T. Campus, IV Cross Road, Chennai 600 113. Tel : 044-22541442, 22541216, 22542519 Fax : 91-044-22541087 Email :	Smt. G. Bhavani Scientist-E & Head (CNBO-I) Smt. Jessy Benny, Scientist- F & Head ((CNBO-II)	044-22542519 044-22541076	Hcnbo1[at]bis[dot]gov[dot]in Hcnbo2[at]bis[dot]gov[dot]in
Bureau of Indian Standards Hubli Branch Office 1st Floor, KSFC building, Hubli- Dharwad Highway, Rayapur, Dharwad, Karnataka – 580009	Shri S D Selvan Scientist E and Head	Phone:0836 2957898	hhubo[at]bis[dot]gov[dot]in hubo]bis[dot]gov[dot]in

Western Region Office			
Branch and Address	Name & Designation	Contact & Fax Number	E-mail Number
Bureau of Indian Standards Ahmedabad Branch Office 3rd Floor, Navajivan Amrut Jayanti Bhavan, Behind Gujarat Vidyapith Off. Ashram Road, Ahmedabad 380014 Gujarat (India)	Shri S K Singh Scientist-E & Head	079-27540314 079-27540317, 27540318, 27540319, 27540320 Fax: 079- 27540636	hahbo[at]bis[dot]gov[dot]in ahbo]bis[dot]gov[dot]in
Bureau of Indian Standards Pune Branch Office 657-660, MIDC Building, Market Yard Gultekdi Pune 411 037	Hemant B Ade Scientist -F & Head	020-24264911 020-2427 4803, 2427 4806 Sales : 020- 24268594 020-24268659 (Fax)	hpnbo[at]bis[dot]gov[dot]in pnbo]bis[dot]gov[dot]in
Bureau of Indian Standards Rajkot Branch Office F P No. 364/P, Ward No. 13, Opposite Crystal Mall, Next to Bharat Petrol Pump, Kalawad Road, Rajkot- 360005	Shri S D Rane Scientist- E & Head	0281- 2563981 0281-2563981, 2563982, 2563984, 2563978	hrjbo[at]bis[dot]gov[dot]in rjbo]bis[dot]gov[dot]in
Bureau of Indian Standards Nagpur Branch Office 2nd Floor, NIT Building Gokulpat Market, Nagpur 440010	Shri Vijay Nitnaware Scientist E & Head	0712-2540807 EPABX:0712- 2565171, 0712-2554267	hngbo[at]bis[dot]gov[dot]in ngbo[a]bis[dot]gov[dot]in
Bureau of Indian Standards Mumbai (MUBO-I, MUBO-II)	Shri Ameer UzZaman Scientist-F & Head (MUBO-I) Shri Sanjay Vij Scientist-E & Head (MUBO-II) Adbhut Singh, Scientist- D (Laboratory)	022-28327893 022-28235680 022-28327856	hmubo1[at]bis[dot]gov[dot]in hmubo2[at]bis[dot]gov[dot]in wrol[at]bis[dot]gov[dot]in
	Administrative Office	Sale Point Manakalaya,	

	Manakalaya, E9, Behind Marol Telephone Exchange, Andheri (East), Mumbai 400093. Tel : 022-28329295, 28327891, 28327892 Fax : 022-28253433 Grams : Manaksanstha Email :- wro [at]bis[dot]gov[dot]in	E9, Behind Marol Telephone Exchange, Andheri (East), Mumbai 400093. Tel : 022-28329295 Fax : 022-28364820 Grams : Manaksanstha Email :- saleswro[at]bis[dot]gov[dot]in
--	---	---

Laboratory

LABORATORY POLICY & PLANNING DEPARTMENT (LPPD)

BUREAU OF INDIAN STNDANDRDS, HQs LLPD, Manak Bhawan, 9, Bahadur Shah Zafar Marg, New Delhi-110002	Name & Designation	Contact & Fax Number	E-mail Number
	Shri Manish Kumar Scientist-E & Head LPPD	011-23230860	clpolicy[at]bis[dot]gov[dot]i n
	Shri Ajay Tewari Scientist-C & LPPD	011-23608475	clpolicy[at]bis[dot]gov[dot]i n
	Ms Ankita Tripathi Scientist-B & LPPD	011-23608475	clpolicy[at]]bis[dot]gov[dot] in

Central Laboratory

Administrative Office: Plot No. 20/9, Site IV, Sahibabad Industrial Area, Sahibabad 201 010 EPABX : 0120- 4177100	Name & Designation	Contact & Fax Number	E-mail Number
	Shri Shyam Sunder Scientist -F & Head CL	0120-4177101	hcl[at]bis[dot]gov[dot]in cl[at]bis[dot]gov[dot]in
	Shri Arun Kumar Sankhwar Scientist -B & OIC Sample Cell	0120-4177115	sample[at]]bis[dot]gov[dot]i n
	Shri L. S. Chauhan Scientist -D & OIC Electrical Testing Section	0120-4177130	cle[at]]bis[dot]gov[dot]in
	Shri MitraSenVerma Scientist -C & OIC Mechanical Testing Section	0120-4177170	clm[at]]bis[dot]gov[dot]in
	RiteshBaranwal DD (Admin & Finance) Hindi Nodal Officer	0120-4177104	Admincl[at]]bis[dot]gov[dot] jin

Regional Laboratories

Name of the Laboratory	Name & Designation	Contact & Fax Number	E-mail Address
Eastern Regional Office Laboratory , P-230, C.I.T. Scheme VII M, Block-W, Kankurgachi, Kolkata-700054.	Shri U S P Yadav Scientist F & Head	033-23556587 Fax: 033-23555300	erol[at]bis[dot]gov[dot]in
Northern Regional Office Laboratory B-69, Phase VII, SAS Nagar Industrial Focal Point, Mohali-160051	Shri Rajeev Sharma Scientist F & Head	0172-4671027, 9023246935 Fax: 0172-2237212	nrol[at]bis[dot]gov[dot]in
Western Regional Office Laboratory Manakalaya Bureau of Indian Standards E-9, M.I.D.C., Behind Marol Telephone Exchange. Andheri (East), Mumbai 400 093	Shri Meghraj Scientist-E & Head	022-28327856 Fax: 022-28253433, 28364820 28264352	wrol[at]bis[dot]gov[dot]in
Southern Regional Office Laboratory C.I.T Campus, IV Cross Road Chennai-600 113	Shri A P D Dwivedi Scientist E & Head	hri A P D Dwivedi Scientist E & Head	srol[at]bis[dot]gov[dot]in

Branch Laboratories

Name of the Laboratory	Name & Designation	Contact & Fax Number	E-mail Address
Bangalore Branch Laboratory Peenya Industiral Area, Ist Stage, Bangalore-Tumkur Road, Bangalore-560 058	Shri SatyadeoLal Scientist F & Head	080-23721442 Fax:080-23721298	bnbol[at]bis[dot]gov[dot]in

Patna Branch Laboratory Pataliputra Industrial Estate, Patna-800 013	M.K. Parmanik Scientist D & Head	0612-2262808 Fax: 0612-2262305, 23721298	pbol[at]bis[dot]gov[dot]in
Guwahati Branch Laboratory 2nd Floor, West End Block, HOUSEFED Building Complex Beltola Dispur, Guwahati-781006	S. Basu Scientist E & Head	0361-2525937 Fax: 0361-2221622, 2454647	gbol[at]bis[dot]gov[dot]in