

**BUREAU OF INDIAN STANDARDS**  
**MUMBAI BRANCH OFFICE-II**

**Our Ref:** MUBO-II/ IS/ISO 15197:2013

30 December 2019

**Subject:** All India First Application as per IS/ISO 15197:2013

MUBO-II has received an application under Normal Procedure for grant of licence to use BIS Standard Mark on the product as per IS/ISO 15197:2013.

As per the information obtained from Manakonline & circulars of CMD's to the following are observed

1. No BIS licence exists for the above mentioned product
2. No other BIS application is pending for the above mentioned product
3. Marking Fee, STI, Grouping guidelines are not available for the product

Therefore, this application may be considered as All India First Application for the above mentioned product.

CMD-2 is requested to provide us any information, if available for this product.

CL/LPPD is requested to inform the availability of the testing facility and testing charges as per IS/ISO 15197:2013.

Sd/-  
Parijat Shukla  
Scientist-B

Sd/-  
**Head (MUBO-II)**

**DDGW/Head (CMD-2)/ Head (LPPD)**

**ITSD**- with request for circulation on Intranet

भारतीय मानक ब्यूरो  
मुंबई शाखा कार्यालय-2

संदर्भ: मुं.शा.का.-2/भा.मा. /ISO 15197:2013

30 दिसंबर 2019

**विषय:** भा.मा./ISO 15197:2013 के अंतर्गत अखिल भारतीय स्तर पर प्रथम आवेदन

यह सूचित किया जाता है कि भारतीय मानक ब्यूरो के मुंबई शाखा कार्यालय-2 में भा.मा./ISO 15197:2013. "इन विट्रो डायग्नोस्टिक टेस्ट सिस्टम - मधुमेह मेलेटस के प्रबंधन में स्व-परीक्षण के लिए रक्त-ग्लूकोज निगरानी प्रणाली के लिए आवश्यकताएं" के अनुरूप बीआईएस प्रमाणन मुहरांकन के लिए लाइसेंस प्रदान करने हेतु आवेदन पंजीकृत किया गया है | भारतीय मानक ब्यूरो के इंटरनेट/मानकऑनलाइन पर उपलब्ध आंकड़ों से यह प्रतीत होता है कि उपरोक्त उत्पाद से संबंधित यह अखिल भारतीय स्तर पर प्रथम आवेदन पत्र है |

केंद्रीय मुहर विभाग-2 से निवेदन है कि कृपया इस उत्पाद से संबंधित यदि कोई सूचना उपलब्ध हो तो सूचित करें।

सी एल /एल पी पी डी से अनुरोध है कि भा. मा./ISO 15197:2013 के अनुरूप उत्पाद के सम्बन्ध में परीक्षण सुविधाओं एवं परीक्षण प्रभार की जानकारी उपलब्ध कराएं।

(पारिजात शुक्ला)

वैज्ञानिक-डी

प्रमुख, मुं.शा.का-2

उपमहानिदेशक, पश्चिमी क्षेत्रीय कार्यालय, मुंबई/ प्रमुख(सीएमडी-2)/एल पी पी डी को परिचालित

आईटीएस – भा मा ब्यूरो के इंटरनेट पर प्रदर्शित करने हेतु अनुरोध सहित