

भारतीय मानक ब्यूरो
भोपाल शाखा कार्यालय

संदर्भ : बीपीबीओ/ए-8200704

11/7/2019

विषय : भा.मा: 4759 :1996 स्ट्रक्चरल स्टील और अन्य संबद्ध उत्पादों पर उत्पाद हॉट डिप जिंक कोटिंग्स के अंतर्गत अखिल भारतीय स्तर पर प्रथम आवेदन

भा०मा० 4759 :1996 के अनुसार उत्पाद 'स्ट्रक्चरल स्टील और अन्य संबद्ध उत्पादों पर उत्पाद हॉट डिप जिंक कोटिंग्स का आवेदन भो०शा०का० को विकल्प 1 के अंतर्गत प्राप्त हुआ है।

बीआईएस वेबसाइट एवं इंटरनेट पर उपलब्ध जानकारी के अनुसार :

1. उपरोक्त उत्पाद के लिए कोई भी आईएस लाईसेंस अस्तित्व में नहीं है ।
2. उपरोक्त उत्पाद के लिए अन्य कोई आवेदन बीआईएस में लंबित नहीं है ।
3. उपरोक्त उत्पाद के लिए मुहरांकन शुल्क उपलब्ध नहीं है
4. निरीक्षण योजना (एसआईटी) उपलब्ध है ।
5. पूर्वी क्षेत्रीय कार्यालय प्रयोगशाला, कलकत्ता एवं नेशनल मेटलर्जिकल लेबोरेट्री यूनिट, चेन्नई में इस उत्पाद की जांच सुविधायें उपलब्ध नहीं हैं ।

अतः उपरोक्त वर्णित आवेदन को अखिल भारतीय स्तर पर प्रथम आवेदन माना जा सकता है ।

सी एम डी, एल पी पी डी एवं सभी क्षेत्रीय और शाखा कार्यालयों से निवेदन है की, उपरोक्त विषय में कोई भी उपलब्ध जानकारी या अन्य कोई जानकारी जो की आवेदन को प्रक्रम करने में सहायक हो, भो०शा०का० को रिटर्न मेल से आवेदन की आगे की प्रक्रिया हेतु दें।

प्रमुख (भो०शा०का०)

11/7/19

(ईशान त्रिवेदी)

वैज्ञानिक सी

उप निदेशक (के०क्षे०का०) / प्रमुख (सी एम डी-2) / प्रमुख (एल पी पी डी) / सभी आर ओ एवं बी ओ

आई टी एस डी - इंटरनेट पर परिचालन हेतु ।

BUREAU OF INDIAN STANDARDS/भारतीय मानक ब्यूरो
(Bhopal Branch Office/ भोपाल शाखा कार्यालय)

Ref No: BPBO/A-82000704

Dated: 11/July/2019


Sub: Regarding All India First Application Received at this Branch Office for the product Hot Dip Zinc Coatings on Structural Steel and other allied products – Specification as per IS 4759:1996.

This note is with reference to an application received at this office from M/s Shakti Energy Solutions Pvt Ltd, Dhar having application No- 82000704 to use BIS Standard Mark on their Product Hot Dip Zinc Coatings on Structural Steel and other allied products – Specification as per IS 4759:1996 under the Normal procedure of BIS Certification Marks Scheme. From the information available on BIS website/ CMMS, it has been observed that as on date, no BIS Licence exists for the product on all India basis.

2. On viewing BIS intranet, the Approved Scheme of Testing and Inspection for this product is already made available by CMD-2 vide their email dated:- 13/June/2017. The Marking Fee is not available for the product on BIS Website. Grouping Guideline, if any for this product, is also not available on BIS intranet. The testing facilities for this product as per IS 4759 are available with EROL, Kolkata & National Metallurgical Laboratory Unit, Chennai as per the details available on BIS website.

3. Therefore, this application may be considered to be All India First Application for this product. **CMD-2** is requested to inform availability of Marking fee and Grouping Guidelines, if any for processing the case. LPPD and all other ROs and Bos are, therefore, requested to provide any information with respect the above IS or any other information which may be useful to process the application.

4. ITSD is requested to host the information pertaining to the above application on intranet.


(Ishan Trivedi)
Scientist-C
11/Jul/19.

~~HBPBO~~

DDGC

CC to:- H(CMD-II)

All ROs/Bos/Labs/LPPD

Head(ITSD)- with a request to host this circular on intranet