



## DRAFT INDIAN STANDARD IN WIDE CIRCULATION

**Reference: CHD 10/(22416)C**

**Date: 30 May 2024**

**TECHNICAL COMMITTEE: Glass, Glassware and Laboratoryware, CHD 10**

**To,**

**All concerned**

Dear Madam/Sir,

The following document has been prepared by the Glass, Glassware and Laboratoryware Sectional Committee, CHD 10. Please [click here](#) to view the document.

**Document Number: CHD 10 (22416) WC**

**Title of the document: FIRE RESISTANT GLASS - SPECIFICATION**

**Document Type: New Indian Standard**

*This document has the following salient features which may require specific attention for your valuable comments:*

- 1) Fire resistant glass plays a critical role in ensuring the safety of buildings, occupants, and assets.*
- 2) The effectiveness of fire-resistant glass depends on its design, manufacturing, and installation, making it crucial to have standardized procedures in place. Standardization ensures that fire-resistant glass products meet the minimum requirements in terms of fire resistance, optical clarity, impact resistance, and other important properties.*

Please examine the document and share your comments regarding further improvement in the document.

**The last date for sharing the comments is: 31 July 2024**

The comments should be shared in the prescribed template through this portal only, and the comments so received shall be taken up by the Sectional Committee for necessary action. For any other query, please write an email at [chd10@bis.org.in](mailto:chd10@bis.org.in) to the undersigned at Bureau of Indian Standard, Manak Bhawan, 9, Bahadur Shah Zafar Marg, New Delhi.

It may kindly be noted that it is mandatory for the committee members to submit their comments/views through the BIS portal, also in case you do not have any technical comments to offer, even then it is required to be submitted as you have no objections to the draft. And, in case we receive any technical comments on the document, the same shall be put up to the Sectional Committee for necessary action.

Thanking You,

**Yours faithfully,**  
**(AJAY KUMAR LAL)**  
**Head (Chemical Department)**  
**Email: [chd10@bis.org.in](mailto:chd10@bis.org.in)**



## व्यापक परिचालन में मसौदा(दे)

हमारा सन्दर्भ : CHD 10/(22416)C

दिनांक : 30-05-2024

**तकनीकी समिति : Glass, Glassware and Laboratoryware Sectional Committee, CHD 10**

प्राप्तकर्ता : रूचि रखने वाले सभी निकाय

महोदय/या,

निम्नलिखित मसौदा तैयार किया गया है :

प्रलेख संख्या : CHD 10 (22416) WC

शीर्षक :

कृपया इस/इन मानक(को)/संशोधन(नो) के मसौदे(दो) का अवलोकन करें और अपनी सम्मतियाँ यह बताते हुए भेजें कि यदि ये मानक(को) के संशोधन(नो) के रूप में प्रकाशित हो तो इन पर अमल करने में आपके व्यवसाय अथवा कारोबार में क्या कठिनाइयां आ सकती हैं।

**सम्मतियाँ भेजने की अंतिम तिथि : 31 July 2024**

सम्मतियाँ, यदि कोई हों तो, कृपया यहाँ क्लिक करके ऑनलाइन पोर्टल के माध्यम से ऊपर दी गयी अंतिम तिथि तक दर्ज कराएं।

यह/ये प्रलेख भारतीय मानक ब्यूरो की वेबसाइट [www.bis.gov.in](http://www.bis.gov.in) पर भी उपलब्ध है/हैं।

धन्यवाद।

भवदीय/भवदिया,  
विभाग प्रमुख का नाम : AJAY KUMAR LAL  
(Chemical Department)  
ई-मेल : [chd10@bis.org.in](mailto:chd10@bis.org.in)