

केन्द्रीय मुहर विभाग -III

संदर्भ- केन्द्रीय मुहर विभाग-III/16: आई एस - 12640(Pt.1&2)

23 December 2019

विषय- आई एस 12640 (Part 1):2016/IEC 61008-1:2012 एवं आई एस 12640 (Part 2):2016/IEC 61009-1:2012 के अनुपालन की तिथि का विस्तार

आई एस 12640 (Part 1):2016/IEC 61008-1:2012 एवं आई एस 12640 (Part 2):2016/IEC 61009-1:2012 के अनुपालन की तिथि के विस्तार से संबंधित परिपत्र संलग्न है।

इसे सक्षम प्राधिकारी के अनुमोदन से जारी किया गया है।

सभी संबंधित पक्षकारों से अनुरोध है कि अनुपालन सुनिश्चित करें।

अलिस्मिता खाग

वैज्ञानिक “बी” (सी एम डी-III)

प्रमुख (सी एम डी- III)

सभी शाखा कार्यालय

आई टी एस विभाग – BIS Intranet पर डालने हेतु

Central Marks Department - III

Our Ref : CMD-III/16:IS 12640 (Pt.1 & 2)

23 December 2019

Subject : Extension of date of implementation of IS 12640 (Part 1):2016/ IEC 61008-1:2012 and IS 12640 (Part 2):2016/IEC 61009-1:2012

This has reference to the earlier circulars issued on the subject mentioned above.

The last date of implementation of IS 12640 (Part 1):2016/ IEC 61008-1:2012 and IS 12640 (Part 2):2016/ IEC 61009-1:2012 has now been extended upto 31 December 2020.

All BOs may bring it to the notice of all Licensees and Applicants.

The other provisions of implementation laid down in circular nos. CMD-III/16: IS 12640 (Part 1) and CMD-III/16:IS 12640 (Part 2) dated 06.11.2017 shall remain the same.

Alismita Khag

Sc.B(CMD-III)

Head (CMD-III)

DDG(Certification)