

केन्द्रीय मुहर विभाग -III

संदर्भ- केन्द्रीय मुहर विभाग-III/16: आई एस - 12640(Pt.1&2)

03 December 2018

विषय- आई एस 12640 (Part 1):2016/IEC 61008-1:2012 एवं आई एस 12640 (Part 2):2016/IEC 61009-1:2012 के अनुपालन की तिथि का विस्तार

आई एस 12640 (Part 1):2016/IEC 61008-1:2012 एवं आई एस 12640 (Part 2):2016/IEC 61009-1:2012 के अनुपालन की तिथि के विस्तार से संबन्धित परिपत्र संलग्न है।

इसे सक्षम प्राधकारी के अनुमोदन से जारी किया गया है।

सभी संबंधित पक्षकारो से अनुरोध हे कि अनुपालन सुनिश्चित करे ।

अलिस्मिता खाग

वैज्ञानिक "बी" (सी एम डी-III)

प्रमुख (सी एम डी- III)

सभी शाखा कार्यालय

आई टी एस विभाग - BIS Intranet पर डालने हेतू

Central Marks Department - III

Our Ref : CMD-III/16:IS 12640 (Pt.1 & 2)

03 December 2018

Subject : Extension of date of implementation of IS 12640 (Part 1):2016/IEC 61008-1:2012 and IS 12640 (Part 2):2016/IEC 61009-1:2012

This has reference to the subject mentioned above.

IS 12640 (Part 1):2008/IEC 61008-1:1996 and IS 12640 (Part 2):2008/IEC 61009-1:1996 has been revised as IS 12640 (Part 1):2016/ IEC 61008-1:2012 and IS 12640 (Part 2):2016/ IEC 61009-1:2012 respectively. The guidelines for implementation of the above mentioned revision was circulated vide note no.CMD-III/16: IS 12640(Part 1) and CMD-III/16: IS 12640(Part 2) dated 06.11.2017. The last date of implementation of the revised ISS was 30 October 2018.

The last date of implementation of IS 12640 (Part 1):2016/ IEC 61008-1:2012 and IS 12640 (Part 2):2016/ IEC 61009-1:2012 has now been extended upto 30 April 2019.

All BOs may bring it to the notice of all Licensees and Applicants.

The other provisions of implementation laid down in circular nos. CMD-III/16: IS 12640 (Part 1) and CMD-III/16:IS 12640 (Part 2) dated 06.11.2017 shall remain the same.

Alismita Khag

Sc.B(CMD-III)

Head (CMD-III)

DDG(Certification)