

भारतीय मानक ब्यूरो  
(राजकोट शाखा कार्यालय)

हमारा संदर्भ: रा.शा.का/आई एस 1865:1991

दिनांक: 06.03.2024

विषय: आईएस 1865:1991 के अनुसार प्रथम अखिल भारतीय आवेदन


सूरत शाखा कार्यालय को आईएस 1865:1991 के अनुसार "गोलाभ और नोडुलीय ग्रैफाइट वाली लोह ढलाइयाँ" पर मानक चिन्ह का उपयोग करने के लिए लाइसेंस प्रदान करने के लिए एक आवेदन प्राप्त हुआ है। जैसा की इंटरनेट/बीआईएस वेबसाइट से देखा गया है, यह देखा गया है की इस भारतीय मानक के लिए कोई लाइसेंस मौजूद नहीं है।

सी एम डी -II से अनुरोध है की उत्पाद के लिए प्रासंगिक दिशा-निर्देश, प्रोडक्ट मैनुअल तथा मार्किंग फी यदि उपलब्ध हो तो प्रदान करें।

सभी आरओ/बीओ से अनुरोध है की इस विशेष उत्पाद के लिए उनके पास उपलब्ध इनपुट प्रदान करें।

बीआईएस वेबसाइट के अनुसार आईएस 1865:1991 के अनुसार कोई बीआईएस/ओएसएल मान्यता प्राप्त नहीं है जो इस उत्पाद के लिए परीक्षण कर सकता है।

एलपीपीडी/एलआरएमडी से भी इस संबंध में कोई निर्देश प्रदान करने का अनुरोध किया जाता है।

  
(सत्येन्द्र कुमार पाण्डेय )  
वैज्ञानिक- डी

वैज्ञानिक ई एवं प्रमुख (रा.शा.का)

उपमहानिदेशक, पश्चिमी क्षेत्रीय कार्यालय,

प्रमुख (सीएमडी-I, II और III)

प्रमुख (एल पी पी डी)

प्रमुख (एल आर एम डी)

सभी (आर ओ एवं बीओ) के प्रमुख

आई टी एस डी- कृपया क्षेत्रीय एवं शाखा कार्यालयों की सूचना हेतु इंटरनेट पर रखें।

पारिजात  
6-3-24

**BUREAU OF INDIAN STANDARDS**  
**( Rajkot Branch Office)**

**Our Ref: RJBO/IS 1865:1991**

**Date: 06.03.2024**

**Sub: First application on All India Basis for IS 1865:1991**

It is informed that an application for grant of BIS Certification Marks Licence for 'Iron castings with Spheroidal or Nodular Graphite ' as per IS 1865:1991 has been received at SUBO. As seen from Intranet/BIS website it is observed that no license exists for this Indian Standard.

**CMD-II** is requested to provide us with guidelines , Marking Fee if any prevailing for the product. PM for the Product is also not available on BIS website.

**All ROs/BOs** are requested to provide the inputs, if any, available with them for this particular product.

**As per BIS website no BIS/OSL** are recognized as per IS 1865:1991 who can undertake testing for this product.

**LPPD/LRMD** is also requested to provide any directives in this regard.

**(Satyendra Kumar Pandey)**

**Scientist- D**

**Scientist E & Head (RJBO)**

*U/P 2014  
6-3-24*

**DDGW**

**Head (CMD-I, II & III)**

**Head (LPPD)**

**Head (LRMD)**

**Head All ROs/ BOs**

**ITSD- with request for circulation on Intranet**