

## केंद्रीय मुहर विभाग-2

संदर्भ: कें.मु.वि-2/जी-73/16: 5410

दिनांक 01/04/2024

विषय: आई एस 5410:2013 सीमेंट रंग रोगन का संशोधित उत्पाद मैनुअल।

- 1) यह उपरोक्त के संदर्भ में है।
- 2) आईएस 5410:2013 का अनुमोदित संशोधित उत्पाद मैनुअल BIS वेबसाइट पर: "Conformity Assessment → Product Certification → Product Specific Information → Product Manual"के अंदर होस्ट कर दिया गया है।
- 3) आई एस 5410:2013 में संशोधन संख्या 1 जारी होने के कारण उत्पाद मैनुअल को संशोधित किया गया है।
- 4) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमें SIT भी संयुक्त है, को लाईसेंसधारियों को 7 दिन के भीतर भेजें।

(इंद्रजीत सिंह)  
वैज्ञानिक-डी

**प्रमुख, (कें.मु.वि.-2)**

**उपमहानिदेशक(प्रमाणन)**

क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित

## CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16: 5410

Dated: 01/04/2024

**Subject: Revised Product Manual for Cement Paint — Specification According to IS 5410: 2013**

1. This has reference to the subject mentioned above.
2. The approved revised Product Manual for IS 5410: 2013 has been hosted on the BIS website under "Conformity Assessment → Product Certification → Product Specific Information → Product Manual".
3. The Product Manual has been revised on account of issuance of Amendment No. 1 to IS 5410 : 2013.
4. BOs are advised to send this Product Manual which incorporates SIT to all licensees within 7 days.

(Inderjeet Singh)  
Scientist-D

**Head (CMD 2)**

**DDG (Certification)**

**Circulated to: All ROs/BOs through BIS intranet**