

केन्द्रीय मुहर विभाग -III

संदर्भ- केन्द्रीय मुहर विभाग-III/16: आई एस - 8144

14 नवंबर 2018

विषय- आई एस 8144 : 2018 के अनुपालन की तिथि का विस्तार

आई एस 8144 : 2018 के अनुपालन की तिथि के विस्तार से संबन्धित परिपत्र संलग्न है।

इसे सक्षम प्राधकारारी के अनुमोदन से जारी किया गया है।

सभी संबन्धित पक्षकारो से अनुरोध हे कि अनुपालन सुनिश्चित करे ।

अलिस्मिता खाग

वैज्ञानिक "बी" (सी एम डी-III)

प्रमुख (सी एम डी- III)

सभी शाखा कार्यालय

आई टी एस विभाग - BIS Intranet पर डालने हेतू

Central Marks Department - III

Our Ref : CMD-III/16:8144

14 November 2018

Subject : Extension of date of implementation of IS 8144:2018

This has reference to the subject mentioned above.

IS 8144:1997 for Multipurpose Dry Batteries has been revised as IS 8144:2018. This revised Indian Standard also covers the requirements of Heavy Duty Dry Batteries which were earlier covered in IS 9128:1999. The guidelines for implementation of IS 8144:2018 was circulated vide note no.CMD-III/16: IS 8144 dated 22 May 2018. The last date of implementation of IS 8144:2018 was 19 October 2018.

The last date of implementation of IS 8144:2018 has now been extended upto 30 April 2019.

All BOs may bring it to the notice of all Licensees and Applicants.

The other provisions of implementation laid down in CMD-III/16: IS 8144 circular dated 22 May 2018 shall remain the same.

Alismita Khag

Sc.B(CMD-III)

Head (CMD-III)

DDG(Certification)