

**भारतीय मानक ब्यूरो
(केंद्रीय मुहर विभाग III)**

हमारा संदर्भ : सी एम डी - III/16 : आई एस 4992

28 July 2024

विषय : पुनरीक्षित आई एस 4992:2024 के अनुपालन के लिए दिशानिर्देश ।

इसमें ऊपर उल्लिखित विषय का संदर्भ है।

सभी शाखा कार्यालय से आग्रह है कि गाइडलाईन का अनुपालन तत्काल प्रभाव से सुनिश्चित करें।

(ऐ के कअंर)
वैज्ञानिक- डी (सी एम् डी-III)

प्रमुख (सी एम डी- III)

सभी क्षेत्रीय /शाखा कार्यालय

**BUREAU OF INDIAN STANDARDS
(Central Marks Department-III)**

Our Ref: CMD-III/16 : IS 4992

28 July 2024

Subject: Guidelines for implementation of revised IS 4992:2024 - 'Door Handles for Mortice Locks'

This has reference to the subject mentioned above.

BOs may kindly ensure implementation of the guidelines with immediate effect.

(A K Kanar)
Sc-D (CMD-III)

Head (CMD-III)

Circulated to: All ROs/BOs

CENTRAL MARKS DEPARTMENT III

Our Ref: CMD-III/16 : IS 4992

28 July 2024

Subject: Guidelines for implementation of revised IS 4992:2024 - 'Door Handles for Mortice Locks'

1. IS 4992:1975 has been revised as IS 4992:2024 and has been published. The last date for implementation of the revised Standard is **14 May 2025** after which the old Standard shall stand withdrawn.
2. All BOs shall inform the Applicants and Licensees under their jurisdiction about implementation of the revised Standard **within a week of issuance of these guidelines**.
3. The significant changes in the revised Standard as listed in the Table is given for the purpose of general guidance. BOs shall ensure that the product conforms to all the requirements, as applicable, as per the revised Standard.

Sr No	Major changes in revised Indian Standard	Action required from existing licensee for implementation
1.	Design of lever door handle, door knob, handle cover plate and roset has been included. (Cl 4)	Licensee shall declare the design alongwith its drawing for the existing varieties covered in the scope of licence.
2.	Coding system have been introduced, i.e. the classification of door handles has been modified. (Cl 5)	Licensee is required to submit the six-digit classification code that they intend to cover in the scope of licence.
3.	Performance test like axial strength test, durability test, safety requirements, salt spray test and fire resistance test have been introduced	Licensees are required to ensure conformity to this requirement through in-house FTR/ outside TR.
4.	Marking clause has been updated	Confirmation on implementation of revised marking from manufacturer is to be submitted.

4. Consequent upon the issuance of the revised Standard, existing Product Manual has been revised as Doc: **PM/IS 4992/2/June 2024**.

5. The guidelines for implementation of the revised Standard is given below:

A. LICENSEES:

- (i) All Licensees shall implement the revised Standard by **14 May 2025**. Any difficulty in the implementation shall be brought to the notice of CMD III within 30 days of issuance of these guidelines. BOs shall ensure that no licences are in operation as per the old Standard after **14 May 2025**. The status of implementation of the revised Standard shall be confirmed by Head (BO) to CMD-III within two weeks of the last date of concurrent running.

(ii) Licensees shall submit the design and classification code of each door handle as per IS 4992:2024 that they intend to cover in the scope of licence. Licensees shall also provide the evidence of conformity of each design and each classification code as per IS 4992:2024 through in-house FTR/ outside TR that they intend to cover in the scope of licence. Licensee shall also to submit the declaration of additional testing capabilities as per the new version of the Standard. Verification of implementation of the revised Standard shall be done through a surveillance visit, which shall be completed within six months from the date of implementation. During such visit, additional test facilities shall be verified and reported.

(iii) On receipt of confirmation on the implementation of IS 4992:2024 from the manufacturer, endorsement shall be issued with revised scope of licence as per the revised Product Manual.

(i) If the Licensee fails to complete all actions by **14 May 2025**, it shall be dealt with as per the prevailing guidelines.

B. APPLICATIONS FOR GRANT OF LICENCE:

(i) Existing Applications where Sample has been submitted in the Laboratory/Test Report has been issued by the Laboratory may be processed as per the old Standard. However, if the Applicant is desirous of considering the Application as per the revised Standard, a declaration may be obtained from the Applicant to that effect and the Application may be processed accordingly. An undertaking shall also be obtained from such Applicants that if the sample fails in new test requirements, Licence will not be granted by BIS as per the old version.

(ii) Applications which are recorded henceforth may be processed as per the old Standard or the revised Standard. Processing of Applications as per the old Standard shall be permitted only upto **14 May 2025** and for such cases, Applicant shall give a declaration that they will implement the revised Standard by **14 May 2025**.

(iii) Beyond **14 May 2025** no Licence shall be granted as per the old Standard.

C. CHANGE IN SCOPE OF LICENCE:

(i) For change in scope of licence, the relevant provisions as given above for Applicants shall apply.

(ii) However, processing of such applications for change in scope of licence as per the old Standard shall be permitted only upto the date of implementation of the revised Standard or upto **14 May 2025** whichever is earlier.

6. The above guidelines come into force with immediate effect.

Ashish K Kanar
Sc-D/Jt Dir, CMD-III

Head (CMD III)
DDG (Certification)