

BUREAU OF INDIAN STANDARDS
JAMMU & KASHMIR BRANCH OFFICE

Our Ref: JKBO/A- 99100382

Date: 19-07-2023

JKBO has received an application from M/s BRIGHTWAY RUBBER INDS under Option-2 for grant of licence to use of BIS standard mark on the product Specification for Solid PVC Soles and Heels as per IS 6719: 1972.

As per the information obtained from BIS Website/ Intranet, Circulars of CMD's to ROs/ BOs, the following is observed:


1. No BIS licence exists for the above-mentioned product.
2. Marking fee not available for the product.
3. SIT & Grouping guidelines are available
4. As per details on website (bis.gov.in), test facility available as per IS 6719: 1972 at:
 - a) Central Lab: Complete
 - b) EROL, Kolkata: Partial
 - c) Atharva Laboratories Pvt Ltd
 - d) CLRI-CATERS
 - e) EMC Testing and Compliance LLP
 - f) Geo Chem Laboratories Pvt Ltd
 - g) Reliable Analytical Laboratories Pvt Ltd
 - h) Sleen India Biz Venture Private Limited
 - i) TUV Rheinland (India) Pvt Ltd


In the view of above, the application may be considered to be All India First for the above product.

All ROs and BOs are requested to send information regarding the above product by mail with respect to any application pending at their end or any other information which may be helpful to process this application.

CMD-2 is requested to provide us with relevant latest guidelines, Marking Fee if any prevailing for the product.

All labs/ LRMD is requested to confirm the availability of testing facilities & testing charges as per IS 6719: 1972.


19/07/2023
Hitesh Yadav
Scientist -B


19/7/23
Head (JKBO)
DDG(NRO)
Head (CMD-2)
Head (LRMD)
All RO's & BO's
ITSD- For circulation on intranet

भारतीय मानक ब्यूरो
जम्मू और कश्मीर शाखा कार्यालय

संदर्भ:- जेकेबीओ/ए- 99100382

दिनांक: 19-07-2023

जेकेबीओ को एक आवेदन विकल्प-2 के अंतर्गत मैसर्स ब्राइटवे रबर इंड्रीज से उत्पाद सॉलिड पीवीसी सोल और हील्स ऊँची एड़ी पर बीआईएस मानक चिह्न के उपयोग के लिए लाइसेंस प्रदान करने के आईएस 6719: 1972 के अनुसार लिए प्राप्त हुआ है।

बीआईएस की वेबसाइट/इंटरनेट, सीएमडी द्वारा आरओ/बीओ को भेजे गए परिपत्रों से प्राप्त सूचना के अनुसार निम्नलिखित देखा जाता है:

1. उपर्युक्त उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. उत्पाद के लिए मुहरांकन शुल्क उपलब्ध नहीं है।
3. एसआईटी और समूहीकरण दिशानिर्देश उपलब्ध हैं
4. वेबसाइट (bis.gov.in) पर दिए गए विवरण के अनुसार, आईएस 6719: 1972 के अनुसार परीक्षण सुविधा उपलब्ध है।
 - a. केंद्रीय लैब: पूर्ण
 - b. ईआरओएल, कोलकाता: आंशिक
 - c. अथर्व लेबोरेटरीज प्राइवेट लिमिटेड
 - d. सीएलआरआई-केटर्स
 - e. ईएमसी परीक्षण और अनुपालन एलएलपी
 - f. जियो केम लेबोरेटरीज प्राइवेट लिमिटेड
 - g. Reliable प्रयोगशालाएं प्राइवेट लिमिटेड
 - h. स्लीन इंडिया बिज वेंचर प्राइवेट लिमिटेड
 - i. टीयूवी रेनलैड (इंडिया) प्राइवेट लिमिटेड

उपर्युक्त को ध्यान में रखते हुए, आवेदन को उपरोक्त उत्पाद के लिए भारत में प्रथम माना जा सकता है। सभी आरओ और बीओ से अनुरोध है कि वे उपरोक्त उत्पाद के बारे में उनके अंत में लंबित किसी भी आवेदन या किसी अन्य जानकारी के संबंध में मेल द्वारा जानकारी भेजें जो इस आवेदन को संसाधित करने में सहायक हो सकती है।

सीएमडी-2 से अनुरोध है कि हमें प्रासंगिक नवीनतम दिशानिर्देश, अंकन शुल्क प्रदान करें यदि उत्पाद के लिए कोई प्रचलित है।

सभी प्रयोगशालाओं/एलआरएमडी से अनुरोध है कि वे आईएस 6719 : 1992 के अनुसार परीक्षण सुविधाओं की उपलब्धता और परीक्षण प्रभारों की पुष्टि करें।

19/07/2023
हितेश यादव

वैज्ञानिक - B

प्रमुख (जेकेबीओ)

उप महानिदेशक (उत्तर)

प्रमुख (सी एम डी -2)

प्रमुख (एल आर एम डि)

सभी र ओ/ बी ओ

आई टी एस डी - इंटरनेट पर परिसंचरण के लिए