

भारतीय मानक ब्यूरो /BUREAU OF INDIAN STANDARDS
गुवाहाटी प्रयोगशाला /GUWAHATI LABORATORY
गुवाहाटी /GUWAHATI

हमारा संदर्भ /Our Ref: GBOL/Sample

24-08-2021

विषय /Subject: गुवाहाटी प्रयोगशाला मे नमूनों की भारी कमी। / Acute Shortage of samples in GBOL

गुवाहाटी प्रयोगशाला मे नमूनों की भारी कमी है। गुवाहाटी प्रयोगशाला मे निम्नलिखित उत्पादों के नमूने भेजने का अनुरोध किया जाता है।

There is acute shortage of samples in Guwahati Laboratory. It is requested to **rush the samples** of following Products to GBOL.

Sl. No.	Product /IS	Remarks
1.	Containers for packaged Drinking water IS 15410	Rush the Sample
2.	HSDS bar IS 1786	Rush the Sample
3.	Block board plywood IS1659	Rush the Sample
4.	Plywood for general purpose IS 303	Rush the Sample
5.	Plywood for concrete shuttering work IS 4990	Rush the Sample
6.	Marine Plywood IS 710	Rush the Sample
7.	Corrugated and Semi-corrugated Asbestos Cement Sheets IS 459	Rush the Sample
8.	Galvanized Steel Sheets IS277	Rush the Sample
9.	Asbestos Cement Building Board IS2098	Rush the Sample
10.	Hot Rolled Medium and High Tensile Structural Steel IS 2062	Rush the Sample
11.	Veneered Decorative Plywood IS 1328	Rush the Sample
12.	Asbestos Cement Building Pipes & Pipe Fittings IS1626	Rush the Sample
13.	Dunnage pallet and warehousing IS 13714	Rush the Sample
14.	Steel countersunk head wire nails IS 723	Rush the Sample
15.	Cement products viz. 269:2015, 455:2015, 1489:Part 1 &2 :2015 etc. for Physical test	Rush the Sample
16.	Cylindrical metal measures for use in tests of aggregates and concrete IS 10079	Rush the Sample
17.	Braile shorthand machine-specification (IS 14429:1997)	Rush the Sample

नमूने भेजने से पहले, परीक्षण की सुविधा और नमूनों की मात्रा की पूरी/आंशिक स्थिति की उपलब्धता के बारे में बीआईएस इंटरनेट पर देखें। Before sending samples, please check on BIS Intranet regarding availability of complete/ partial status of the test facility & Quantity of samples.

(वी के गौरव / V K GAURAW)

जीबीओएल /GBOL

प्रमुख (जीबीओएल)/ Head(GBOL)

प्रतिलिपि : प्रमुख एल पी पी डी / Copy to: Head LPPD

सभी शाखा कार्यालयों एवं प्रयोगशालाओं के प्रमुखों से गुवाहाटी शाखा कार्यालय प्रयोगशाला मे नमूने भेजने का अनुरोध किया जाता है।/ With the request to all the Heads of BOs and Labs to rush the Samples to GBOL.