

भारतीय मानक ब्यूरो  
(केन्द्रीय प्रयोगशाला, साहिबाबाद )

संदर्भ: सीएल/एलआरएस/ओएसएल-8134426

09-10-2019

विषय: मै० भव्या प्रयोगशाला, फरीदाबाद (ओएसएल कोड 8134426) की मान्यता की समाप्ति।

सक्षम प्राधिकारी के निर्णय के अनुसार यह सूचित किया जाता है कि मै० भव्या प्रयोगशाला, फरीदाबाद, पता: एमसीएफ नंबर 1274, गली नंबर. 25, संजय कॉलोनी, सेक्टर 23, फरीदाबाद-121005, हरियाणा (ओएसएल कोड - 8134426) की मान्यता की समाप्ति दिनांक 11-08-2019 से कर दी गयी है।

यह जानकारी सूचनार्थ एवं आवश्यक कार्यवाही हेतु परिचालित की जाती है।

महेंद्र दत्त  
वैज्ञानिक-सी एवं प्रभारी (एलआरएस)

वैज्ञानिक - एफ एवं प्रमुख (के० प्र०)

सभी क्षेत्रीय कार्यालय/ शाखा कार्यालय/ प्रयोगशालाएं/ सीएमडी के लिए

प्रतिलिपि: एल पी पी डी ।

**BIS, CENTRAL LABORATORY**

(Sahibabad)

Our Ref: CL/LRS/ OSL-8134426

09-10-2019

**Subject: Expiry of Recognition of M/s Bhavya Laboratories, Faridabad (OSL Code-8134426).**

As decided by the Competent Authority, it is informed that recognition of **M/s Bhavya Laboratories, Faridabad**, Add. MCF No.1274, Gali No.25, Sanjay Colony, Sector-23, Faridabad-121005, Haryana (OSL Code-8134426) stands expired **w.e.f. 11.08.2019**.

This is for information and necessary action, please.

Mahender Datt  
Scientist-C & OIC (LRS)

Sc. F & Head (CL)

-----  
To all ROs/BOs/BIS Labs/ CMD-I/ CMD-II/ CMD-III

Copy to: LPPD