

BUREAU OF INDIAN STANDARDS
(Dehradun Branch Office)

Our Ref: DHBO/A- 83000459

06-12-2021

Subject : All India First Application for GoL as per IS 17546 : 2021

DHBO has received an application from M/s Padmavati Pipes & Fittings INC. Unit II, under Option-1 for grant of licence for use of BIS Standard Mark on the product **Chlorinated polyvinyl chloride CPVC fittings for potable hot and cold water distribution supplies-Specification** as per IS 17546 : 2021.

As per the information obtained from BIS Website/ Intranet, Circulars of CMD's to ROs/ BOs the following is observed:


1. No BIS licence exists for the above mentioned product.
2. Marking fee, SIT & Grouping guidelines are not available for the product.
3. No test facility exists at BIS laboratory, OSL lab.

In the view of above, the application may be considered as **All India First** for the above product.

CMD-3 is requested to provide relevant grouping guidelines, SIT, Marking fee, or any other information, if any, prevailing for this product.

All ROs and BOs are requested to send information regarding the above product by mail with respect to any application pending at their end or any other information which may be helpful to process this application.

All labs/ LPPD/LRMD is requested to confirm the availability of testing facilities & testing charges as per IS 17546 : 2021.

for. 
(Md. Israfil)
Scientist - C

Head (DHBO)

DDGN

Head (CMD-3)

Head (LPPD)

Head (LRMD)

All RO's & BO's

ITSD- For circulation on intranet

भारतीय मानक ब्यूरो
देहरादून शाखा कार्यालय

संदर्भ: दे.शा.का./ए-83000459

06-12-2021

विषय: भा. मा. 17546: 2021 के तहत लाइसेंस प्रदान करने के लिए अखिल भारतीय प्रथम आवेदन

देहरादून शाखा कार्यालय में भा. मा. 17546: 2021 के तहत उत्पाद तप्त और अतप्त पेय जल वितरण व्यवस्था के लिए क्लोरीनीकृत पॉलीविनाइल क्लोराइड (सीपीवीसी) फिटिंग - विशिष्ट के लिए बीआईएस मानक चिह्न के उपयोग करने हेतु लाइसेंस प्रदान करने के लिए मैसर्स पद्मावती पाइप्स एंड फिटिंग्स INC यूनिट II से एक आवेदन (विकल्प -1) प्राप्त हुआ है।

बीआईएस वेबसाइट/इंटरनेट तथा सीएमडी के आरओ/बीओ को जारी परिपत्र के अनुसार, निम्नलिखित जानकारी प्राप्त हुई है :

1. उपर्युक्त उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. उत्पाद के लिए मार्किंग शुल्क, एसआईटी और गुपिंग दिशानिर्देश उपलब्ध नहीं हैं।
3. बीआईएस प्रयोगशाला, ओएसएल प्रयोगशाला में कोई परीक्षण सुविधा मौजूद नहीं है।

उपरोक्त को ध्यान में रखते हुए, इस उत्पाद के लिए आवेदन को अखिल भारतीय प्रथम माना जा सकता है।

सीएमडी -3 से अनुरोध है कि इस उत्पाद के लिए प्रासंगिक समूह दिशानिर्देश, एसआईटी, अंकन शुल्क, या कोई अन्य जानकारी, यदि कोई हो, तो प्रदान करें।

सभी क्षेत्रीय/शाखा कार्यालयों से अनुरोध है कि वे उपरोक्त उत्पाद के संबंध में लंबित किसी भी आवेदन या किसी अन्य जानकारी के संबंध में मेल द्वारा सूचित करें जो इस आवेदन को संसाधित करने में सहायक हो सकती है।

सभी प्रयोगशालाओं/एलपीपीडी/एलआरएमडी से अनुरोध है कि आईएस 17546: 2021 के अनुसार परीक्षण सुविधाओं और परीक्षण शुल्क की उपलब्धता की पुष्टि करें।

कै. राजभोसली
मौ. इसराफिल 07/12/21
वैज्ञानिक - सी

प्रमुख (दे.शा.का.)

उपमहानिदेशक (उत्तर क्षेत्र)

प्रमुख (सीएमडी -3)

प्रमुख (एलपीपीडी)

प्रमुख (एलआरएमडी)

सभी क्षेत्रीय/शाखा कार्यालय

आईटीएस - भा.मा. ब्यूरो के इंटरनेट पर प्रदर्शित करने हेतु अनुरोध सहित