

**BUREAU OF INDIA STANDARDS**  
(Southern Regional Office Laboratory)

Our Ref: SROL/SC/Status

20/10/2021

**Subject: Acceptance of samples in SROL (Microbiology Section)**

Section	Products	ISS	Accepted/ Not accepted	Period of non - acceptance	Remarks
Microbiology	All products for which facility is available with SROL		Samples with at least 25 days of shelf life at the time of receipt only are accepted	-	-

Remarks : Please check BIS website for complete/Partial facility. Samples to be sent to SROL for those tests only for which facility is available with SROL.

*Ch. Maxwell*  
OIC (Microbiology)

Head (SROL)

*same*  
20/10/2021

**भारतीय मानक ब्यूरो**  
(दक्षिणी क्षेत्रीय कार्यालय प्रयोगशाला)

संदर्भ : द.क्षे.का.प्र./न.क./स्थिति

20/10/2021

विषय : द.क्षे.का.प्र. में नमूनों की स्वीकृति की स्थिति (सूक्ष्मजैविकी)

अनुभाग	उत्पाद	भा मा	स्वीकृति / गैर- स्वीकृति	गैर-स्वीकृति की अवधि	टिप्पणी
सूक्ष्मजैविकी	सभी प्रकार के नमूने जिनकी परिक्षण सुविधा उपलब्ध है		प्राप्ति के समय 25 दिनों से अधिक के shelf life के नमूने केवल स्वीकार किए जाते हैं	अगली सूचना तक	--

**नोट :** दक्षिणी क्षेत्रीय कार्यालय प्रयोगशाला में विभिन्न उत्पादों के आंशिक एवं पूर्ण परिक्षण की सुविधा की जानकारी वेबसाइट पर उपलब्ध है । कृपया केवल उन्ही परीक्षणों के लिए नमूने को भेजे जिनके परिक्षण की सुविधा इस प्रयोगशाला में उपलब्ध हैं।

*Ch. Maxwell*

प्रभारी (सूक्ष्मजैविकी)

प्रमुख (द. क्षे. का. प्र.)

*same*  
20/10/2021