

केन्द्रीय मुहर विभाग - 2

हमारा संदर्भ: के.मु.वि.-2/16:14543 & 13438

दिनांक 28 07 2021

आईएस 14543 (पैकेज्ड पेयजल (पैकेज्ड प्राकृतिक मिनरल वाटर के अलावा) के संशोधन संख्या 6 तथा आईएस 13428 : 2005 (पैकेज्ड प्राकृतिक मिनरल वाटर) के संशोधन संख्या 9 के कार्यान्वयन की अंतिम तिथि का विस्तार

सभी शाखा कार्यालयों से अनुरोध है कि उपरोक्त विषय से संबन्धित संलग्न परिपत्र का अवलोकन करें।

अदाने ख्रासी
वैज्ञानिक डी (के.मु.वि.-2)

प्रमुख (के.मु.वि.-2)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT – 2

Our Ref: CMD-2/16: 14543 & 13428

28 07 2021

Subject: Extension of last date of implementation of Amendment No. 6 to IS 14543:2016 (Packaged Drinking Water (other than packaged natural mineral water) and Amendment No.9 to IS 13428:2005 (Packaged Natural Mineral Water)

All BOs may kindly take note of the attached circular on the subject mentioned for compliance.

Adane Khraasi
Sc. D (CMD-2)

H (CMD-2)

Circulated to: all ROs/BOs through intranet

CENTRAL MARKS DEPARTMENT -2

Our Ref: CMD-2/16: 14543 & 13428

28 07 2021

Subject: Extension in the last date of implementation of Amendment no. 6 to IS 14543 : 2016 {Packaged Drinking Water (other than packaged natural mineral water)} and Amendment No. 9 to IS 13428 : 2005 (Packaged Natural Mineral Water).

1. This has reference to the subject mentioned above and guidelines for implementation of Amendment no. 6 to IS 14543 : 2016 {Packaged Drinking Water (other than packaged natural mineral water)} and Amendment No. 9 to IS 13428 : 2005 (Packaged Natural Mineral Water) dated 22 April 2021.
2. In this regard, it is to inform that the Competent Authority has agreed to extend the last date of implementation of Amendment no. 6 to IS 14543 : 2016 and Amendment No. 9 to IS 13428 : 2005 up to **10 February 2022**.
3. BOs are advised to convey this information to all applicants and licensees and ensure implementation of the Amendments within the last date of implementation.

(Adane Khraasi)
Scientist D

Head (CMD-2)

DDG (Certification)

Circulated to : All ROs/BOs/FMCD/LRMD/FAD through BIS intranet