

केंद्रीय मुहर विभाग-2

संदर्भ: के.मु.वि.2/जी-18

11.11.2022

विषय: अखिल भारतीय प्रथम आधार पर 10 नए उत्पादों के लिए अंकन शुल्क का निर्धारण ।

सक्षम प्राधिकारी द्वारा अनुमोदित अखिल भारतीय प्रथम आधारपर 10 नए उत्पादों के लिए मुहरांकन शुल्क निर्धारित हुए हैं । ये सभी क्षेत्रीय /शाखा कार्यालयों द्वारा अनुपालन के लिए संलग्न हैं।

(शिवम आहूजा)
वैज्ञानिक-सी

प्रमुख (के.मु.वि.2)

सभी क्षेत्रीय /शाखा कार्यालयों/के.मु.वि.1/के.मु.वि.3 को परिचालित

प्रतिलिपि: उपमहानिदेशक(क्षेत्रीय) - कृप्याजानकारी के लिए

CENTRAL MARKS DEPARTMENT-2

Ref: CMD-2/G-18

11.11.2022

Subject: Fixation of Marking Fee for 10 new products on All India First Basis

Please find attached Marking Fee for 10 new products on All India First Basis, duly approved by the Competent Authority for compliance by all ROs/BOs.

(Shivam Ahuja)
Scientist-C

Head CMD-2

Circulated to all ROs/BOs/CMD-1/CMD-3

Copy for kind Information to: DDGRs

CENTRAL MARKS DEPARTMENT-2

Our Ref.: CMD-2/G-18

Dated: 11.11.2022

Subject: Fixation of Marking Fee for 10 new products on All India First Basis

1. This has reference to the subject mentioned above
2. In this regard, please find the details of marking fee for 10 new products as per Table 1 approved by Competent Authority, as mentioned below. These Marking Fee rates are applicable with **immediate effect**.

Table 1

SI No	IS No. (Product)	MMF for LS (in Rs)	MMF for MSME (in Rs)	Unit Rate (in Rs) for all Units	Unit
1	IS 16654:2017 (Geosynthetics –Polypropylene Multifilament Woven Geobags for Coastal and Waterways Protection - Specification)	131000	105000	65.50	1 Tonne
2	IS 7983 : 1994 (Toilet cleaner, liquid)	97000	78000	3.10	100 Litres
3	IS 1395:1982 (Specification for Low Alloy and Medium Alloy Steel Covered Electrodes for Manual Metal Arc Welding)	183000	147000	0.02	1 Kg
4	IS 13164:1992 (Ferro Silico Magnesium)	79000	64000	16.50	1 MT
5	IS 17442 : 2020 (Vinyl Chloride Monomer)	51000	41000	4.20	1 MT
6	IS 10951:2020 (Polypropylene (PP) Material for Moulding and Extrusion)	120000	96000	6.90	1 MT
7	IS 6100 : 2021 (Sodium Tripolyphosphate , Anhydrous , Technical)	142000	114000	23.70	1 MT
8	IS 869 : 2020 (Ethylene Dichloride)	104000	84000	2.35	1 MT
9	IS : 17550 : PART 1:2021 (Household Refrigerating Appliances– Characteristics and Test Methods Part-1 General Requirements)	936000	749000	1.20	1 piece

10	IS 13450 (Part 2 / Section 44): 2016 (Medical Electrical Equipment Part 2 Particular Requirements for Basic Safety and Essential Performance. X- ray system equipment for computed Tomography)	65000	52000	5420.00	1 No.
----	---	-------	-------	---------	-------

3. This shall come into force with immediate effect.

(Shivam Ahuja)
Scientist-C

Head(CMD-2)

- Circulated to: 1. DDGRs
2. All ROs/BOs/CMD-1/CMD-3
3. ITSD - for hosting on BIS Intranet