

भारतीय मानक ब्यूरो
(केन्द्रीय मुहर विभाग - I)

हमारा सन्दर्भ: सीएमडी-I/2:12:7

12.08.2024

विषय: स्कीम I के तहत फैक्टरी और बाजार निगरानी पर उत्पादवार मार्गदर्शन I

उपर्युक्त विषय पर सक्षम प्राधिकारी द्वारा अनुमोदित परिपत्र सभी संबंधित पक्षों के कार्यान्वयन के लिए सलग्न है।

(सुधांशु राय)

वैज्ञानिक-डी (संयुक्त निदेशक)/सीएमडी-I

प्रमुख (सीएमडी-I)

उपमहानिदेशक (प्रमाणन एवं सीएसएम)

Bureau of Indian Standards
(Central Marks Department - I)

Our Ref: CMD-I/2:12:7

12.08.2024

Subject: Product wise guidance on Factory & Market Surveillance under Scheme I

The circular on the above subject as approved by the Competent Authority is attached herewith for implementation by all concerned.

(Sudhanshu Rai)

Scientist-D (Joint Director)/CMD-I

Head, CMD-I

DDG (Certification & CSM)

परिचालित/circulated to:

सभी क्षेत्रीय कार्यालयों/ शाखा कार्यालयों
All ROs/BOs

सभी उपमहानिदेशक (क्षेत्रीय)
All DDGRs

अन्य सभी संबंधित पक्ष
All other concerned

प्रमुख, आई०टी०एस० विभाग - बी आई एस इंटरनेट पर डालने हेतु।
Head, ITSD - with request to host on BIS Intranet

Bureau of Indian Standards

Central Marks Department - I

Our Ref: CMD-I/2:12:7

12.08.2024

Subject: Product wise guidance on Factory & Market Surveillance under Scheme I - reg

- 1) This has reference to CMD-I circular on Product-wise guidance on factory and market surveillance issued vide reference CMD-I/2:12:7 on 10.04.2023.
- 2) For Consumer Products & for ISSs where rate of sample failure has been on a higher side during the previous year, the frequencies for Factory Surveillance and Market Samples have been kept as 02 and 04 respectively on annual basis. In all such cases, Market Surveillance shall be planned once every three months & Factory Surveillance shall be planned once every six months.
- 3) The list has been updated to include ISSs which have been recently brought under the ambit of product certification.
- 4) For ISSs where the product is categorised under Feedback and the test facilities exist for that product in BIS Labs/OSLs, the BOs shall ensure that two Factory Samples are drawn from such licensees for independent testing during each operative year.
- 5) In cases where factory samples as mentioned at 4 above could not be drawn during surveillance inspection, another surveillance shall be planned within one month for the purpose of sample drawl from such licensees for independent testing.
- 6) For cases where the categorisation in guidance document is MS and in any particular case it has been observed that, even after all efforts, it is not possible to draw samples from the open market, Head BO may permit drawl of samples for that licence from the Despatch Point.
- 7) For certain products, DP/MS has been mentioned in the list although there is no recognized labs for these products. For such products, initial certification has been done based on test reports issued by similar labs. BOs may draw DP/MS samples and send them for testing to those labs which are not recognized for the IS but have issued Test Reports based on which initial certification has been done for these products.
- 8) For all the products which are categorised as DP, efforts may be made to collect the samples from open market, if possible, otherwise collection from organised buyers/despatch point may be resorted to.
- 9) Further, for collection of samples from the despatch point, the cost of sample shall be paid to the licensee.

- 10) Special provisions and exceptions related to sample drawl have also been included in this document for certain products in the 'Remarks' column. Wherever such exceptions/special provisions are mentioned, they will prevail over routine testing.
- 11) By default, for any product not listed herein, including new products, the default frequency for surveillance shall be 1 Factory and 2 market surveillance unless the product is being certified on Factory Testing basis.
- 12) The updated list of products with 1270 ISSs is enclosed.
- 13) BOs may kindly take note of the above for Factory & Market Surveillance. In addition, enhanced surveillance in-line with Guidelines for dealing with non-conformity of product(s) and unsatisfactory performance observed during operation of Licence under conformity assessment Scheme - I circulated vide reference CMD-I/2:12:2 may also be adhered for Enhanced surveillance on non-compliant manufacturers.
- 14) This issues with the approval of the competent authority.

(Sudhanshu Rai)

Scientist-D (Joint Director)/CMD-I

Head (CMD-I)

DDG (Certification & CSM)

Circulated to:

- i) **All ROs/BOs**
- ii) **All DDGRs**
- iii) **All other concerned** - through BIS Intranet

Product wise guidance on Factory & Market Surveillance under Scheme I

| Sr. No. | IS Number | Standard Title | MS/OB/DP/Feed back | Recommended Factory Surveillance Frequency | Recommended MS Frequency | Remarks |
|---------|-------------------|--|--------------------|--|--------------------------|---|
| 1 | IS 14543 | PACKAGED DRINKING WATER (OTHER THAN PACKAGED NATURAL MINERAL WATER) | MS | 2 | 4 | Samples drawn for MS & FS not to be tested for Radiological paramters. Out of all the samples drawn for factory/market surveillance in a year, only one sample may be got tested for pesticide residues, which is required to be clearly indicated on the test requests generated. If a sample fails in the requirement of Pesticide Residues, then the next 3 consecutive samples (factory/market) of that licence shall be tested for all tests including Pesticide Residues(except Radioactive residues), till the 3 consecutive samples are found conforming to all requirements tested including pesticide residues. |
| 2 | IS 15658 | Concrete Paving Blocks - Specification (First Revision) | DP | 2 | 4 | Nil |
| 3 | IS 694 | POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V | MS | 2 | 4 | Nil |
| 4 | IS 4985 | UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES SPECIFICATION Fourth Revision | MS | 2 | 4 | Nil |
| 5 | IS 303 | Plywood for General Purposes | MS | 2 | 4 | Nil |
| 6 | IS 4984 | POLYETHYLENE PIPES FOR WATER SUPPLY | MS | 2 | 4 | Nil |
| 7 | IS 9873 : PART 1 | SAFETY OF TOYS PART 1 SAFETY ASPECTS RELATED TO MECHANICAL AND PHYSICAL PROPERTIES | MS | 2 | 4 | Nil |
| 8 | IS 1180 : PART 1 | Outdoor/Indoor Type Oil Immersed Distribution Transformers up to and Including 2 500 kVA, 33 kV - Specification : Part 1 Mineral Oil Immersed | Feedback | 2 | 0 | Nil |
| 9 | IS 458 | Precast Concrete Pipes (with and without Reinforcement) - | Feedback | 2 | 0 | Nil |
| 10 | IS 2830 | Carbon steel cast billet ingots,billets,blooms and slabs for re-rolling into steel for general structural purposes - Specification | DP | 1 | 2 | Nil |
| 11 | IS 1786 | High strength deformed steel bars and wires for concrete reinforcement- | MS | 2 | 4 | Nil |
| 12 | IS 8034 | SUBMERSIBLE PUMPSETS - SPECIFICATION | DP | 1 | 2 | Nil |
| 13 | IS 1489 : PART 1 | PORTLAND POZZOLANA CEMENT - SPECIFICATION PART 1 FLY ASH BASED | MS | 2 | 4 | Nil |
| 14 | IS 2347 | DOMESTIC PRESSURE COOKERS | MS | 2 | 4 | Nil |
| 15 | IS 17425 | IRRIGATION EQUIPMENT-QUICK COUPLED POLYETHYLENE PIPES AND FITTINGS FOR SPRINKLER IRRIGATION SYSTEMS | MS | 2 | 4 | Nil |
| 16 | IS 269 | Ordinary Portland Cement | MS | 2 | 4 | Nil |
| 17 | IS 1659 | Block Boards -Specification | MS | 2 | 4 | Nil |
| 18 | IS 1293 | Plugs and socket - Outlets of rated Voltage up to and including 250 Volts and rated current up to and including 16 amperes - Specification | MS | 2 | 4 | Nil |
| 19 | IS 710 | Marine Plywood -Specification | MS | 2 | 4 | Nil |
| 20 | IS 2202 : PART 1 | Wooden Flush Door Shutters (solid Core Type): Part 1 Plywood Face Panels | MS | 2 | 4 | Nil |
| 21 | IS 12786 | Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals | MS | 2 | 4 | Nil |
| 22 | IS 9537 : PART 3 | Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS:2509) | MS | 2 | 4 | Nil |
| 23 | IS 3854 | Switches for domestic and similar purposes | MS | 2 | 4 | Nil |
| 24 | IS 2062 | Hot Rolled Medium and High Tensile Structural Steel | MS | 1 | 2 | Nil |
| 25 | IS 13488 | Irrigation Equipment -emitting Pipes System | MS | 2 | 4 | Nil |
| 26 | IS 4246 | Domestic Gas Stoves for use with Liquefied Petroleum Gases | MS | 2 | 4 | Nil |
| 27 | IS 7098 : PART 1 | Crosslinked polyethylene insulated PVC sheathed cables: Part 1 For working voltage upto and including 1 100 V | MS | 2 | 4 | Nil |
| 28 | IS 15644 | SAFETY OF ELECTRIC TOYS | MS | 2 | 4 | Nil |
| 29 | IS 1554 : PART 1 | PVC insulated (heavy duty) electric cables: Part 1 For working voltages upto and including 1 100 V | MS | 2 | 4 | Nil |
| 30 | IS 398 : PART 2 | Aluminium conductors for overhead transmission purposes: Part 2 Aluminium conductors, galvanized steel reinforced | OB/DP | 1 | 2 | Nil |
| 31 | IS 14220 | OPENWELL SUBMERSIBLE PUMPSETS | DP | 1 | 2 | Nil |
| 32 | IS 13592 | Unplasticized Polyvinyl Chloride (PVC-U) Pipes for Soil and Waste Discharge System Inside and Outside Buildings Including Ventilation and Rainwater System | MS | 2 | 4 | Nil |
| 33 | IS 13334 : PART 1 | SKIMMED MILK POWDER - SPECIFICATION PART 1 : STANDARD GRADE | MS | 2 | 4 | Nil |
| 34 | IS 12818 | Unplasticized Polyvinyl Chloride (pvc-u)screen And Casing Pipes For Bore/tubewell | MS | 2 | 4 | Nil |
| 35 | IS 4151 | PROTECTIVE HELMET FOR TWO WHEELER RIDERS | MS | 2 | 4 | Nil |
| 36 | IS 12701 | Rotational Moulded Polyethylene Water Storage Tanks | MS | 2 | 4 | Nil |
| 37 | IS 4250 | Domestic Electric Food-Mixers (Liquidizes and Grinders) | MS | 2 | 4 | Nil |

| | | | | | | |
|----|---------------------------|---|----------|---|---|---|
| 38 | IS 3196 : PART 1 | Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 1 : Cylinders for liquefied Petroleum Gases (LPG) | DP | 2 | 4 | Nil |
| 39 | IS 4923 | HOLLOW STEEL SECTIONS FOR STRUCTURAL USE - SPECIFICATION | MS | 2 | 4 | Nil |
| 40 | IS/IEC 60079 : PART 1 | Explosive Atmospheres - Part 1 : Equipment Protection by Flameproof Enclosures "d" | Feedback | 2 | 0 | Samples not to be drawn for Independent testing. |
| 41 | IS 14255 | Aerial Bunched Cables for working voltages upto and including 1100 Volts | MS | 2 | 4 | Nil |
| 42 | IS 2052 | Compounded Feeds for Cattle | DP | 2 | 4 | Nil |
| 43 | IS 13487 | Irrigation Equipment - Emitters | MS | 1 | 2 | Nil |
| 44 | IS 1161 | STEEL TUBES FOR STRUCTURAL PURPOSES - SPECIFICATION | MS | 1 | 2 | Nil |
| 45 | IS 996 | Single-phase a.c. industrial motors for general purpose | MS/DP | 2 | 4 | Nil |
| 46 | IS 14968 | TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE)/POLYPROPYLENE (PP) WOVEN SACKS FOR PACKING 50 KG/25 KG SUGAR | DP | 1 | 2 | Nil |
| 47 | IS 814 | Covered Electrodes for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel | MS | 1 | 2 | Nil |
| 48 | IS 14887 | Textiles - High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains - Specification | DP | 1 | 2 | Nil |
| 49 | IS 4990 | Plywood for concrete shuttering work - Specification | MS | 2 | 4 | Nil |
| 50 | IS 455 | PORTLAND SLAG CEMENT - SPECIFICATION | MS | 2 | 4 | Nil |
| 51 | IS 3601 | Steel tubes for mechanical and general engineering purposes | MS | 1 | 2 | Nil |
| 52 | IS 398 : PART 4 | Aluminium conductors for overhead transmission purposes: Part 4 Aluminium alloy stranded conductors (aluminium magnesium silicon type) | OB/DP | 1 | 2 | Nil |
| 53 | IS 2553 : PART 1 | SAFETY GLASS PART 1 ARCHITECTURAL, BUILDING AND GENERAL USES | MS | 1 | 2 | Nil |
| 54 | IS 15778 | Chlorinated polyvinyl chloride (CPVC) pipes for potable hot and cold water distribution supplies - | MS | 2 | 4 | Nil |
| 55 | IS 1239 : PART 1 | STEEL TUBES, TUBULARS AND OTHER WROUGHT STEEL FITTINGS - PART 1 : STEEL TUBES | MS | 2 | 4 | Nil |
| 56 | IS 8472 | Centrifugal Regenerative Pumps for Clear, Cold Water - Specification | MS | 2 | 4 | Nil |
| 57 | IS 12615 | LINE OPERATED THREE PHASE A.C. MOTORS (IE CODE) "EFFICIENCY CLASSES AND PERFORMANCE SPECIFICATION" T INDUCTION MOTORS - THREE PHASE SQUIRREL CAGE | MS/DP | 1 | 2 | Nil |
| 58 | IS 2185 : PART 3 | Concrete Masonry Units Part 3 Autoclaved Cellular Aerated Concrete Blocks | DP | 1 | 2 | Nil |
| 59 | IS 2046 | Decorative Thermosetting Synthetic Resin Bonded Laminated Sheets | MS | 2 | 4 | Nil |
| 60 | IS/IEC 60898 : PART 1 | ELECTRICAL ACCESSORIES - CIRCUIT-BREAKERS FOR OVERCURRENT PROTECTION FOR HOUSEHOLD AND SIMILAR INSTALLATIONS : PART 1 CIRCUIT-BREAKERS FOR AC OPERATION | MS | 2 | 4 | Sample to drawn for all tests except for Type Tests |
| 61 | IS 15683 | PORTABLE FIRE EXTINGUISHERS- PERFORMANCE AND CONSTRUCTION - SPECIFICATION | MS/OB | 2 | 4 | Nil |
| 62 | IS 12592 | Precast Concrete Manhole Cover and Frame - | OB/DP | 2 | 4 | Nil |
| 63 | IS 2831 | Carbon Steel Cast Billet Ignots, Billets, Blooms and Slabs For Re-rolling into Structural Steel (Ordinary Quality)- | DP | 1 | 2 | Nil |
| 64 | IS 1165 | WHOLE MILK POWDER - SPECIFICATION (Sixth Revision of IS 1165) | MS/DP | 2 | 4 | MS to MS/DP |
| 65 | IS 14333 | Polyethylene Pipes for Sewerage and Industrial Chemicals and Effluent 1/2 Specification (First Revision) | MS | 1 | 2 | Nil |
| 66 | IS 14735 | Unplasticized Polyvinyl Chloride (UPVC) Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System - | MS | 2 | 4 | Nil |
| 67 | IS 302 : PART 2 : SEC 30 | Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 30 Room Heaters | MS | 2 | 4 | Nil |
| 68 | IS 13098 | Automotive Vehicles- Tubes For Pneumatic Tyres-Specification | MS | 1 | 2 | Nil |
| 69 | IS 3589 | Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter) | DP | 1 | 2 | Nil |
| 70 | IS 14846 | Sluice Valve for Water Works Purposes (50 to 1200 mm Size) - | MS/OB | 2 | 4 | Nil |
| 71 | IS 302 : PART 2 : SEC 201 | Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 201 Electric immersion water heater | MS | 2 | 4 | Nil |
| 72 | IS 302 : PART 2 : SEC 3 | Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 3 Electric iron | MS | 2 | 4 | Nil |
| 73 | IS 7834 : PART 1 | Injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 1 General requirements | MS | 1 | 2 | Nil |
| 74 | IS 15298 : PART 2 | PERSONAL PROTECTIVE EQUIPMENT PART 2 SAFETY FOOTWEAR | MS | 1 | 2 | Nil |
| 75 | IS 9283 | Motors for Submersible Pumpsets | DP | 1 | 2 | Nil |
| 76 | IS 1879 | Malleable cast iron pipe fittings Specification | MS | 2 | 4 | Nil |
| 77 | IS 368 | Electric Immersion Water Heaters - Specification | MS | 2 | 4 | Nil |
| 78 | IS 13095 | BUTTERFLY VALVES FOR GENERAL PURPOSES | MS | 1 | 2 | Nil |
| 79 | IS 374 | ELECTRIC CEILING TYPE FANS | MS | 2 | 4 | Nil |
| 80 | IS 9079 | ELECTRIC MONOSET PUMPS FOR CLEAR, COLD WATER FOR AGRICULTURAL AND WATER SUPPLY PURPOSES | DP | 1 | 2 | Nil |

| | | | | | | |
|-----|--------------------------|---|----------|---|---|---|
| 81 | IS 16186 | Textiles - Light Weight Jute Sacking Bags for Packing 50 Kg Foodgrains - Specification | DP | 2 | 4 | Nil |
| 82 | IS 16415 | Composite Cement - Specification | MS | 2 | 4 | Nil |
| 83 | IS 4159 | Mineral Filled Sheathed Heating Elements | MS | 2 | 4 | Nil |
| 84 | IS 8887 | BITUMEN EMULSION FOR ROADS (CATIONIC TYPE) | OB/DP | 1 | 2 | Nil |
| 85 | IS 1660 | Wrought Aluminium--Utensils Specification | MS | 2 | 4 | Nil |
| 86 | IS 10748 | Hot-rolled Steel Strip for Welded Tubes and Pipes | DP | 1 | 2 | Nil |
| 87 | IS 15477 | Adhesive for use with ceramic, mosaic and stone tiles | MS | 1 | 2 | Nil |
| 88 | IS 9020 | Power Threshers - Safety Requirements | Feedback | 2 | 0 | Nil |
| 89 | IS 9798 | Low Pressure Regulators for Use with Liquefied Petroleum Gas (LPG) Mixtures | OB/DP | 2 | 4 | Nil |
| 90 | IS 280 | Mild Steel Wire for General Engineering Purposes | MS | 1 | 2 | Nil |
| 91 | IS 13779 | ac STATIC WATTHOUR METERS CLASS 1 AND 2-Specification | OB/DP | 2 | 4 | Samples to be drawn for Acceptance tests only. |
| 92 | IS 2082 | STATIONARY STORAGE TYPE ELECTRIC WATER HEATERS | MS | 2 | 4 | Nil |
| 93 | IS 778 | Copper Alloy Gate, Globe and Check Valves for Waterworks Purposes | MS | 2 | 4 | Nil |
| 94 | IS 15328 | Unplasticized Non-Pressure Polyvinyl Chloride (PVC -U) Pipes for use in Underground Drainage and Sewerage Systems | MS | 2 | 4 | Nil |
| 95 | IS 9473 | Respiratory Protective Devices - Filtering Half Masks to Protect Against Particles | MS | 2 | 4 | Nil |
| 96 | IS 5290 | Specification for landing valves | MS | 2 | 4 | Nil |
| 97 | IS 15392 | ALUMINIUM AND ALUMINIUM ALLOY BARE FOIL FOR FOOD PACKAGING | MS | 2 | 4 | Nil |
| 98 | IS 903 | Specification for Fire Hose Delivery Couplings, Branch Pipe, Nozzles And Nozzle Spanner - Specification | MS | 2 | 4 | Nil |
| 99 | IS 7809 : PART 3 : SEC 1 | Pressure Sensitive Adhesive Insulating Tapes for Electrical Purposes - Part 3 : Requirements for Individual Materials - Section 1 : Plasticized Polyvinylchloride Tapes with Non-Thermosetting Adhesive | MS | 2 | 4 | Nil |
| 100 | IS 15500 : PART 2 | Deepwell Handpumps, Components and Social Tools — Specification Part 2 Handpumps | OB/DP | 2 | 4 | Nil |
| 101 | IS 7224 | Iodized salt, vacuum evaporated iodized salt and refined iodized salt | MS | 2 | 4 | Nil |
| 102 | IS 15627 | Automotive Vehicles - Pneumatic Tyres for Two and Three - Wheeled Motor Vehicles - Specification First Revision | MS | 1 | 2 | Nil |
| 103 | IS 5312 : PART 1 | SWING CHECK TYPE REFLUX (NON-RETURN) VALVES FOR WATER WORKS PURPOSES - PART 1 : SINGLE-DOOR PATTERN | MS/OB | 2 | 4 | Nil |
| 104 | IS 2692 | Ferrules for water services | MS/OB | 2 | 4 | Nil |
| 105 | IS 5509 | Fire Retardant Plywood - Specification (Third Revision) | MS/DP | 2 | 4 | Nil |
| 106 | IS 7620 : PART 1 | Diagnostic Medical X-ray Equipment - Part 1 : General and Safety Requirements | Feedback | 2 | 0 | Samples not to be drawn for Independent testing. Complete testing of sample to be conducted in the factory. |
| 107 | IS 2713 : PART 1 TO 3 | Tubular Steel Poles for Overhead Power Lines | Feedback | 2 | 0 | Nil |
| 108 | IS 7903 | TEXTILES - TARPAULINES MADE FROM HIGH DENSITY POLYETHYLENE WOVEN FABRIC | DP | 2 | 4 | Nil |
| 109 | IS 2925 | Specification for Industrial Safety Helmets | OB/DP | 2 | 4 | Nil |
| 110 | IS 8737 | VALVE FITTINGS FOR USE WITH LIQUEFIED PETROLEUM GAS (LPG) CYLINDERS OF MORE THAN 5 LITRE WATER CAPACITY | OB/DP | 2 | 4 | Nil |
| 111 | IS 398 : PART 5 | Aluminium conductors for overhead transmission purposes: Part 5 Aluminium conductors - galvanized steel reinforced for extra high voltage (400 kV and above) | OB/DP | 1 | 2 | Nil |
| 112 | IS 14885 | Polyethylene Pipes for the Supply of Gaseous Fuels $\frac{1}{2}$ Specification (First Revision) | DP | 1 | 2 | Nil |
| 113 | IS 7887 | Mild steel wire rods for general engineering purposes | DP | 1 | 2 | Nil |
| 114 | IS 302 : PART 2 : SEC 14 | SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES: PART 2 PARTICULAR REQUIREMENTS. SECTION 14 ELECTRIC KITCHEN MACHINES | MS | 2 | 4 | Nil |
| 115 | IS 8978 | Electric instantaneous water heaters | MS | 2 | 4 | Nil |
| 116 | IS 459 | Corrugated and semi-Corrugated Asbestos Cement Sheets - | MS | 1 | 2 | Nil |
| 117 | IS 11170 | Performance Requirements for Constant Speed Compression Ignition (Diesel) Engines For Agricultural Purposes (Up to 20 kw) | MS | 1 | 2 | Samples to be drawn for Performance tests only. |
| 118 | IS 14927 : PART 2 | Cable Trunking and Ducting Systems for Electrical Installations : Part 2 Cable Trunking and Ducting Systems Intended for Mounting on Walls or Ceiling | MS | 2 | 4 | Nil |
| 119 | IS 13334 : PART 2 | SKIMMED MILK POWDER SPECIFICATION PART 2 EXTRA GRADE | DP | 2 | 4 | Nil |
| 120 | IS 9103 | Specification for Concrete Admixtures - | MS | 1 | 2 | Nil |
| 121 | IS 7098 : PART 2 | Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables - Part 2 for Working Voltages from 3.3 kV up to and Including 33 kV | OB/DP | 2 | 4 | Nil |
| 122 | IS 5382 | RUBBER SEALS JOINT RINGS FOR WATER SUPPLY, DRAINAGE AND SEWERAGE PIPELINES SPECIFICATION FOR MATERIALS | MS | 1 | 2 | Nil |
| 123 | IS 13258 | Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gas - Code of Practice for Inspection and Reconditioning of Used Lpg Cylinders | Feedback | 2 | 0 | Nil |
| 124 | IS 513 : PART 1 | COLD REDUCED CARBON STEEL SHEET AND STRIP PART 1 COLD FORMING AND DRAWING PURPOSES | DP | 1 | 2 | Nil |

| | | | | | | |
|-----|--------------------|---|-------|---|---|--|
| 125 | IS 15351 | TEXTILES - LAMINATED HIGH DENSITY POLYETHYLENE (HDPE) FABRIC FOR CANAL LINING | DP | 1 | 2 | Nil |
| 126 | IS 15636 | Automotive vehicles - Pneumatic tyres for commercial vehicles - Diagonal and radial ply | MS | 1 | 2 | Nil |
| 127 | IS 15622 | PRESSED CERAMIC TILES - (SUPERSEDING IS 13753:1993, IS 13754:1993, IS 13755:1993 AND IS 13756:1993) | MS | 1 | 2 | Nil |
| 128 | IS 366 | Electric Irons | MS | 2 | 4 | Nil |
| 129 | IS 16444 : PART 1 | a.c. Static Direct Connected Watthour Smart Meter Class 1 and 2 - Specification | DP/OB | 1 | 2 | Samples to be drawn for All tests except Type test |
| 130 | IS 2645 | Integral Waterproofing Compounds for Cement Mortar and Concrete - Specification | MS | 1 | 2 | Nil |
| 131 | IS 9573 : PART 2 | RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 2 DOMESTIC AND COMMERCIAL APPLICATION | MS | 2 | 4 | Nil |
| 132 | IS 9968 : PART 1 | Elastomer insulated cables:Part 1 For working voltages upto and including 1 100 V | MS | 2 | 4 | Nil |
| 133 | IS 9857 | Welding Cables | MS | 2 | 4 | Nil |
| 134 | IS 7466 | Rubber gaskets for pressure cookers | MS | 1 | 2 | Nil |
| 135 | IS 1341 | STEEL BUTT HINGES | MS | 2 | 4 | Nil |
| 136 | IS 398 : PART 1 | Aluminium conductors for overhead transmission purposes: Part 1 Aluminium stranded conductors | OB/DP | 1 | 2 | Nil |
| 137 | IS 1061 | DISINFECTANT FLUIDS, PHENOLIC TYPE | MS | 1 | 2 | Nil |
| 138 | IS 1328 | Veneered Decorative Plywood -Specification | MS | 2 | 4 | Nil |
| 139 | IS 2494 : PART 1 | V-Belts - Endless V-Belts for Industrial Purposes - Part 1 : General Purpose | MS | 1 | 2 | Nil |
| 140 | IS 6003 | Indented Wire For--Prestressed Concrete | OB/DP | 1 | 2 | Nil |
| 141 | IS 277 | GALVANIZED STEEL STRIPS AND SHEETS (PLAIN AND CORRUGATED) | MS | 1 | 2 | Nil |
| 142 | IS 9763 | Plastics Bib Taps, Pillar Taps, Angle Valves and Stop Valves for Hot and Cold Water Services - | MS | 2 | 4 | Nil |
| 143 | IS 10124 : PART 1 | Fabricated PVC-U Fittings for Potable Water Supplies - Specification Part 1 General Requirements | MS | 1 | 2 | Nil |
| 144 | IS 2993 | A.C. motor capacitors | MS | 1 | 2 | One FS to be drawn annually for routine tests only. FS for complete testing shall be drawn every third year. Two MS to be drawn annually for routine tests only. |
| 145 | IS 16232 | Iron Fortified Iodized Salt (Double Fortified Salt) - Food Grade - Specification | MS | 2 | 4 | Nil |
| 146 | IS 2553 : PART 2 | SAFETY GLASS - PART 2 : FOR ROAD TRANSPORT | DP | 1 | 2 | Nil |
| 147 | IS 10212 : PART 1 | General requirements for packages of explosives: Part 1 Commercial high explosives | DP | 1 | 2 | Nil |
| 148 | IS 16018 | Wheeled Fire Extinguishers Performance and Construction Specification | MS | 2 | 4 | Nil |
| 149 | IS 1848 : PART 1 | WRITING AND PRINTING PAPERS SPECIFICATION PART 1 ACCOUNT BOOK, AZURE LEAD, BOND, CREAM LAID AND CREAM WOVE/PRINTING WHITE/PRINTING COLOURED/PRINTING OFFSET, PRINTING MAPLITHO, PRINTING WHITE SUPER CALENDERED AND TYPEWRITING TYPES | MS | 1 | 2 | Nil |
| 150 | IS 5430 | AMMONIA PRESERVEDCONCENTRATED NATURAL RUBBERLATEX | DP | 1 | 2 | FS & MS drawn and tested by Rubber Board. |
| 151 | IS 8931 | Copper alloy single taps, combination tap assemblies, stop valves and single lever mixers for water services — Specification (second revision) | MS | 2 | 4 | Nil |
| 152 | IS 16289 | Medical Textiles Surgical Face Masks Specification | MS | 2 | 4 | Nil |
| 153 | IS 6006 | Uncoated Stress Relieved Strand For Prestressed Concrete - Specification | OB/DP | 1 | 2 | Nil |
| 154 | IS 299 | Alumino-Ferric - Specification | MS | 1 | 2 | Nil |
| 155 | IS 12232 : PART 1 | Irrigation equipment - Rotating sprinkler: Part 1 Design and operational requirements | MS | 1 | 2 | Nil |
| 156 | IS 8329 | CENTRIFUGALLY CAST (SPUN) DUCTILE IRON PRESSURE PIPES FOR WATER, GAS AND SEWAGE | DP | 2 | 4 | Nil |
| 157 | IS 16205 : PART 24 | CONDUIT SYSTEMS FOR CABLE MANAGEMENT PART 24 PARTICULAR REQUIREMENTS CONDUIT SYSTEMS BURIED UNDER GROUND | MS | 1 | 2 | Nil |
| 158 | IS 16703 | TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE) POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING OF 25 KG POLYMER MATERIALS | DP | 2 | 4 | Nil |
| 159 | IS 1783 : PART 2 | Drums, Large, Fixed Ends - Specification Part 2 Grade B Drums | DP | 2 | 4 | Nil |
| 160 | IS 1610 | HOUSEHOLD SEWING MACHINES - GENERAL REQUIREMENTS | MS | 2 | 4 | Nil |
| 161 | IS 2508 | LOW DENSITY POLYETHYLENE FILMS | MS | 1 | 2 | Nil |
| 162 | IS 278 | Galvanized Steel Barbed Wire for Fencing-Specification | MS | 2 | 4 | Nil |
| 163 | IS 1875 | Carbon steel billets, blooms, slabs and bars for forgings | DP | 1 | 2 | Nil |
| 164 | IS 4308 | DRY CHEMICAL POWDERS FOR FIRE FIGHTING- BC , ABC AND D TYPES | MS | 1 | 2 | Nil |
| 165 | IS 252 | CAUSTIC SODA - SPECIFICATION | MS | 1 | 2 | Nil |
| 166 | IS 13340 : PART 1 | Shunt Power Capacitors of the Self-Healing Type for ac Systems having a Rated Voltage up to and Including 1 000 V Part 1 General Performance, Testing and Rating Safety Requirements -- Guide for Installation and Operation | MS | 1 | 2 | One FS to be drawn annually for routine tests only. FS for complete testing shall be drawn every third year. Two MS to be drawn annually for routine tests only. |

| | | | | | | |
|-----|-------------------------------|---|----------|---|---|---|
| 167 | IS 16098 : PART 2 | Structured-Wall Plastics Piping Systems for Non-Pressure Drainage and Sewerage Part 2 Pipes and Fittings with Non-Smooth External Surface, Type B | OB/DP | 1 | 2 | Nil |
| 168 | IS 9295 | Steel tubes for idlers for belt conveyors | DP | 2 | 4 | Nil |
| 169 | IS 4270 | STEEL TUBES USED FOR WATER WELLS | DP | 1 | 2 | Nil |
| 170 | IS 14490 | PLAIN COPIER PAPER | MS | 1 | 2 | Nil |
| 171 | IS 12785 | Irrigation Equipment - Strainer-type Filters | DP | 1 | 2 | Nil |
| 172 | IS 884 | Specification for First-Aid Hose-Reel For Fire Fighting | MS | 2 | 4 | Nil |
| 173 | IS 5175 | Fibre ropes - Polypropylene split film monofilament and multifilament PP 2 and polypropylene high tenacity multifilament PP 3 3- 4- 8- and 12- strand ropes (fourth revision) | DP | 1 | 2 | Nil |
| 174 | IS 14182 | Solvent Cement For Use With Unplasticized Polyvinylchloride Plastic Pipe And Fittings | MS | 2 | 4 | Nil |
| 175 | IS 11329 | SPECIFICATION FOR FINNED TYPE HEAT EXCHANGER FOR ROOM AIR CONDITIONER | OB/DP | 1 | 1 | Nil |
| 176 | IS 3419 | Fittings For Rigid Non-metallic Conduits | MS | 2 | 4 | Nil |
| 177 | IS 15500 : PART 6 | Deepwell Handpumps, Components and Social Tools — Specification Part 6 Brass/Bonze or Stainless Steel Componentets | OB/DP | 2 | 4 | Nil |
| 178 | IS 13422 | Disposable Surgical Rubber Gloves | MS | 2 | 4 | Nil |
| 179 | IS 15500 : PART 5 | Deepwell Handpumps, Components and Social Tools — Specification Part 5 Cast Iron Componentets | OB/DP | 2 | 4 | Nil |
| 180 | IS 13801 | Chequered Cement Concrete Tiles - | MS | 2 | 4 | Nil |
| 181 | IS 447 | Rubber Hose For Welding | MS | 2 | 4 | Nil |
| 182 | IS 3575 | Bitumen Drums | DP | 2 | 4 | Nil |
| 183 | IS 651 | Glazed Stoneware Pipe and Fittings - | OB/DP | 2 | 4 | Nil |
| 184 | IS 15500 : PART 4 | Deepwell Handpumps, Components and Social Tools — Specification Part 4 Steel Componentets | OB/DP | 2 | 4 | Nil |
| 185 | IS 16208 | TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE)/ POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING 10 kg, 15 kg, 20 kg, 25 kg AND 30 kg FOODGRAINS - SPECIFICATION | DP | 1 | 2 | Nil |
| 186 | IS 12933 : PART 1 | Solar Flat Plate Collector - Part 1 : Requirements | MS | 1 | 2 | Nil |
| 187 | IS 12640 : PART 1 | RESIDUAL CURRENT OPERATED CIRCUIT - BREAKERS FOR HOUSEHOLD AND SIMILAR USES: PART 1 CIRCUIT-BREAKERS WITHOUT INTEGRAL OVERCURRENT PROTECTION (RCCBS) | MS | 2 | 4 | Samples to be drawn for all tests except Type tests |
| 188 | IS 15558 | Mini domestic water heater for use with LPG | MS | 2 | 4 | Nil |
| 189 | IS 3521 : PART 1 | Personal Fall Arrest Systems Specification Part 1 Full Body Harness Fourth Revision | DP | 2 | 4 | Nil |
| 190 | IS 13428 | PACKAGED NATURAL MINERAL WATER | MS | 2 | 4 | Samples drawn for MS & FS not to be tested for Radiological paramters. Out of all the samples drawn for factory/market surveillance in a year, only one sample may be got tested for pesticide residues, which is required to be clearly indicated on the test requests generated. If a sample fails in the requirement of Pesticide Residues, then the next 3 consecutive samples (factory/market) of that licence shall be tested for all tests including Pesticide Residues(except Radioactive residues), till the 3 consecutive samples are found conforming to all requirements tested including pesticide residues. |
| 191 | IS/IEC 60730 : PART 2 : SEC 9 | AUTOMATIC ELECTRICAL CONTROLS FOR HOUSEHOLD AND SIMILAR USE PART 2 PARTICULAR REQUIREMENTS SECTION 9 TEMPERATURE SENSING CONTROLS | MS | 1 | 2 | Samples to be drawn for All tests other than EMC. One FS to be drawn once in three years for complete testing including EMC. |
| 192 | IS 9523 | DUCTILE IRON FITTINGS FOR PRESSURE PIPES FOR WATER, GAS AND SEWAGE | DP | 2 | 4 | Nil |
| 193 | IS 2141 | Hot Dip Galvanized Stay Strand | DP | 1 | 2 | Nil |
| 194 | IS 10124 : PART 2 | Fabricated PVC-U Fittings for Potable Water Supplies - Specification Part 2 Specific Requirements for Sockets | MS | 1 | 2 | Nil |
| 195 | IS 5346 | Synthetic Food Colour - Preparations and Mixtures | MS | 1 | 2 | Nil |
| 196 | IS/IEC 60079 : PART 11 | Explosive atmospheres : Part 11 Equipment protection by intrinsic safety "I" | Feedback | 2 | 0 | Nil |
| 197 | IS 1783 : PART 1 | Drums Large, Fixed Ends Specification Part 1 Grade A Drums | DP | 2 | 4 | Nil |
| 198 | IS 12585 | Thermoplastic Hoses (Textile Reinforced) for Water - General Purpose | MS | 2 | 4 | Nil |
| 199 | IS 12427 | Fasteners - Threaded Steel Fasteners - Hexagon Head Transmission Tower Bolts | MS/DP | 2 | 4 | Nil |
| 200 | IS 1065 : PART 1 | STABLE BLEACHING POWDER A SPECIFICATION PART 1 HOUSEHOLD AND INDUSTRIAL USE | MS | 1 | 2 | Nil |
| 201 | IS 779 | Water Meters (Domestic Type) | MS | 2 | 4 | Nil |
| 202 | IS 15801 | Polypropylene-random copolymer pipes for hot and cold water supplies - | MS | 2 | 4 | Nil |
| 203 | IS 3975 | Mild steel wires, formed wires and tapes for armouring of cables | DP | 1 | 2 | Nil |
| 204 | IS 7283 | Hot rolled bars for production of bright bars and machined parts for enginner ing applications | DP | 1 | 2 | Nil |
| 205 | IS 2932 | ENAMEL, SYNTHETIC, EXTERIOR : (A) UNDERCOATING (B) FINISHING | MS | 1 | 2 | Nil |

| | | | | | | |
|-----|-------------------|--|----------|---|---|--|
| 206 | IS 1391 : PART 2 | ROOM AIR CONDITIONERS: PART 2 SPLIT AIR CONDITIONERS | MS | 2 | 1 | No Factory Sample to be drawn for I/T. Routine tests to be done in factory twice a year. One MS for complete testing of split AC in a year to be drawn |
| 207 | IS 5405 | Sanitary Napkins | MS | 2 | 4 | Nil |
| 208 | IS 4989 | FORM CONCENTRATE FOR PRODUCING MECHANICAL FOAM FOR FIRE FIGHTING | MS | 1 | 2 | Nil |
| 209 | IS 11536 | Processed Cereal Based Complementary Foods ? Specification (Third Revision) | MS | 2 | 4 | Nil |
| 210 | IS 14625 | PLASTICS FEEDING BOTTLES | MS | 2 | 4 | Nil |
| 211 | IS 17042 : PART 1 | DIESEL ENGINES NOX REDUCTION AGENT AUS 32 PART 1 QUALITY REQUIREMENTS | MS | 1 | 2 | Nil |
| 212 | IS 17048 | HALOGEN FREE FLAME RETARDANT (HFFR) CABLES FOR WORKING VOLTAGES UP TO AND INCLUDING 1 100 VOLTS - SPECIFICATION | MS | 1 | 2 | Nil |
| 213 | IS 8944 | Chlorpyrifos Emulsifiable Concentrates | MS | 1 | 2 | Nil |
| 214 | IS 335 | NEW INSULATING OILS | MS | 1 | 2 | Nil |
| 215 | IS 14845 | Resilient Seated Cast Iron Air Relief Valves for Water Works Purposes - | DP | 2 | 4 | Nil |
| 216 | IS 3224 | VALVE FITTINGS FOR COMPRESSED GAS CYLINDERS EXCLUDING LIQUEFIED PETROLEUM GAS LPG CYLINDERS SPECIFICATION Fourth Revision of IS 3224 | OB/DP | 2 | 4 | Nil |
| 217 | IS 1239 : PART 2 | Steel Tubes, Tubulars and Other Steel Fittings Part 2 Steel Pipe Fittings | MS | 2 | 4 | Nil |
| 218 | IS 2556 : PART 3 | Vitreous Sanitary Appliances (Vitreous China) - - Part 3: Specific Requirements of Squatting Pans | MS | 2 | 4 | Nil |
| 219 | IS 6595 : PART 1 | Horizontal Centrifugal Pumps for Clear, Cold Water - Part 1 : Agricultural and Rural Water Supply Purposes | DP | 1 | 2 | Nil |
| 220 | IS 13983 | Stainless Steel Sinks For Domestic Purposes | MS | 2 | 4 | Nil |
| 221 | IS 15911 | STRUCTURAL STEEL (ORDINARY QUALITY) | MS | 1 | 2 | Nil |
| 222 | IS 17262 | Textiles - Polyester partially oriented yarn (POY) - Specification (first revision) | DP | 1 | 2 | Nil |
| 223 | IS 7933 | Specification for Flexible Polyurethane Foam for Domestic Mattresses First Revision | DP | 1 | 2 | Nil |
| 224 | IS 6911 | STAINLESS STEEL PLATE, SHEET AND STRIP | DP | 1 | 2 | Nil |
| 225 | IS 11037 | Electronic Type Fan Regulators | MS | 1 | 2 | Nil |
| 226 | IS 6901 | GAS WELDING EQUIPMENT - PRESSURE REGULATORS FOR GAS CYLINDERS USED IN WELDING, CUTTING AND ALLIED PROCESSES UP TO 300 BAR | Feedback | 2 | 0 | Nil |
| 227 | IS 13457 | Pesticide - Deltamethrin WP | DP | 1 | 2 | Nil |
| 228 | IS 17854 | EQUIPMENT FOR MANUFACTURE OF FORTIFIED RICE - SPECIFICATION | Feedback | 2 | 0 | Nil |
| 229 | IS 9537 : PART 2 | Conduits for electrical installations:Part 2 Rigid steel conduits (superseding IS:1653) | MS | 2 | 4 | Nil |
| 230 | IS 12109 | General Requirements for Light Duty Sewing Machine Heads for Industrial Use | MS | 2 | 4 | Nil |
| 231 | IS 9281 : PART 3 | Electronic Weighing Systems - Part 3 Requirements | MS | 1 | 2 | Nil |
| 232 | IS 636 | Non-Percolating Flexible Fire Fighting Delivery Hose - Specification | MS | 2 | 4 | Nil |
| 233 | IS 14246 | Continuously Pre-Painted Galvanized Steel Sheets and Coils | DP | 1 | 2 | Nil |
| 234 | IS 1110 | Ferrosilicon | DP | 1 | 2 | Nil |
| 235 | IS 4454 : PART 1 | Steel Wires for Mechanical Springs - Part 1 : Patented and Cold Drawn Steel Wires - Unalloyed | DP | 1 | 2 | Nil |
| 236 | IS 15633 | Automotive vehicles - pneumatic tyres for passenger car vehicles - diagonal and radial ply | MS | 1 | 2 | Nil |
| 237 | IS 784 | PRESTRESSED CONCRETE PIPES (INCLUDING FITTINGS) - | Feedback | 2 | 0 | Nil |
| 238 | IS 7653 | Manual blow pipes for welding and cutting | Feedback | 2 | 0 | Nil |
| 239 | IS 17261 | Textiles - Polyester continuous filament fully drawn yarns - Specification (first revision) | DP | 1 | 2 | Nil |
| 240 | IS 14483 : PART 1 | Fertilizer and chemical injector system - Part 1 Venturi injector | MS | 1 | 2 | Nil |
| 241 | IS 16444 : PART 2 | A.C. STATIC TRANSFORMER OPERATED WATTHOUR AND VAR-HOUR SMART METERS, CLASS 0.2 S, 0.5 S AND 1.0 S PART 2 SPECIFICATION TRANSFORMER OPERATED SMART METERS | DP/OB | 1 | 2 | Nil |
| 242 | IS 9436 | PERFORMANCE REQUIREMENTS AND METHODS OF TESTS FOR WHEELS FOR PASSENGER CARS | MS | 1 | 1 | 1 FS and 1 MS in one year |
| 243 | IS 17423 | Medical Textiles — Bio-Protective Coveralls — Specification (First Revision) | MS | 2 | 4 | Nil |
| 244 | IS 10325 | Square Tins - 15 kg/litre For Ghee, Vanaspati, Edible Oils and Bakery Shortenings | OB/DP | 2 | 4 | Nil |
| 245 | IS 8391 : PART 1 | RUBBERIZED COIR SHEETS FOR CUSHIONING PART 1: CURLED | DP | 2 | 4 | Nil |
| 246 | IS 4947 | Specification for Gas cartridges for use in fire extinguishers - | DP | 2 | 4 | Nil |
| 247 | IS 15500 : PART 7 | Deepwell Handpumps, Components and Social Tools — Specification Part 7 Rubber Components | OB/DP | 2 | 4 | Nil |
| 248 | IS 14697 | ac STATIC TRANSFORMER OPERATED WATTHOUR METERS CLASS 02 S AND 05 S AND VAR-HOUR METERS CLASS 02 S 05 S AND 10 S - SPECIFICATION First Revision | DP/OB | 1 | 2 | Samples to be drawn for Acceptance test only |
| 249 | IS 8794 | Cast iron detachable joints for use with asbestos cement pressure pipes | DP | 2 | 4 | Nil |

| | | | | | | |
|-----|-------------------|--|-------------|---|---|--|
| 250 | IS 12330 | Specification for sulphate resisting Portland cement | MS | 1 | 2 | Nil |
| 251 | IS 2547 : PART 1 | gypsum building plaster: Part 1 Excluding premixed lightweight plaster | MS | 1 | 2 | Nil |
| 252 | IS 2266 | Steel Wire Ropes for General Engineering Purposes | MS | 1 | 2 | Nil |
| 253 | IS 432 : PART 1 | Mild Steel and Medium Tensile Steel Bars and Hard-Drawn Steel Wire for Concrete Reinforcement: Part 1 Mild Steel and Medium Tensile Steel Bars | MS | 1 | 2 | Nil |
| 254 | IS 5504 | Spiral Welded Pipes | DP | 1 | 2 | Nil |
| 255 | IS 3521 | Industrial safety belts and harnesses - Specification | MS | 2 | 4 | Nil |
| 256 | IS 9890 | General Purpose Ball Valves | MS | 2 | 4 | Nil |
| 257 | IS 12817 | Stainless Steel Butt Hinges | MS | 2 | 4 | Nil |
| 258 | IS 15500 : PART 3 | Deepwell Handpumps, Components and Social Tools — Specification Part 3 Handpump Sub-Assemblies | OB/DP | 2 | 4 | Nil |
| 259 | IS 14611 | MULTILAYERED CROSS LAMINATED SHEETS/TARPAULINS/COVERS/AGRICULTURAL FILMS | MS | 1 | 2 | Nil |
| 260 | IS 14650 | CARBON STEEL CAST BILLET INGOTS, BILLETS, BLOOMS AND SLABS FOR RE-ROLLING PURPOSES | DP | 1 | 2 | Nil |
| 261 | IS 1709 | Capacitors for Electric Fan Motors | MS | 1 | 2 | 1 FS to be drawn annually for routine test only. FS for complete testing shall be drawn every third year. Further, 2 MS be drawn annually for routine test only. |
| 262 | IS 8498 | Temephos Emulsifiable Concentrates (EC) | DP | 1 | 2 | Nil |
| 263 | IS 7231 | Plastic Flushing Cisterns for Water Closets and Urinals - Specification | MS | 2 | 4 | Nil |
| 264 | IS 3906 | Crop Protection Equipment - Hand-operated Knapsack Sprayer, Piston Type | DP/Feedback | 2 | 4 | Nil |
| 265 | IS 12823 | WOOD PRODUCTS - PRELAMINATED PARTICLE BOARDS - SPECIFICATION | MS | 2 | 4 | Nil |
| 266 | IS 781 | Cast Copper Alloy Screw Down Bib Taps And Stop Valves for Water Services | MS | 2 | 4 | Nil |
| 267 | IS 3829 : PART 1 | Horizontal Cylindrical and Horizontal Rectangular Steam Sterilizers, Pressure Type (for Hospital and Pharmaceutical Use) | MS | 2 | 4 | Nil |
| 268 | IS 2556 : PART 2 | Vitreous Sanitary Appliances (Vitreous China) - - Part 2: Specific Requirements of Washdown Water Closets | MS | 1 | 2 | Nil |
| 269 | IS 3564 | Hydraulically Regulated Door Closers -Specification | MS | 2 | 4 | Nil |
| 270 | IS 17546 | Chlorinated polyvinyl chloride CPVC fittings for potable hot and cold water distribution supplies Specification | MS | 2 | 2 | 1 FS for complete testing, 1 FS for all tests except Thermal stability by Hydraulic Pressure test (Cl 9.2) . 2 MS for all tests except Thermal stability by Hydraulic Pressure test (Cl 9.2) |
| 271 | IS 15965 | Pre-painted Aluminium Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain) | DP | 1 | 2 | Nil |
| 272 | IS 7098 : PART 3 | Cross-linked polyethylene insulated thermoplastic sheathed cables: Part 3 For working voltages from 66 kV upto and including 220 kV | DP/OB | 1 | 2 | Nil |
| 273 | IS 2721 | Galvanized Steel Chain Link Fence Fabric | MS | 2 | 4 | Nil |
| 274 | IS 2879 | Mild steel for metal arc welding electrodes | DP | 2 | 4 | Nil |
| 275 | IS 1363 : PART 1 | Hexagon Head Bolts, Screws and Nuts of Product Grade C - Part 1 : Hexagon Head Bolts (Size Range M 5 to M 64) | MS/DP | 2 | 4 | Nil |
| 276 | IS 13997 | Drums, Large Open Top - Specification | DP | 1 | 2 | Nil |
| 277 | IS 1363 : PART 3 | HEXAGON HEAD BOLTS, SCREWS AND NUTS OF PRODUCT GRADE C - PART 3 : HEXAGON NUTS (SIZE RANGE M5 TO M64) | MS/DP | 2 | 4 | Nil |
| 278 | IS 6218 | Bicycle - Mudguards | MS | 1 | 2 | Nil |
| 279 | IS 7347 | Performance of Small Size Spark Ignition Engines for agricultural sprayers and similar applications | MS | 1 | 2 | Sample to be drawn for All tests except Endurance test |
| 280 | IS 623 | Bicycle - Bicycle frames (Amalgamating SI 3404: 1979) | MS | 2 | 4 | Nil |
| 281 | IS 418 | Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes | MS | 2 | 4 | Nil |
| 282 | IS 3087 | Practicle boards of wood and other lignocellulosic materials (medium density) for general purposes -Specification | MS | 2 | 4 | Nil |
| 283 | IS 14433 | INFANT MILK SUBSTITUTES - SPECIFICATION (Second Revision of IS 14433) | MS | 2 | 4 | Nil |
| 284 | IS 432 : PART 2 | Mild Steel and Medium Tensile Steel Bars and Hard-Drawn Steel Wire for Concrete Reinforcement: Part 2 Hard-Drawn Steel Wire | OB/DP | 1 | 2 | Nil |
| 285 | IS 10001 | PERFORMANCE REQUIREMENTS FOR CONSTANT SPEED OMPRESSION IGNITION (DIESEL) ENGINES FOR GENERAL PURPOSES (UP TO 20 KW) | DP | 1 | 2 | Sample to be drawn for All tests except Type test |
| 286 | IS 12776 | Galvanized Strand For Earthing | OB/DP | 1 | 2 | Nil |
| 287 | IS 14743 | Irrigation Equipment - Hydrocyclone Filters | MS | 1 | 2 | Nil |
| 288 | IS 15462 | Polymer and Rubber Modified Bitumen | MS | 1 | 2 | Nil |
| 289 | IS 2415 | CYCLES - RUBBER TUBES | MS | 1 | 2 | Nil |
| 290 | IS 2061 | Bicycle - Front forks | MS | 2 | 4 | Nil |
| 291 | IS 2312 | Propeller type ac ventilating fans | MS | 2 | 4 | Nil |
| 292 | IS 2556 : PART 4 | Vitreous Sanitary Appliances (Vitreous China) - - Part 4: Specific Requirements of Wash Basins | MS | 2 | 4 | Nil |
| 293 | IS 4148 | Surgical Rubber Gloves | MS | 2 | 4 | Nil |
| 294 | IS 8249 | Zinc sulphate heptahydrate, agricultural grade | MS | 2 | 4 | Nil |
| 295 | IS 624 | Bicycles - Rims | MS | 2 | 4 | Nil |

| | | | | | | |
|-----|--------------------------|---|----------|---|---|--|
| 296 | IS 1489 : PART 2 | PORTLAND POZZOLANA CEMENT SPECIFICATION PART 2 CALCINED CLAY BASED | MS | 2 | 4 | Nil |
| 297 | IS 14606 | Irrigation Equipment - Media Filter | MS | 1 | 2 | Nil |
| 298 | IS 2414 | Cycle and rickshaw pneumatic tyres | MS | 1 | 2 | Nil |
| 299 | IS 2567 | Specification for Malathion Emulsifiable Concentrates | DP | 1 | 2 | Nil |
| 300 | IS/ISO 3183 | Petroleum and natural gas industries - Steel pipe for pipeline transportation systems | DP | 1 | 2 | Nil |
| 301 | IS 1079 | HOT ROLLED CARBON STEEL SHEET AND STRIP | DP | 1 | 2 | Nil |
| 302 | IS 10116 | BORIC ACID | DP | 1 | 2 | Nil |
| 303 | IS 6603 | Stainless Steel Bars and Flats | MS/DP | 2 | 4 | Nil |
| 304 | IS 15907 | Agro Textiles - High Density Polyethylene (HDPE) Woven Beds for Vermiculture | DP | 2 | 4 | Nil |
| 305 | IS 8783 : PART 4 : SEC 3 | Winding Wires for Submersible Motors - Part 4 : Individual Wires - Section 3 : Polyester and Polypropylene Insulated Winding Wires | MS/OB | 2 | 4 | Nil |
| 306 | IS 12406 | Medium density fibre boards for general purpose - Specification | MS | 2 | 4 | Nil |
| 307 | IS 12254 | POLYVINYLCHLORIDE PVC INDUSTRIAL BOOTS - SPECIFICATION Second Revision | DP | 2 | 4 | Nil |
| 308 | IS 3466 | Specification For Masonry Cement | MS | 2 | 4 | Nil |
| 309 | IS 444 | RUBBER HOSES, TEXTILE-REINFORCED, FOR GENERAL-PURPOSE WATER APPLICATIONS | MS | 1 | 2 | Nil |
| 310 | IS 11501 | Engine Monoset Pumps for Clear, Cold, Fresh Water for Agricultural Purposes | DP | 1 | 2 | Nil |
| 311 | IS 2074 | Ready Mixed Paint, Air Drying, Red Oxide - Zinc Chrome, Priming - Specification | MS | 1 | 2 | Nil |
| 312 | IS 15298 : PART 3 | Personal Protective Equipment Part 3 Protective Footwear | MS | 2 | 4 | Nil |
| 313 | IS 12225 | Centrifugal jet pump | MS | 1 | 2 | Nil |
| 314 | IS 1592 | Asbestos Cement Pressure Pipes and Joints - | Feedback | 2 | 0 | Nil |
| 315 | IS 1664 | Mineral Mixtures for Supplementing Cattle Feeds | DP | 1 | 2 | Nil |
| 316 | IS 863 | Handloom Cotton Bandage Cloth, Non-Sterilized | MS | 1 | 2 | Nil |
| 317 | IS 14411 | Deltamethrin F | MS | 1 | 2 | Nil |
| 318 | IS 14862 | Fibre Cement Flat Sheets | MS | 1 | 2 | Nil |
| 319 | IS 16192 : PART 1 | AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO NAD THREE WHEELED VEHICLES PART 1 LIGHT ALLOY WHEEL RIMS - METHODS RIMS - METHODS OF TESTS AND REQUIREMENTS | MS | 1 | 1 | 1 FS and 1 MS in one year |
| 320 | IS 16714 | GROUND GRANULATED BLAST FURNACE SLAG FOR CEMENT MORTAR AND CONCRETE | DP | 1 | 2 | Nil |
| 321 | IS 3757 | High Strength Structural Bolts | MS/OB | 2 | 4 | Nil |
| 322 | IS 5986 | HOT ROLLED STEEL FLAT PRODUCTS FOR STRUCTURAL FORMING AND FLANGING PURPOSES | DP | 1 | 2 | Nil |
| 323 | IS 15652 | Insulating Mats For Electrical Purposes | MS | 2 | 4 | Nil |
| 324 | IS 5820 | precast concrete cable covers | DP/OB | 2 | 4 | Nil |
| 325 | IS 14587 | Prelaminated Medium Density Fibre Board -specification | MS | 2 | 4 | Nil |
| 326 | IS 8423 | Specification for controlled percolating hose for fire fighting | MS | 2 | 4 | Nil |
| 327 | IS 10086 | Specification for moulds for use in tests of cement and concrete First Revision | MS | 2 | 4 | Nil |
| 328 | IS 2465 | Cables for motor vehicles | MS | 2 | 4 | Nil |
| 329 | IS 15298 : PART 4 | PERSONAL PROTECTIVE EQUIPMENT PART 4 OCCUPATIONAL FOOTWEAR | MS | 1 | 2 | Nil |
| 330 | IS 1554 : PART 2 | PVC Insulated (Heavy Duty) Electric Cables - Part 2 : for Working Voltages from 3*3 kV up to and Including 11 kV | DP/OB | 2 | 4 | Nil |
| 331 | IS 6528 | Stainless Steel Wire | MS | 1 | 2 | Nil |
| 332 | IS 12744 | Ready Mixed Paint, Air Drying, Red Oxide - Zinc Phosphate, Priming - Specification | MS | 1 | 2 | Nil |
| 333 | IS 7904 | HIGH CARBON STEEL WIRE RODS | DP | 1 | 2 | Nil |
| 334 | IS 14772 | Boxes and Enclosures for Electrical Accessories for Household and Similar Fixed Electrical Installations | MS | 1 | 2 | Nil |
| 335 | IS 758 | Handloom Cotton Gauze, Absorbent, Non-Sterilized | MS | 1 | 2 | Nil |
| 336 | IS 17263 | Textiles - Polyester staples fibres - Specification (first revision) | DP | 1 | 2 | Nil |
| 337 | IS 4381 | Pathological Microscope | Feedback | 2 | 0 | Nil |
| 338 | IS 8275 | Binocular Eyepieces for Microscope | Feedback | 2 | 0 | Nil |
| 339 | IS 15573 | POLYALUMINIUM CHLORIDE | MS | 1 | 2 | Nil |
| 340 | IS 15490 | CYLINDERS FOR ON-BOARD STORAGE OF COMPRESSED NATURAL GAS AS A FUEL FOR AUTOMOTIVE VEHICLES | DP | 2 | 4 | Nil |
| 341 | IS 3832 | Hand-Operated Chain Pulley Blocks | DP/OB | 2 | 4 | Nil |
| 342 | IS 1038 | Specification For Steel Doors, Windows And Ventilators | MS | 2 | 4 | Nil |
| 343 | IS 7328 | Specification for Polyethylene Material for Moulding and Extrusion (Third Revision) | DP | 2 | 4 | Nil |
| 344 | IS 1065 : PART 2 | STABLE BLEACHING POWDER A SPECIFICATION PART 2 FOR WATER TREATMENT FOR DRINKING PURPOSES | MS | 2 | 4 | Nil |
| 345 | IS 14494 | ELASTOMER INSULATED FLEXIBLE CABLES FOR USE IN MINES (COMBINED REVISION OF IS:691 AND IS:1026) | DP/OB | 2 | 4 | Sampled to be drawn for Acceptance test only |
| 346 | IS 7181 | Horizontally cast iron double flanged pipes for water, gas and sewage | DP | 2 | 4 | Nil |
| 347 | IS 16008 : PART 2 | Agro Textiles - Shade Nets for Agriculture and Horticulture Purposes - Specification Part 2 Shade Nets Made from Mono Filament Yarns (First Revision) | DP | 1 | 2 | Nil |
| 348 | IS 2002 | Steel plates for pressure vessels for intermediate and high temperature service including boilers | DP | 1 | 2 | Nil |
| 349 | IS 15961 | Hot Dip Aluminium-Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain) | DP | 1 | 2 | Nil |

| | | | | | | |
|-----|-------------------|---|----------|---|---|--|
| 350 | IS 16008 : PART 1 | Agro Textiles - Shade Nets for Agriculture and Horticulture Purposes - Specification Part 1 Shade Nets Made from Tape Yarns (First Revision) | DP | 1 | 2 | Nil |
| 351 | IS 1166 | SWEETENED CONDENSED MILK, SWEETENED CONDENSED PARTLY SKIMMED MILK, SWEETENED CONDENSED SKIMMED MILK AND SWEETENED CONDENSED HIGH FAT MILK- SPECIFICATION (Third Revision of IS 1166) | MS | 2 | 4 | Nil |
| 352 | IS 11513 | HOT-ROLLED CARBON STEEL STRIP FOR COLD ROLLING PURPOSES SPECIFICATION | DP | 1 | 2 | Nil |
| 353 | IS 15155 | BARWIRE WRAPPED STEEL CYLINDER PIPES WITH MORTAR LINING AND COATING INCLUDING SPECIALS SPECIFICATION | Feedback | 2 | 0 | Nil |
| 354 | IS 371 | Ceiling Roses | MS | 1 | 2 | Nil |
| 355 | IS 1237 | Cement Concrete Flooring Tiles - Specification | MS | 1 | 2 | Nil |
| 356 | IS 15227 | Deltamethrin ULV | MS | 1 | 2 | Nil |
| 357 | IS 13585 : PART 1 | Shunt Power Capacitors Of The Non -Self - Healing Type For ac Systems Having A Rated Voltage up to and Including 1 000 V--PART 1 GENERAL PERFORMANCE, TESTING AND RATING SAFETY-REQUIREMENTS GUIDE FOR INSTALLATION AND OPERATION | MS | 1 | 2 | 1 FS to be drawn annually for routine test only. FS for complete testing shall be drawn every third year. Further, 2 MS be drawn annually for routine test only. |
| 358 | IS 7454 | Rehabilitation equipment - Wheelchairs, folding, adult size | MS | 2 | 4 | Nil |
| 359 | IS 10701 | Specification for Structural Plywood - Specification | MS | 2 | 4 | Nil |
| 360 | IS 10805 | Foot-Valves, Reflux Valves or NonReturn Valves and Bore Valves to be Used in Suction Lines of Agricultural Pumping Systems â€• Specification (Second Revision) | MS | 2 | 4 | Nil |
| 361 | IS 2556 : PART 6 | Vitreous China sanitary appliances - Specification: Part 6 Specific requirements of urinal and partition plates (fifth revision) | MS | 2 | 4 | Nil |
| 362 | IS 204 : PART 2 | Tower Bolts - Specification Part-2 Non-Ferrous Metals | MS | 2 | 4 | Nil |
| 363 | IS 16720 | PULVERIZED FUEL ASH-CEMENT BRICKS- SPECIFICATION | DP/OB | 2 | 4 | Nil |
| 364 | IS 11169 : PART 1 | Specification for steels for cold headingcold extrusion applications: Part 1 wrought carbon and low alloy steels | DP | 1 | 2 | Nil |
| 365 | IS 13620 | Fusion Bonded Epoxy Coated Reinforcing Bars - | MS | 1 | 2 | Nil |
| 366 | IS 11673 : PART 1 | SODIUM HYPOCHLORITE SOLUTION SPECIFICATION: PART 1 HOUSEHOLD AND INDUSTRIAL USE | MS | 2 | 4 | Nil |
| 367 | IS 261 | Copper Sulphate | MS | 1 | 2 | Nil |
| 368 | IS 14300 | Neem Based EC Containing Azadirachtin | MS | 1 | 2 | Nil |
| 369 | IS 15354 : PART 1 | Single-Use Rubber Examination Gloves | MS | 1 | 2 | Nil |
| 370 | IS 17875 | Stainless Steel seamless pipes and tubes for general service | DP | 1 | 2 | Nil |
| 371 | IS 15757 | FOLLOW-UP FORMULA-COMPLEMENTARY FOODS - SPECIFICATION (First Revision of IS 15757) | MS | 2 | 4 | Nil |
| 372 | IS 6240 | Hot Rolled Steel Plate (up to 6 mm) Sheet and Strip for the Manufacture of Low Pressure Liquefiable Gas Cylinders | DP | 1 | 2 | Nil |
| 373 | IS 8144 | MULTIPURPOSE DRY BATTERIES | MS | 2 | 4 | Nil |
| 374 | IS 4351 | Steel Door Frames - | MS | 2 | 4 | Nil |
| 375 | IS 208 | Door Handles -Specification | MS | 2 | 4 | Nil |
| 376 | IS 8042 | WHITE PORTLAND CEMENT - | MS | 2 | 4 | Nil |
| 377 | IS 14855 : PART 1 | Plant Protection and Vector Control Equipment - Fogging Machines - Part 1 : Pulse-Jet-Type Thermal Fogger | DP | 1 | 2 | Nil |
| 378 | IS 3502 | Steel Chequered Plates | DP | 1 | 2 | Nil |
| 379 | IS 2653 | Safety Matches in Boxes | MS | 2 | 4 | Nil |
| 380 | IS 513 : PART 2 | COLD REDUCED CARBON STEEL SHEET AND STRIP PART 2 HIGH TENSILE AND MULTI-PHASE STEEL | DP | 1 | 2 | Nil |
| 381 | IS 6527 | Stainless Steel Wire Rod | DP | 1 | 2 | Nil |
| 382 | IS 12766 | Paper, Computer | MS | 1 | 2 | Nil |
| 383 | IS 1322 | Bitumen Felts for Water Proofing and Damp-proofing | MS | 1 | 2 | Nil |
| 384 | IS 16098 : PART 1 | Structured-Wall Plastics Piping Systems for Non-Pressure Drainage and Sewerage Part 1 Pipes and Fittings With Smooth External Surface, Type A | OB/DP | 1 | 2 | Nil |
| 385 | IS 9665 | Propoxur Emulsifiable Concentrates | DP | 1 | 2 | Nil |
| 386 | IS 1475 : PART 1 | Self-contained Drinking Water Coolers - Part 1 : Energy Consumption And Performance | MS | 1 | 2 | Nil |
| 387 | IS 6623 | High Strength Structural Nuts | MS/OB | 1 | 2 | Nil |
| 388 | IS 6649 | Hardened and Tempered Washers for High Strength Structural Bolts and Nuts | MS/OB | 1 | 2 | Nil |
| 389 | IS 15884 | Alternating Current Direct Connected Static Prepayment Meters for Active Energy (Class 1 and 2) | DP/OB | 1 | 2 | Samples to be drawn only for Acceptance test only |
| 390 | IS 15769 | Flux cored (tubular) electrodes for gas shielded and self-shielded metal welding of carbon or carbon-manganese steel | MS | 1 | 2 | Nil |
| 391 | IS 1785 : PART 2 | Plain Hard-drawn Steel Wire For Prestressed Concrete: Part 2 As Drawn Wire | DP/OB | 1 | 2 | Nil |
| 392 | IS 7285 : PART 2 | REFILLABLE SEAMLESS STEEL GAS CYLINDERS - PART 2 : QUENCHED AND TEMPERED STEEL CYLINDERS WITH TENSILE STRENGTH LESS THAN 1 100 MPA (112 KGF/MM2) | DP | 1 | 2 | Nil |
| 393 | IS 9550 | Bright Steel Bars | DP | 1 | 2 | Nil |
| 394 | IS 1825 | Specification for Aluminium Alloy Milk Cans | DP | 2 | 4 | Nil |
| 395 | IS 5295 | Ethylene Glycol - Specification (Second Revision) | DP | 2 | 4 | Nil |
| 396 | IS 2403 | Short-Pitch Transmission Precision Roller and Bush Chains, Attachments and Associated Chain Sprockets | MS | 2 | 4 | Nil |

| | | | | | | |
|-----|--------------------------|--|----------|---|---|---|
| 397 | IS 16014 | MECHANICALLY WOVEN, DOUBLE -TWISTED, HEXAGONAL WIRE MESH GABIONS, REVET MATTRESSES AND ROCK FALL NETTING(GALVANIZED STEEL WIRE OR GALVANIZED STEEL WORE WITH PVC COATING) - SPECIFICATION | DP | 2 | 4 | Nil |
| 398 | IS 3989 | CENTRIFUGALLY CAST (SPUN) IRON SPIGOT AND SOCKET SOIL,WASTE, VENTILATION AND RAINWATER PIPES, FITTINGS, AND ACCESSORIES | MS | 2 | 4 | Nil |
| 399 | IS 16513 | AGRO TEXTILES - INSECT NETS FOR AGRICULTURE AND HORTICULTURE PURPOSES - SPECIFICATION | MS | 1 | 2 | Nil |
| 400 | IS 8783 : PART 4 : SEC 1 | Winding Wires for Submersible Motors - Part 4 : Individual Wires - Section 1 : HR PVC Insulated Wires | MS/OB | 1 | 2 | Nil |
| 401 | IS 10908 | Flexible Rubber Tubing for Liquefied Petroleum Gas | MS | 1 | 2 | Nil |
| 402 | IS 4566 | Methylene Chloride (dichloromethane), Technical | DP | 1 | 2 | Nil |
| 403 | IS 3390 | Sphygmomanometers, Mercurial | MS | 2 | 4 | Nil |
| 404 | IS 8708 | Mancozeb Wettable powder | MS | 1 | 2 | Nil |
| 405 | IS 10889 | High density polyethylene films | MS | 1 | 2 | Nil |
| 406 | IS 12299 | DAIRY WHITENER - SPECIFICATION First Revision | MS | 2 | 4 | Nil |
| 407 | IS 14268 | Uncoated stress relieved low relaxation seven-wire (ply) strand for prestressed concrete -Specification (Second Revision) | DP/OB | 1 | 2 | Nil |
| 408 | IS 14510 | Lambda-cyhalothrin WP | MS | 1 | 2 | Nil |
| 409 | IS 17550 : PART 1 | HOUSEHOLD REFRIGERATING APPLIANCES CHARACTERISTICS AND TEST METHODS Part 1 General Requirements | MS | 1 | 1 | One MS may be drawn in 1 operative year. No FS to be drawn. Factory surveillance shall be conducted for 2 days, during which following tests shall be conducted on minimum 2 models available during visit: Marking (Cl. 5), Temperature Sensing Control setting (Cl. 8.11), Air tightness of doors or lids (Cl. 9), Force of opening of doors and lids (Cl. 10), Water vapor condensation test (Cl. 13 and Cl. 4.6 (d) of IS 17550-2), Protection against access to live parts (Cl. 16 (a)), Power input and current (Cl. 16 (b)), Leakage current and HV test (Cl. 16 (d)), Earth Continuity test (Cl. 20.3 (b)), Electric Strength test (Cl. 20.3 (c)), Pull down test (Cl. 4.6 (a) of IS 17550-2), Measurement of Volume (Cl. 4.8 of IS 17550-2), Protection against access to live parts (Cl. 16 (a)). Power input and current (Cl. 16 (h)). Leakage current and HV test (Cl. 16 (d)). Earth Continuity test (Cl. 20.3 (b)). Electric Strength Test (Cl. 20.3 (c)). Pull don'n test (Cl. +_6 (a) of IS 17550-2), Measurement of Volume (Cl. 4.8 of IS 17550-2) |
| 410 | IS 3686 | Student-type Microscope | Feedback | 2 | 0 | Nil |
| 411 | IS 7872 | Deep Freezers - Specification (Second Revision) | Feedback | 1 | 1 | 2 FS in one year. 1 FS for complete testing. Another FS for only following tests: Door seal test (Cl. 8 of IS 7872), Protection against access to live parts (Cl. 8 of IS/ISC 60335-2-89), Power input and current (Cl. 10 of IS/ISC 60335-2- 89), Provision for earthing (Cl. 27 of IS/ISC 60335-2-89) and Leakage current and electric strength at operating temperature (Cl. 13 of IS/ISC 60335-2-89) |
| 412 | IS 1656 | MILK-CEREAL BASED COMPLEMENTARY FOODS SPECIFICATION (Fifth Revision of IS 1656) | MS | 2 | 4 | Nil |
| 413 | IS 2041 | Steel Plates for Pressure Vessels Used at Moderate and Low Temperature | DP | 1 | 2 | Nil |
| 414 | IS 3748 | Tool and Die Steels | DP | 1 | 2 | Nil |
| 415 | IS 8088 | Tricycle, Hand Propelled | MS | 2 | 4 | Nil |
| 416 | IS 1538 | Cast iron fittings for pressure pipes for water, gas and sewage | OB | 2 | 4 | Nil |
| 417 | IS 446 | RUBBER HOSES, TEXTILE-REINFORCED, FOR COMPRESSED AIR | MS | 2 | 4 | Nil |
| 418 | IS 17077 : PART 1 | PLASTICS ACRYLONITRILE- BUTADIENESTYRENE ABS MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS | DP | 1 | 2 | Nil |
| 419 | IS 14252 | TEXTILES HIGH DENSITYPOLYETHYLENE (HDPE)/ POLYPROPYLENE(PP) WOVEN SACKS FOR FILLING SAND | DP | 1 | 2 | Nil |
| 420 | IS 2681 | Non-ferrous metal sliding door bolts (aldrops) for with padlocks - Specification | MS | 1 | 2 | Nil |
| 421 | IS 11378 | Anaesthetic Machines for Use with Humans | Feedback | 2 | 0 | Nil |
| 422 | IS 8442 | Stand post type water and foam monitor for fire fighting -Specification | DP | 1 | 2 | Nil |

| | | | | | | |
|-----|-----------------------|---|----------|---|---|--|
| 423 | IS/IEC 60269 : PART 2 | LOW-VOLTAGE FUSES PART 2 SUPPLEMENTARY REQUIREMENTS FOR FUSES FOR USE BY AUTHORIZED PERSONS (FUSES MAINLY FOR INDUSTRIAL APPLICATION) EXAMPLES OF STANDARDIZED SYSTEMS OF FUSES A TO K | MS | 1 | 2 | Nil |
| 424 | IS 11652 | TEXTILES HIGH DENSITY POLYETHYLENE (HDPE)/ POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING OF 50 KG CEMENT | OB/DP | 1 | 2 | Nil |
| 425 | IS 12709 | Glass-fibre Reinforced Plastic (grp) Pipes Joints and Fittings for Use for Potable Water Supply | Feedback | 2 | 0 | Nil |
| 426 | IS 15058 | PVC Water-Stops at Transverse Contraction Joints for Use in Masonry and Concrete Dams | MS | 1 | 2 | Nil |
| 427 | IS 1746 | Shoe polish, paste | MS | 1 | 2 | Nil |
| 428 | IS 539 | Naphthalene | MS | 1 | 2 | Nil |
| 429 | IS 550 : PART 1 | Safes: Part 1 specification Fifth Revision | MS | 1 | 2 | Nil |
| 430 | IS 6438 | Aluminium Phosphide Formulations | MS | 1 | 2 | Nil |
| 431 | IS 73 | Paving Bitumen | MS | 1 | 2 | Nil |
| 432 | IS 8148 | DUCTED AND PACKAGE AIR CONDITIONERS | Feedback | 2 | 0 | Nil |
| 433 | IS 5517 | Steels for Hardening and Tempering | DP | 1 | 2 | Nil |
| 434 | IS 8041 | Specification for rapid hardening Portland cement | MS | 1 | 2 | Nil |
| 435 | IS 2095 : PART 1 | Gypsum Plaster Boards - Part 1 Plain Gypsum Plaster Boards | DP | 2 | 4 | Nil |
| 436 | IS 1258 | Bayonet Lamp Holders | MS | 2 | 4 | Nil |
| 437 | IS 3319 | Blades, Surgical, Detachable (Bard Parker Type) and Handles | MS | 2 | 4 | Nil |
| 438 | IS 1626 : PART 3 | Asbestos Cement Building types and Pipe Fittings, Gutters and Gutter Fittings and Roofing Fittings - Part 3 : Roofing Fittings | DP | 2 | 4 | Nil |
| 439 | IS 2641 | Electrical Welding Accessories | MS | 2 | 4 | Nil |
| 440 | IS 1726 | cast iron manhole covers and frames | DP | 2 | 4 | Nil |
| 441 | IS 205 | Non-Ferrous Metal Butt Hinges -Specification | MS | 2 | 4 | Nil |
| 442 | IS 1741 | Latex foam rubber products | DP | 1 | 2 | Nil |
| 443 | IS 5522 | Stainless Steel Sheets and Strips for Utensils Specification | DP | 1 | 2 | Nil |
| 444 | IS 16190 | Agro Textiles - High Density Polyethylene (HDPE) Laminated Woven lay Flay Tube for Irrigation Purpose - Specification | DP | 1 | 2 | Nil |
| 445 | IS 15997 | Low Nickel Austenitic Stainless Steel Sheet and Strip for Utensils and Kitchen Appliances - Specification | OB/DP | 1 | 2 | Nil |
| 446 | IS 15905 | HUBLESS CENTRIFUGALLY CAST (SPUN) IRON PIPES, FITTINGS AND ACCESSORIES - SPIGOT SERIES | MS | 1 | 2 | Nil |
| 447 | IS 15265 | Flexible PVC Pipes or Polymer Reinforced Thermoplastic Hoses for Suction and Delivery Lines of Agricultural Pumps - Specificaton | MS | 1 | 2 | Nil |
| 448 | IS 7898 | Manually-Operated Chaff Cutter | DP | 1 | 2 | Nil |
| 449 | IS 15041 | Textiles - Flat Woven Webbing Slings Made of Man-Made Fibres for General Services | Feedback | 2 | 0 | Nil |
| 450 | IS 16131 | Imidacloprid Suspension Concentrate (SC) - Specification | MS | 1 | 2 | Nil |
| 451 | IS 848 | Specification for Synthetic Resin Adhesives for Plywood (Phenolic And Aminoplastic) - | MS | 1 | 2 | Nil |
| 452 | IS 10592 | Industrial Emergency Showers, Eye and Face Fountains and Combination Units - Specification | Feedback | 2 | 0 | Nil |
| 453 | IS 10617 | HERMETIC COMPRESSORS | DP | 1 | 2 | Two market samples shall be drawn during an operative year only for routine tests. One factory sample for complete testing to be drawn |
| 454 | IS 11188 : PART 1 | Vault Strong Room doors Part 1 specification | MS | 1 | 2 | Nil |
| 455 | IS 11459 | Power-operated Chaff Cutter | Feedback | 2 | 0 | Nil |
| 456 | IS 13730 : PART 3 | Specifications for Particular Types of Winding Wires Part 3 : Polyester Enamelled Round Copper Wire, Class 155 | MS | 1 | 2 | Nil |
| 457 | IS 14402 | GRP pipes joints and fittings for use sewerage, industrial waste and water (other than potable) | Feedback | 2 | 0 | Nil |
| 458 | IS 16192 : PART 2 | AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES PART 2 SHEETS METAL WHEEL RIMS - METHODS OF TESTS AND REQUIREMENTS | MS | 1 | 1 | 1 FS and 1 MS in one year |
| 459 | IS 17111 | HEAT TREATED STEELS, ALLOY STEELS AND FREE-CUTTING STEELS - BALL AND ROLLER BEARING STEELS | DP | 1 | 2 | Nil |
| 460 | IS 1759 | Powrahs | MS | 1 | 2 | Nil |
| 461 | IS 3829 : PART 2 | Steam Sterilizers - Part 2 : Horizontal Cylindrical High Speed Steam Sterilizers, Pressure Type (REDISGNATION OF IS 4510 : 1978) | Feedback | 2 | 0 | Nil |
| 462 | IS 3829 : PART 3 | Steam Sterilizers - Part 3 : Pressure Sterilizers, Vertical Cylindrical Type | MS | 1 | 2 | Nil |
| 463 | IS 5470 | Dicalcium Phosphate, Animal Feed Grade | MS | 1 | 2 | Nil |
| 464 | IS 5983 | Eye-protectors | Feedback | 2 | 0 | Nil |
| 465 | IS 1943 | Textiles- A-twill jute bags | DP | 1 | 2 | Nil |
| 466 | IS 14900 | TRANSPARENT FLOAT GLASS | DP | 1 | 2 | Nil |
| 467 | IS 15914 | High Tensile Strength Flat Rolled Steel Plate (Up To 6 mm), Sheet and Strip for the Manufacture of Welded Gas Cylinder | DP | 1 | 2 | Nil |
| 468 | IS 2080 | Specification for stabilized hydrogen peroxide First Revision | DP | 1 | 2 | Nil |
| 469 | IS 9968 : PART 2 | Elastomer-insulated Cables - Part 2 : For Working Voltages from 3.3 kV up to and Including 3 3kV | Feedback | 2 | 0 | Nil |
| 470 | IS 17154 | Battery Operated Motorized Tricycle | Feedback | 2 | 0 | Brake test is to be carried out in factory testing on road of specific inclination. |
| 471 | IS 2573 | Leather Gauntlets and Mittens | DP | 2 | 4 | Nil |

| | | | | | | |
|-----|-----------------------|---|----------|---|---|---|
| 472 | IS 15450 | Polyethylene-aluminium-polyethylene composite pressure pipes for hot and cold water supplies Specifications first revision of IS 15450 | MS | 2 | 4 | Nil |
| 473 | IS 14899 | Liquefied Petroleum Gas (LPG) Containers for Automotive Use - Specification | DP | 2 | 4 | Nil |
| 474 | IS 3650 | Combination Side Cutting Pliers | MS | 2 | 4 | Nil |
| 475 | IS 13049 | diaphragm type (plastic body) float operated valves for cold water services | MS | 2 | 4 | Nil |
| 476 | IS 1729 | Cast Iron/Ductile Iron Drainage Pipes and Pipe Fittings for Over Ground Non-Pressure Pipeline Socket and Spigot Series | MS | 2 | 4 | Nil |
| 477 | IS 14443 | Polycarbonate Sheets | MS | 2 | 4 | Nil |
| 478 | IS 3976 | PROTECTIVE RUBBER CANVAS BOOTS FOR MINERS | DP | 2 | 4 | Nil |
| 479 | IS 4964 | Textiles - Vest, Cotton, Plain (Single Jersey) Knitted | MS | 2 | 4 | Nil |
| 480 | IS 16715 | ULTRAFINE GROUND GRANULATED BLAST FURNACE SLAG - SPECIFICATION | DP | 2 | 4 | Nil |
| 481 | IS 6392 | Steel Pipes Flanges — Specification (First Revision) | MS | 2 | 4 | Nil |
| 482 | IS 2365 | STEEL WIRE SUSPENSION ROPES FOR LIFTS, ELEVATORS AND HOISTS | DP | 1 | 2 | Nil |
| 483 | IS 9271 | Unplasticized Polyvinyl Chloride (UPVC) Single Wall Corrugated Pipes for Drainage - | MS | 1 | 2 | Nil |
| 484 | IS 7532 | Soft Soap - Specification | MS | 2 | 4 | Nil |
| 485 | IS 4572 | Fibre ropes - Polyamide 3- 4- 8- and 12- strand ropes (fifth revision) | DP | 1 | 2 | Nil |
| 486 | IS 3099 : PART 1 TO 2 | Microscopes - Slips and slides: Specification: Part 1 Microscope slips : Part 2 Microscope slides | MS | 1 | 2 | Nil |
| 487 | IS 8446 | Pesticide - Carbazim (MBC) WP | DP | 1 | 2 | Nil |
| 488 | IS 9438 | PERFORMANCE REQUIREMENTS AND METHODS OF TESTS FOR WHEELS/RIMS FOR TRUCKS | MS | 1 | 1 | 1 FS and 1 MS in one year |
| 489 | IS 14186 | Pesticide - Diflubenuron WP | DP | 1 | 2 | Nil |
| 490 | IS 3062 | Crop Protection Equipment - Rocker Sprayer | MS | 1 | 2 | Nil |
| 491 | IS 3652 | Crop Protection Equipment - Foot Sprayer | Feedback | 2 | 0 | Nil |
| 492 | IS 11066 | Fibre ropes - Polyester 3- 4- 8- and 12- strand ropes (third revision) | DP | 1 | 2 | Nil |
| 493 | IS 14929 | Mixed polyolefin fibre ropes | DP | 1 | 2 | Nil |
| 494 | IS 15532 | Plastics Crates for Fruits and Vegetables | MS | 1 | 2 | Nil |
| 495 | IS 15603 | Alphacypermethrin. WP | MS | 1 | 2 | Nil |
| 496 | IS 16127 | Behind the Ear (BTE) Hearing Aids - Digital - Specification | Feedback | 2 | 0 | Nil |
| 497 | IS 16192 : PART 3 | AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES: PART 3 SPOKE WHEEL RIMS --- METHOD OF TESTS AND REQUIREMENTS | MS | 1 | 1 | 1 FS and 1 MS in one year |
| 498 | IS 16647 | ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY | MS | 1 | 2 | Nil |
| 499 | IS 17012 | HIGH ANKLE TACTICAL BOOTS WITH PU - RUBBER SOLE - SPECIFICATION | DP | 1 | 2 | Nil |
| 500 | IS 17782 | FORTIFIED RICE KERNELS-SPECIFICATION | OB/DP | 1 | 2 | Nil |
| 501 | IS 17876 | Stainless steel welded pipes and tubes for general service | DP | 1 | 2 | Nil |
| 502 | IS 2556 : PART 7 | Vitreous Sanitary Appliances (vitreous china) - - Part 7 : Specific Requirements of Accessories for Sanitary Appliances | MS | 1 | 2 | Nil |
| 503 | IS 2568 | Specification for Malathion Dusting Powders | MS | 1 | 2 | Nil |
| 504 | IS 4521 | Wire Ropes Used in Oil Wells and Oil Well Drilling | DP/OB | 1 | 2 | Nil |
| 505 | IS 4766 | Thiram Water Dispersible Powders | DP | 1 | 2 | Nil |
| 506 | IS 5143 | Adjustable Axillary Crutches | MS | 1 | 2 | Nil |
| 507 | IS 5244 | Safe Deposit Locker Cabinets Specification | MS | 1 | 2 | Nil |
| 508 | IS 7092 : PART 2 | Aluminium Alloy Tube for Irrigation Purposes - Part 2 : Extruded Tube | DP | 1 | 2 | Nil |
| 509 | IS 8110 | Well Screens and Slotted Pipes | Feedback | 2 | 0 | Nil |
| 510 | IS 9973 | Specification for visor for scooter helmets | MS | 1 | 2 | Nil |
| 511 | IS 11587 | Structural weather resistant steels | DP | 1 | 2 | Nil |
| 512 | IS 12640 : PART 2 | RESIDUAL CURRENT OPERAED CIRCUIT - BREAKING FOR HOUSEHOLD AND SIMILAR USES - PART 2 CIRCUIT - BREAKERS WITH INTEGRAL OVERCURRENT PROTECTION (RCVOS) | MS | 2 | 4 | Samples to be drawn for all test except Type test |
| 513 | IS 1785 : PART 1 | Plain Hard-drawn Steel Wire For Prestressed Concrete: Part 1 Cold Drawn Stress-relieved Wire | DP/OB | 1 | 2 | Nil |
| 514 | IS 1835 | Round Steel Wire for Ropes | DP | 1 | 2 | Nil |
| 515 | IS 648 | Cold rolled non-oriented electrical steel sheet and strip - Fully processed type - Specification Sixth Revision | DP | 1 | 2 | Nil |
| 516 | IS 7452 | Specification for hot-rolled steel sections for doors, windows and ventilators | MS | 2 | 4 | Nil |
| 517 | IS 1364 : PART 1 | HEXAGON HEAD BOLTS, SCREWS AND NUTS OF PRODUCT GRADES A AND B - PART 1 : HEXAGON HEAD BOLTS (SIZE RANGE M 1.6 TO M 64) | MS/DP | 2 | 4 | Nil |
| 518 | IS 4003 : PART 1 | Pipe Wrenches - Part 1 : General Purpose | MS | 2 | 4 | Nil |
| 519 | IS 8086 | Rehabilitation equipment - Wheelchairs, folding, junior size | MS | 2 | 4 | Nil |
| 520 | IS 2507 | COLD-ROLLED STEEL STRIPS FOR SPRINGS | DP | 2 | 4 | Nil |
| 521 | IS 15410 | Containers for Packaging of Natural Mineral Water and Packaged Drinking Water | DP | 2 | 4 | Nil |
| 522 | IS 4398 | CARBON-CHROMIUM STEEL FOR THE MANUFACTURE OF BALLS, ROLLERS AND BEARING RACES | DP | 2 | 4 | Nil |
| 523 | IS 9825 | Chlorine Tablets | MS | 2 | 4 | Nil |
| 524 | IS 2373 | Water Meters (Bulk Type) | MS | 2 | 4 | Nil |
| 525 | IS 1536 | CENTRIFUGALLY CAST (SPUN) IRON PRESSURE PIPES FOR WATER, GAS AND SEWAGE | DP | 2 | 4 | Nil |

| | | | | | | |
|-----|-------------------|--|----------|---|---|---|
| 526 | IS 2098 | Asbestos Cement Building Boards - | MS | 2 | 4 | Nil |
| 527 | IS 204 : PART 1 | Tower Bolts - Specification: Part-1 Ferrous Metals | MS | 2 | 4 | Nil |
| 528 | IS 10080 | Specification For Vibration Machine For Standard Cement Mortar Cubes | MS | 2 | 4 | Nil |
| 529 | IS 15809 | HIGH VISIBILITY WARNING CLOTHES | MS | 2 | 4 | Nil |
| 530 | IS 5484 | EC grade aluminium rod produced by continuous casting and rolling | MS | 1 | 2 | Nil |
| 531 | IS 3055 : PART 1 | Clinical thermometers Part 1: solid stem type | MS | 2 | 4 | Nil |
| 532 | IS 6529 | STAINLESS STEEL BLOOMS, BILLETS AND SLABS FOR FORGING | DP | 1 | 2 | Nil |
| 533 | IS 5950 | Shot firing cables (for use other than in shafts) | DP/OB | 1 | 2 | Nil |
| 534 | IS 281 | Mild Steel Sliding Door Bolts for Use With Padlocks -Specification | MS | 1 | 2 | Nil |
| 535 | IS 4824 | Bead wires for tyres - Specification | DP | 1 | 2 | Nil |
| 536 | IS 14724 | Water Purifiers with Ultra-violet Disinfection | MS | 1 | 2 | Nil |
| 537 | IS 15160 | Pretilachlor Emulsifiable Concentrate | MS | 1 | 2 | Nil |
| 538 | IS 15380 | Moulded Raised High Density Fibre (HDF) Panel Doors - | MS | 1 | 2 | Nil |
| 539 | IS 4135 | Hospital Rubber Sheetings | MS | 1 | 2 | Nil |
| 540 | IS 1051 | Pyrethrum Extracts | MS | 1 | 2 | Nil |
| 541 | IS 12894 | Pulverized Fuel Ash-Lime Bricks - | DP/OB | 1 | 2 | Nil |
| 542 | IS 14166 | Respiratory protective devices : Full face masks | Feedback | 2 | 0 | Nil |
| 543 | IS 14314 | Thinner General Purposes For Synthetic Paints And Varnishes | DP | 1 | 2 | Nil |
| 544 | IS 14434 | Polycarbonate Moulding and Extrusion Materials | DP | 1 | 2 | Nil |
| 545 | IS 14561 | Fire Resisting (Insulating) Filing Cabinets Specification | DP | 1 | 2 | Nil |
| 546 | IS 14768 : PART 2 | Conduit Fittings For Electrical Installations - Part 2 : Metal Conduit Fittings (superseding IS 2667) | MS | 1 | 2 | Nil |
| 547 | IS 15542 | Power-operated chaff cutter - Safety requirements | Feedback | 2 | 0 | Nil |
| 548 | IS 15787 | Switch-socket-outlets (non-interlock type) | MS | 2 | 4 | Nil |
| 549 | IS 170 | ACETONE | DP | 1 | 2 | Nil |
| 550 | IS 17264 | Textiles - Polyester industrial yarn - Specification (first revision) | DP | 1 | 2 | Nil |
| 551 | IS 17545 | WHITE CEMENT BASED POLYMERIC PUTTY | MS | 1 | 2 | Nil |
| 552 | IS 1856 | Steel wire ropes for haulage purposes - Specification Fourth Revision | DP | 1 | 2 | Nil |
| 553 | IS 2339 | Aluminium paints for general purposes - Specification | MS | 1 | 2 | Nil |
| 554 | IS 266 | Sulphuric Acid | DP | 1 | 2 | Nil |
| 555 | IS 3327 | Pedal-operated Paddy Threshers | Feedback | 2 | 0 | Nil |
| 556 | IS 4199 | Toilet Soap, Liquid | MS | 2 | 4 | Nil |
| 557 | IS 5204 | Research Microscope | Feedback | 2 | 0 | Nil |
| 558 | IS 3196 : PART 2 | Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 2 : Cylinders for Liquefiable Non-Toxic Gases Other Than LPG | DP | 1 | 2 | Nil |
| 559 | IS 7285 : PART 1 | REFILLABLE SEAMLESS STEEL GAS CYLINDERS - PART 1 : NORMALIZED STEEL CYLINDERS | DP | 1 | 2 | Nil |
| 560 | IS 8229 | Specification for Oil-well Cement | Feedback | 2 | 0 | Nil |
| 561 | IS 15853 | Textiles - Woven suitings made of cotton man-made fibres/filaments and their blends | MS | 2 | 4 | Nil |
| 562 | IS 733 | Wrought Aluminium and Aluminium Alloy Bars, Rods and Sections (for General Engineering Purposes) | DP | 2 | 4 | Nil |
| 563 | IS 15391 | Cold Rolled Non-Oriented Electrical Steel Sheet and Strip - Semi-Processed Type | DP | 2 | 4 | Nil |
| 564 | IS 2548 : PART 2 | Plastic Seats And Covers For Water-closets: Part 2 Thermo Plastic Seats And Covers | MS | 2 | 4 | Nil |
| 565 | IS 3196 : PART 4 | Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 4 : Cylinders for Toxic and Corrosive Gases (Amalgamation of IS 7680,7681 and 7682) | DP | 2 | 4 | Nil |
| 566 | IS 1 | Specification for The National Flag of India (Cotton Khadi) | MS | 2 | 4 | Nil |
| 567 | IS 9738 | Polyethylene Bags for General Purposes | MS | 2 | 4 | Nil |
| 568 | IS 2871 | Branch Pipe, Universal For Fire fighting Purpose- Specification | MS | 2 | 4 | Nil |
| 569 | IS 14933 | High Pressure Fire Fighting Hose -Specification | MS | 2 | 4 | Nil |
| 570 | IS 3074 | Steel Tubes for Automotive Purposes | DP | 2 | 4 | Nil |
| 571 | IS 17153 | DOMESTIC GAS STOVES FOR USE WITH PIPED NATURAL GAS (PNG) | MS | 2 | 4 | Nil |
| 572 | IS 2556 : PART 15 | Vitreous Sanitary Appliances (Vitreous China) - - Part 15 : Specific Requirements of Universal Water Closets | MS | 1 | 2 | Nil |
| 573 | IS 7538 | Three-phase squirrel cage induction motors for centrifugal pumps for agricultural applications | MS | 1 | 2 | Nil |
| 574 | IS 6419 | Welding rods and bare electrodes for gas shielded arc welding of structural steel | MS | 2 | 4 | Nil |
| 575 | IS 1784 | Screwed Closures For Drums | DP | 1 | 2 | Nil |
| 576 | IS 1391 : PART 1 | ROOM AIR CONDITIONERS - PART 1 : UNITARY AIR CONDITIONERS | MS | 1 | 1 | No FS for I/T. Routine tests to be done in factory twice a year.One MS for complete testing of AC in a year |
| 577 | IS 15559 | Polyester Strapping | MS | 1 | 2 | Nil |
| 578 | IS 3104 : PART 1 | Density hydrometers: Part 1 Requirements | MS | 1 | 2 | Nil |
| 579 | IS 8074 | Monocrotophos Sl | MS | 1 | 2 | Nil |
| 580 | IS 10245 : PART 2 | Respiratory protective devices - breathing apparatus Part 2 Open circuit breathing apparatus | Feedback | 2 | 0 | Nil |
| 581 | IS 11087 | Paper for magnetic ink character recognition cheque printing | DP | 1 | 2 | Nil |
| 582 | IS 11552 | Liquid Nitrogen Vessels of Capacity up to 75 Litres — Specification (Second Revision) | Feedback | 2 | 0 | Nil |
| 583 | IS 11673 : PART 2 | SODIUM HYPOCHLORITE SOLUTION PART 2 WATER TREATMENT USE | MS | 1 | 2 | Nil |

| | | | | | | |
|-----|----------------------|--|----------|---|---|-----|
| 584 | IS 1251 | Zinc Phosphide, Technical | MS | 1 | 2 | Nil |
| 585 | IS 12795 | Linear Alkyl Benzene — Specification (First Revision) | DP | 1 | 2 | Nil |
| 586 | IS 14184 | Pesticide - Cartap Hydrochloride G | MS | 1 | 2 | Nil |
| 587 | IS 14203 | FIRE RESISTING RECORD PROTECTION CABINETS | DP | 1 | 2 | Nil |
| 588 | IS 14871 | Products in Fibre Reinforced Cement - Long Corrugated or Asymmetrical Section Sheets and Fittings for Roofing and Cladding - | MS | 1 | 2 | Nil |
| 589 | IS 15030 | TEREPHTHALIC ACID | DP | 1 | 2 | Nil |
| 590 | IS 15219 | Aluminium Phosphide Powder Formulation | DP | 1 | 2 | Nil |
| 591 | IS 15511 | Cycle Chains - Characteristics and Test Methods | MS | 1 | 2 | Nil |
| 592 | IS 15852 | Textiles - Woven shirtings made of cotton man-made fibres/filaments and their blends | MS | 1 | 2 | Nil |
| 593 | IS 16484 | LIQUID OFF - TAKE VALVE FITTING TO GAS CYLINDERS OR TANKS (MOBILE OR STATIC) FOR LIQUID PETROLEUM GAS (LPG) - SPECIFICATION | Feedback | 2 | 0 | Nil |
| 594 | IS 17266 | Textiles - Viscose Staple Fibres | DP | 1 | 2 | Nil |
| 595 | IS 17658 | POLY VINYL CHLORIDE PVC HOMOPOLYMERS SPECIFICATION | OB | 1 | 2 | Nil |
| 596 | IS 1838 : PART 3 | Preformed Fillers for Expansion Joints in Concrete Pavements and Structures(non-extruding and resilient type) Part 3 Polymer Based | MS | 1 | 2 | Nil |
| 597 | IS 2089 | Common proofed canvas/duck and paulins (tarpaulins) | MS | 1 | 2 | Nil |
| 598 | IS 2569 | Specifaicon for Malathion Water Dispersible Powder Concentrates | MS | 1 | 2 | Nil |
| 599 | IS 2785 | Natural Cheese (Hard Variety), Processed Cheese, Processed Cheese Spread and Soft Cheese | MS | 2 | 4 | Nil |
| 600 | IS 4355 | Fire-resistant Brattice Cloth | MS | 1 | 2 | nil |
| 601 | IS 4467 | Caramel | MS | 1 | 2 | nil |
| 602 | IS 4783 | Thiram Seed Dressing Formulations | DP | 1 | 2 | nil |
| 603 | IS 517 | METHANOL (METHYL ALCOHOL) | DP | 1 | 2 | Nil |
| 604 | IS 537 | TOLUENE -SPECIFICATION | MS | 1 | 2 | Nil |
| 605 | IS 6315 | Floor springs (hydraulically regulated) for heavy doors - | Feedback | 2 | 0 | Nil |
| 606 | IS 6444 | Sulphur Dusting Powders | DP | 1 | 2 | Nil |
| 607 | IS 702 | Industrial Bitumen | MS | 1 | 2 | Nil |
| 608 | IS 8360 : PART 1 | Fabricated high density polyethylene (HDPE) fittings for potable water supplies: Part 1 General requirements | MS | 1 | 2 | Nil |
| 609 | IS 916 | Square Tins for Solid Products | MS | 1 | 2 | Nil |
| 610 | IS 9167 | Ear Protectors | Feedback | 2 | 0 | Nil |
| 611 | IS 9282 | Wire Ropes and Strands for Suspension Bridges | DP/OB | 1 | 2 | Nil |
| 612 | IS 9762 | polyethylene floats (spherical) for float valves | MS | 1 | 2 | Nil |
| 613 | IS 9972 | Specification for Automatic Sprinkler Heads for Fire Protection Service | Feedback | 2 | 0 | Nil |
| 614 | IS 9974 : PART 1 | High pressure sodium vapour lamps :Part 1 General requirements and tests | MS | 1 | 2 | Nil |
| 615 | IS/ISO 6742 : PART 2 | Cycles - Lighting and retro-reflective devices- Part 2 Retro-reflective devices | MS | 1 | 2 | Nil |
| 616 | IS 4368 | Alloy steel billets, blooms and slabs for forging for general engineering purposes | DP | 1 | 2 | Nil |
| 617 | IS 4432 | CASE HARDENING STEELS | DP | 1 | 2 | Nil |
| 618 | IS 15449 : PART 1 | Household Zig-Zag Sewing Machine Head - Part 1 : General Requirements | MS | 1 | 2 | Nil |
| 619 | IS 3470 | HEXANE, FOOD GRADE | DP | 1 | 2 | Nil |
| 620 | IS 5022 | Sterilizers, Instruments (table Model) | MS | 2 | 4 | Nil |
| 621 | IS 3745 | Yoke Type Valve Connection for Small Medical Gas Cylinders | DP/OB | 2 | 4 | Nil |
| 622 | IS 2556 : PART 5 | vitreous sanitary appliances (vitreous china): Part 5 Specific requirements of laboratory sinks | MS | 2 | 4 | Nil |
| 623 | IS 5872 | Cold Rolled Steel Strips (Box Strappings) | DP | 2 | 4 | Nil |
| 624 | IS 1269 : PART 1 | Legal metrology - Material measure of length Part 1 : Woven metallic and glass fibre tape measures | MS | 2 | 4 | Nil |
| 625 | IS 1321 : PART 1 | Sisal Ropes - Part 1 : Untarred Varieties | DP | 2 | 4 | Nil |
| 626 | IS 4658 | SPECIFICATION FOR COATED PAPER AND BOARD (ART AND CHROMO) | MS | 2 | 4 | Nil |
| 627 | IS 8462 | Sterilizer, Portable, Vertical, Pressure Type | MS | 2 | 4 | Nil |
| 628 | IS 4038 | Foot Valves For Water Works Purposes | MS | 2 | 4 | Nil |
| 629 | IS 5410 | Cement Paint - Specification | MS | 2 | 4 | Nil |
| 630 | IS 8749 | Biogas Stove | MS | 2 | 4 | Nil |
| 631 | IS 14597 | Synthetic tarpaulins (Heavy duty protective covers) made from coated nylon or polyester fabrics | MS | 2 | 4 | Nil |
| 632 | IS 15073 : PART 2 | Packaging of electric detonator : Part 2 Corrugated fibreboard cases | Feedback | 2 | 0 | Nil |
| 633 | IS 2028 | Open-Jaw Wrenches (Spanners) | MS | 1 | 2 | Nil |
| 634 | IS 1011 | Biscuits | MS | 2 | 4 | Nil |
| 635 | IS 362 | Parliament Hinges -specification | MS | 1 | 2 | Nil |
| 636 | IS 2923 | Carmoisine, Food Grade | MS | 1 | 2 | Nil |
| 637 | IS 9356 | Butachlor Emulsifiable Concentrates | MS | 1 | 2 | Nil |
| 638 | IS 1008 | Sugar Boiled Confectionery | MS | 2 | 4 | Nil |
| 639 | IS 10775 | Body Level Hearing Aids | MS | 2 | 4 | Nil |
| 640 | IS 1507 | Specification for Copper Oxychloride Water Dispersible Powder Concentrates | MS | 1 | 2 | Nil |
| 641 | IS 1703 | Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) - | MS | 1 | 2 | Nil |
| 642 | IS 2418 : PART 2 | TUBULAR FLUORESCENT LAMPS FOR GENERAL LIGHTING SERVICE - PART II : PERFORMANCE REQUIREMENTS | MS | 1 | 2 | Nil |

| | | | | | | |
|-----|-------------------|--|----------|---|---|--|
| 643 | IS 4996 | Reinforced Concrete Fence Posts | Feedback | 2 | 0 | Nil |
| 644 | IS 6908 | asbestos cement pipes and fittings for sewerage and drainage | Feedback | 2 | 0 | Nil |
| 645 | IS 8471 | Acetylene Generators - Requirements (Amalgamation of IS 8471 (Part 1 to 5)) | Feedback | 2 | 0 | Nil |
| 646 | IS 10258 | Sterile Hypodermic Syringes for Single Use | MS | 1 | 2 | Nil |
| 647 | IS 10758 | De-odourising-cum-disinfectant fluids | MS | 1 | 2 | Nil |
| 648 | IS 1084 | Textiles - Manila Ropes | DP | 1 | 2 | Nil |
| 649 | IS 12234 | Plastic equilibrium float valves for cold water services - Specification (first revision) | MS | 1 | 2 | Nil |
| 650 | IS 1269 : PART 2 | Legal metrology - Material measures of length Part 2: Steel tape measures | MS | 1 | 2 | nil |
| 651 | IS 12912 | Bromadiolone RB | DP | 1 | 2 | nil |
| 652 | IS 13489 | Textiles - Bed Mattress | MS | 2 | 4 | Nil |
| 653 | IS 14612 | Commercial Burners Using LPG at Inlet Pressure up to 147.1 kN/m ² (1500 gf/cm ²) | Feedback | 2 | 0 | Nil |
| 654 | IS 14756 | STAINLESS STEEL COOKWARE SPECIFICATION Second Revision of IS 14756 | MS | 1 | 2 | Nil |
| 655 | IS 15323 | Gas Filters and Combined Filters Used in Respiratory Protective Equipment | Feedback | 2 | 0 | Nil |
| 656 | IS 15660 | Refillable transportable seamless aluminium alloy gas cylinders | DP | 1 | 2 | Nil |
| 657 | IS 1580 | Bituminous Compound For Water-proofing And Caulking Purposes | MS | 1 | 2 | Nil |
| 658 | IS 15827 | Cladding Films for Greenhouse / Polyhouse | MS | 1 | 2 | Nil |
| 659 | IS 15939 | Pesticide - Bifenthrin Wettable Powder | MS | 1 | 2 | Nil |
| 660 | IS 16088 | Chlorinated Polyvinyl Chloride (CPVC) Pipes for Automatic Sprinkler Fire Extinguishing System - Specification | MS | 1 | 2 | Nil |
| 661 | IS 16227 : PART 2 | INSTRUMENT TRANSFORMERS PART 2 ADDITIONAL REQUIREMENTS FOR CURRENT TRANSFORMERS | OB/DP | 1 | 2 | Nil |
| 662 | IS 16246 | ELASTOMER INSULATED CABLES WITH LIMITED CIRCUIT INTEGRITY WHEN AFFECTED BY FIRE - SPECIFICATION | OB/DP | 1 | 1 | Only one Factory Sample and one Market Sample shall be drawn during an operative period of one year |
| 663 | IS 16651 | HIGH STRENGTH DEFORMED STAINLESS STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT - SPECIFICATION | MS | 1 | 2 | Nil |
| 664 | IS 1694 | Tartrazine, Food Grade | MS | 1 | 2 | Nil |
| 665 | IS 1695 | Sunset Yellow, FCF, Food Grade - Specification | MS | 1 | 2 | Nil |
| 666 | IS 17370 | p-Xylene Specification | DP | 1 | 2 | Nil |
| 667 | IS 17483 : PART 1 | GEO SYNTHETICS - GEOCELLS - SPECIFICATION - PART - 1 LOAD BEARING APPLICATION | OB/DP | 1 | 2 | Nil |
| 668 | IS 17483 : PART 2 | GEO SYNTHETICS - GEOCELLS - SPECIFICATION - PART - 2 SLOPE EROSION PROTECTION APPLICATION | OB/DP | 1 | 2 | Nil |
| 669 | IS 17505 : PART 1 | Specification for Thermosetting Insulated Fire Survival Cables for Fixed Installation having Low Emission of Smoke and Corrosive Gases when Affected by Fire for Working Voltages upto and including 1100 Vac and 1500 Vdc | OB/DP | 1 | 1 | 1 FS, 1 MS in one year. MS to be drawn for acceptance tests only. |
| 670 | IS 17526 | STAINLESS STEEL VACUUM FLASKS - SPECIFICATION | MS | 1 | 2 | In addition to the sample of product drawn during factory and market surveillance, sample shall also be drawn for independent testing of chemical composition of raw material of inner container. The same shall also be specifically mentioned in the test request of sample drawn. |
| 671 | IS 17566 | Key locks for security Equipment-Specification | Feedback | 2 | 0 | Nil |
| 672 | IS 1832 | Specification for Malathion, Technical | DP | 1 | 2 | Nil |
| 673 | IS 1838 : PART 1 | preformed fillers for expansion joint in concrete pavement and structures (non extruding and resilient type): Part 1 Bitumen impregnated fibre - Specification | MS | 1 | 2 | Nil |
| 674 | IS 1848 : PART 2 | WRITING AND PRINTING PAPERS SPECIFICATION PART 2 AIR MAIL/MANIFOLD, CARTRIDGE DRAWING AND CARTRIDGE WHITE, DUPLICATING ABSORBENT AND DUPLICATING SEMI-ABSORBENT AND POSTER MACHINE GLAZED TYPES | MS | 1 | 2 | Nil |
| 675 | IS 209 | Zinc Ingot | DP/OB | 1 | 2 | Nil |
| 676 | IS 2142 | Bromine, Technical | MS | 1 | 2 | Nil |
| 677 | IS 2590 | Primary aluminium ingots for remelting for general engineering purposes | DP | 1 | 2 | Nil |
| 678 | IS 2933 | Enamel exterior (a) undercoating, (b) finishing | MS | 1 | 2 | Nil |
| 679 | IS 3181 | Conveyor belts - Fire resistant conveyor belting for underground mines and such other hazardous applications | OB/DP | 1 | 2 | Nil |
| 680 | IS 3462 | Unbacked Flexible Pvc Flooring | MS | 1 | 2 | Nil |
| 681 | IS 3521 : PART 2 | Personal Fall Arrest Systems Specification Part 2 Lanyards and Energy Absorbers | DP | 1 | 2 | Nil |
| 682 | IS 4026 | Aluminium ingots billets and wire bars (EC grade) | DP | 1 | 2 | Nil |
| 683 | IS 428 | Washable Distemper - Specification | MS | 1 | 2 | Nil |
| 684 | IS 4588 | Rubber, Raw, Natural | MS | 1 | 2 | FS & MS drawn and tested by Rubber Board. |
| 685 | IS 4654 | Paraffin Wax | MS | 1 | 2 | Nil |
| 686 | IS 5158 | PHTHALIC ANHYDRIDE, TECHNICAL | MS | 1 | 2 | Nil |
| 687 | IS 542 | Coconut oil - Specification (Third Revision) | MS | 1 | 2 | Nil |
| 688 | IS 5456 | POSITIVE DISPLACEMENT TYPE AIR COMPRESSORS AND EXHAUSTERS | MS | 1 | 2 | Nil |

| | | | | | | |
|-----|-------------------------|--|----------|---|---|-----|
| 689 | IS 5852 : PART 1 | TOE CAPS FOR PROTECTION OF FEET PART 1 METALLIC TOE CAPS | DP | 1 | 2 | Nil |
| 690 | IS 617 | Aluminium and aluminium alloy ingots and castings for general engineering purposes | DP | 1 | 2 | Nil |
| 691 | IS 6406 | Brilliant Blue FCF, Food Grade | MS | 1 | 2 | Nil |
| 692 | IS 712 | Specification for Building Limes | MS | 1 | 2 | Nil |
| 693 | IS 797 | Common salt for chemical industries | MS | 1 | 2 | Nil |
| 694 | IS 8183 | Bonded Mineral Wool | Feedback | 2 | 0 | Nil |
| 695 | IS 8448 | Automatic Line Voltage Correctors (Step Type) for Domestic Use | MS | 1 | 2 | Nil |
| 696 | IS 9532 | Chakka And Shrikhand | MS | 2 | 4 | Nil |
| 697 | IS 9755 | Textiles - High Density Polyethylene (HDPE) / Polypropylene (pp) Woven Sacks for Packing Fertilizers | DP | 1 | 2 | Nil |
| 698 | IS 9836 | Exploders | DP/OB | 1 | 2 | Nil |
| 699 | IS/ISO 22702 | UTILITY LIGHTERS - GENERAL CONSUMER-SAFETY REQUIREMENTS | MS | 2 | 4 | Nil |
| 700 | IS 15100 | MULTIFUNCTION VALVE ASSEMBLY FOR PERMANENTLY FIXED LIQUEFIED PETROLEUM GAS (LPG) CONTAINERS FOR AUTOMOTIVE USE | Feedback | 2 | 0 | nil |
| 701 | IS 15962 | Structural Steels for Building and Structures with Improved Seismic Resistance | DP | 1 | 2 | Nil |
| 702 | IS 17945 | FOOD FOR SPECIAL MEDICAL PURPOSE INTENDED FOR INFANTS $\frac{1}{2}$ SPECIFICATION | MS | 2 | 4 | Nil |
| 703 | IS 1993 | COLD-REDUCED TINMILL PRODUCTS - ELECTROLYTIC TINPLATE | DP | 1 | 2 | Nil |
| 704 | IS 5168 | GLASS FEEDING BOTTLES | MS | 2 | 4 | Nil |
| 705 | IS 7142 | Welded low carbon steel cylinders for low pressure liquifiable gases not exceeding 5 litre water capacity - Specification | DP | 1 | 2 | Nil |
| 706 | IS 16890 | TEXTILES - PROTECTIVE CLOTHING FOR FIREFIGHTERS | DP | 2 | 4 | Nil |
| 707 | IS 3831 | Sterilizer, Shallow (dressing drum) | MS | 2 | 4 | Nil |
| 708 | IS 4948 | Welded Steel Wire Fabric for General Use - Specification (Third Revision) | OB/DP | 2 | 4 | Nil |
| 709 | IS 7312 | WELDED AND SEAMLESS STEEL DISSOLVED ACETYLENE GAS CYLINDERS | DP | 2 | 4 | Nil |
| 710 | IS 4505 | SODIUM FORMALDEHYDE SULPHOXYLATE | MS | 2 | 4 | Nil |
| 711 | IS 6149 | Single-ended Open-jaw Adjustable Wrenches | MS | 2 | 4 | Nil |
| 712 | IS 15833 | Stainless Steel Tower Bolts -specification | MS | 2 | 4 | Nil |
| 713 | IS 1855 | Stranded steel wire ropes for winding and man - Riding haulages in mines - Specification Third Revision | DP | 2 | 4 | Nil |
| 714 | IS 2833 | ANILINE, TECHNICAL | DP | 2 | 4 | Nil |
| 715 | IS 4296 : PART 2 | Tools for pressing: Part 2 punches with cylindrical head and straight or reduced shank (First Revision) | MS | 2 | 4 | Nil |
| 716 | IS 2835 | FLAT TRANSPARENT SHEET GLASS | MS | 2 | 4 | Nil |
| 717 | IS 7652 | Sphygmomanometer, Aneroid Type | MS | 2 | 4 | Nil |
| 718 | IS 7226 | COLD ROLLED MEDIUM, HIGH CARBON AND LOW ALLOY STEEL STRIP FOR GENERAL ENGINEERING PURPOSES | DP | 2 | 4 | Nil |
| 719 | IS 7593 : PART 1 | Power-Operated Pneumatic Sprayer-Cum-Duster - Part 1 : Knapsack Type | MS | 2 | 4 | Nil |
| 720 | IS 10577 | Lancing pipes | DP | 2 | 4 | Nil |
| 721 | IS 14399 : PART 1 AND 2 | Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resin (GRP) Sectional Water Storage Tanks : Part 1 paela, Part 2 Guidelines for assembly, installation and test | MS | 2 | 4 | Nil |
| 722 | IS 5604 | Specification for Hand-operated Universal Gearless Pulling and Lifting Machines | DP | 2 | 4 | Nil |
| 723 | IS 4003 : PART 2 | Pipe Wrenches - Part 2 : Heavy Duty | MS | 2 | 4 | Nil |
| 724 | IS 5513 | Specification for vicat apparatus | MS | 2 | 4 | Nil |
| 725 | IS 2029 | Ring Wrenches (Spanners) | MS | 2 | 4 | Nil |
| 726 | IS 2558 | Ponceau 4R, Food Grade | MS | 2 | 4 | Nil |
| 727 | IS 8521 : PART 1 | Industrial safety face shields Part 1 With plastic visor | MS | 2 | 4 | Nil |
| 728 | IS 11785 | Captan (Wettable Powder) WP | MS | 1 | 2 | Nil |
| 729 | IS 1223 | Apparatus for Determination of Milk Fat by Gerber Method | DP | 1 | 2 | Nil |
| 730 | IS 12444 | Continuously cast and rolled electrolytic copper wire rods for electrical conductors | DP | 1 | 2 | Nil |
| 731 | IS 12751 | Pesticides - Pendimethalin EC | DP | 1 | 2 | Nil |
| 732 | IS 1374 | Poultry Feeds | MS | 1 | 2 | Nil |
| 733 | IS 1488 | Pesticides - 2, 4-D Sodium Salt, Technical | DP | 1 | 2 | Nil |
| 734 | IS 15834 | Stainless Steel Sliding Door Bolts For Use With Padlocks - specification | MS | 1 | 2 | Nil |
| 735 | IS 15909 | PVC GEOMEMBRANES FOR LINING SPECIFICATION | DP | 1 | 2 | Nil |
| 736 | IS 17079 | RUBBER MODIFIED BITUMEN (RMB) - SPECIFICATION | MS | 1 | 2 | Nil |
| 737 | IS 17358 : PART 1 | Agro Textiles - Fencing Nets for Agriculture and Horticulture Purposes - Specification Part 1 Fencing Nets Made from Extruded Polymer Mesh | DP | 1 | 2 | Nil |
| 738 | IS 191 | Copper | DP | 1 | 2 | Nil |
| 739 | IS 3735 | CANVAS SHOES, RUBBER SOLE | MS | 1 | 2 | Nil |
| 740 | IS 3818 | Continuous (Piano) hinges -Specification | MS | 1 | 2 | Nil |
| 741 | IS 3903 | Dimethoate Emulsifiable Concentrates | DP | 1 | 2 | Nil |
| 742 | IS 4605 | CREPE BANDAGE | MS | 2 | 4 | Nil |
| 743 | IS 8028 | Quinalphos EC | DP | 1 | 2 | Nil |
| 744 | IS 8808 | Burners for Oil Pressure Stoves and Oil Pressure Heaters | MS | 1 | 2 | Nil |
| 745 | IS 10065 | Roasted Groundnut (Peanut) Kernels | Feedback | 2 | 0 | Nil |
| 746 | IS 10238 | Fasteners - Threaded Steel Fastener - Step Bolts for Steel Structures | DP | 1 | 2 | Nil |

| | | | | | | |
|-----|--------------------|---|-------------|---|---|---|
| 747 | IS 10245 : PART 3 | Breathing Apparatus - Part 3 : Fresh Air Hose and Compressed Air Line Breathing Apparatus | Feedback | 2 | 0 | Nil |
| 748 | IS 10350 | Powder Hair Dyes | MS | 2 | 4 | Nil |
| 749 | IS 10508 | Phosphoric Acid, Food Grade | MS | 1 | 2 | Nil |
| 750 | IS 1069 | QUALITY TOLERANCES FOR WATER FOR STORAGE BATTERIES - SPECIFICATION | MS | 1 | 2 | Nil |
| 751 | IS 10891 : PART 1 | Steel Wire Ropes for Aerial ropeways - Part 1 : Haulage Ropes | OB/DP | 1 | 2 | Nil |
| 752 | IS 11010 | Ziram Colloidal Suspension | DP | 1 | 2 | Nil |
| 753 | IS 12594 | Hot-dip Zinc Coating on Structural Steel Bars for Concrete Reinforcement | DP | 1 | 2 | Nil |
| 754 | IS 12913 | Bromadiolone CB | DP | 1 | 2 | Nil |
| 755 | IS 12923 | Cane GUR (Jaggery) | MS | 2 | 4 | Nil |
| 756 | IS 13213 | POLYURETHANE FULL GLOSS ENAMEL (TWO PACK) | MS | 1 | 2 | Nil |
| 757 | IS 13730 : PART 13 | Specifications for Particular Types of Winding Wires Part 13 Polyester or Polyesterimide Overcoated with Polyamide-Imide Enamelled Round Copper Wire, Class 200 | MS | 1 | 2 | Nil |
| 758 | IS 13774 | Live Working Gloves of Insulating Material (Second Revision) | OB/DP | 1 | 2 | Nil |
| 759 | IS 13785 | Pesticide - Dodine WP | DP | 1 | 2 | Nil |
| 760 | IS 1422 | Cotton Duck | DP | 1 | 2 | Nil |
| 761 | IS 14276 | CEMENT BONDED PARTICLE BOARDS -SPECIFICATION | MS | 1 | 2 | Nil |
| 762 | IS 14483 : PART 3 | FERTILIZER AND CHEMICAL INJECTOR SYSTEM PART 3 FERTILIZER TANK - SPECIFICATION | Feedback | 2 | 0 | Nil |
| 763 | IS 14500 | Linear Low Density Polyethylene (LLDPE) Films | DP/OB | 1 | 2 | Nil |
| 764 | IS 14605 | Irrigation Equipment - Micro Sprayer | MS | 1 | 2 | Nil |
| 765 | IS 14746 | Respiratory Protective Devices - Half Masks And Quarter Masks | Feedback | 2 | 0 | Nil |
| 766 | IS 14806 | Azospirillum Inoculent | DP | 1 | 2 | Nil |
| 767 | IS 14858 | Requirements for compression testing machine used for testing of concrete and mortar | Feedback | 2 | 0 | Nil |
| 768 | IS 14951 | Fire Extinguisher - 135 Litres Capacity Mechanical Foam Type - | Feedback | 2 | 0 | Nil |
| 769 | IS 1537 | Vertically cast iron pressure pipes for water, gas and sewage | DP | 1 | 2 | Nil |
| 770 | IS 15381 | Fire Blanket - Specification (First Revision) | MS | 1 | 2 | Nil |
| 771 | IS 15808 | Multi-Grade Bitumen for use in pavement construction | Feedback | 2 | 0 | Nil |
| 772 | IS 15848 | Zinc sulphate, monohydrate, agricultural grade | DP | 1 | 2 | Nil |
| 773 | IS 16176 | Ratchet Pipe Threader for Taper Pipe Threads (R- Series) - Specification | DP | 1 | 2 | Nil |
| 774 | IS 16352 | GEOSYNTHETICS - HIGH DENSITY POLYETHYLENE (HDPE) GEOMEMBRANES FOR LINING - SPECIFICATION | DP | 1 | 2 | Nil |
| 775 | IS 16481 | Textiles Synthetic Micro Fibres for Use in Cement Based Matrix Specification First Revision | DP | 1 | 2 | Nil |
| 776 | IS 16627 | AGRO TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE) LAMINATED WOVEN LAY FLAT TUBE FOR USE IN MAINS AND SUBMAINS OF DRIP IRRIGATION SYSTEM - SPECIFICATION | DP | 1 | 2 | Nil |
| 777 | IS 16653 | Geosynthetics – Needle punched nonwoven geobags for coastal and waterways protection – Specification | DP/Feedback | 1 | 2 | Nil |
| 778 | IS 1697 | Erythrosine, Food Grade | MS | 1 | 2 | Nil |
| 779 | IS 17016 | CATIONIC MODIFIED BITUMEN EMULSION | Feedback | 2 | 0 | Nil |
| 780 | IS 17018 : PART 1 | SOLAR PHOTOVOLTAIC WATER PUMPING SYSTEMS PART 1 CENTRIFUGAL PUMPS SPECIFICATION | DP | 1 | 2 | Nil |
| 781 | IS 17150 | MINI DOMESTIC WATER HEATER FOR USE WITH PIPED NATURAL GAS (PNG) SPECIFICATION | MS | 2 | 4 | Nil |
| 782 | IS 17216 | POLYETHYLENE MULCH FILMS FOR AGRICULTURE AND HORTICULTURE - SPECIFICATION | MS | 1 | 2 | Nil |
| 783 | IS 17371 | GEOSYNTHETICS - GEOGRIDS FOR FLEXIBLE PAVEMENTS - SPECIFICATION | DP | 1 | 2 | Nil |
| 784 | IS 17373 | GEOSYNTHETICS - GEOGRIDS USED IN REINFORCED SOIL RETAINING STRUCTURES - SPECIFICATION | DP | 1 | 2 | Nil |
| 785 | IS 17480 | High Density Polyethylene Multi Squeezable Tube for Packaging - Specification | DP | 1 | 2 | Nil |
| 786 | IS 17541 | Modular panel for security of premises specification | Feedback | 2 | 0 | One factory sample in 2 years for all tests including Burglary resistance test while one factory sample every alternate year for all tests except Burglary resistance test. |
| 787 | IS 1806 | MALTED MILK FOODS | MS | 2 | 4 | Nil |
| 788 | IS 1834 | Hot Applied Sealing Compounds for Joints in Concrete- Specification | Feedback | 2 | 0 | Nil |
| 789 | IS 1932 | Mustard and Rape Seed Oilcake as Livestock Feed Ingredient | MS | 1 | 2 | Nil |
| 790 | IS 1970 | Crop Protection Equipment - Hand- Operated Compression Knapsack Sprayer | Feedback | 2 | 0 | Nil |
| 791 | IS 1971 | Crop protection equipment - Hand-operated stirrup-type sprayer | MS | 1 | 2 | Nil |
| 792 | IS 2097 | Foam Making Branch Pipe and Foam Inductor- Specification | MS | 1 | 2 | Nil |
| 793 | IS 21 | Wrought Aluminium and Aluminium Alloys for Manufacture of Utensils | DP | 1 | 2 | Nil |
| 794 | IS 2124 | Sodium Bicarbonate | MS | 1 | 2 | Nil |
| 795 | IS 2386 : PART 3 | Methods of test for aggregates for concrete Part 3 Specific gravity, density, voids, absorption and bulking | MS | 1 | 2 | Nil |
| 796 | IS 251 | Soda Ash, Technical | MS | 1 | 2 | Nil |
| 797 | IS 2546 | Specification for galvanized mild steel fire bucket | MS | 1 | 2 | Nil |
| 798 | IS 2552 | Steel Drums (galvanized And Ungalvanized) | DP | 1 | 2 | Nil |
| 799 | IS 2557 | Annatto Colour for Food Products | MS | 1 | 2 | Nil |

| | | | | | | |
|-----|-----------------------|--|----------|---|---|-----|
| 800 | IS 2581 | Round Strand Galvanized Steel Wire Ropes for Shipping Purposes | DP | 1 | 2 | Nil |
| 801 | IS 2631 | iso Propyl Alcohol | MS | 1 | 2 | Nil |
| 802 | IS 27 | Pig Lead | DP/OB | 1 | 2 | Nil |
| 803 | IS 2791 | SOLUBLE COFFEE POWDER - SPECIFICATION (FOURTH REVISION OF IS 2791) | MS | 2 | 4 | Nil |
| 804 | IS 3117 | Bitumen Emulsion for Roads and Allied Applications (Anionic Type) | Feedback | 2 | 0 | Nil |
| 805 | IS 3312 | Steel Shelving Cabinets (Adjustable Type) - Specification (Third Revision) | Feedback | 2 | 0 | Nil |
| 806 | IS 3443 | Crane Rail Sections - | OB/DP | 1 | 2 | Nil |
| 807 | IS 3521 : PART 5 | Personal Fall Arrest Systems Specification Part 5 Connectors with self-closing and self-locking gates | Feedback | 2 | 0 | Nil |
| 808 | IS 3521 : PART 8 | Personal Fall Arrest Systems Specification Part 8 Flexible horizontal lifeline systems | Feedback | 2 | 0 | Nil |
| 809 | IS 3549 | WATER SUCTION AND DISCHARGE HOSE OF RUBBER, HEAVY DUTY (COVERS IS 2410 : 1963 ALSO) | MS | 1 | 2 | Nil |
| 810 | IS 3623 | Guide and Rubbing Ropes | OB/DP | 1 | 2 | Nil |
| 811 | IS 3725 | Resistance wires, tapes and strips for heating elements | OB/DP | 1 | 2 | Nil |
| 812 | IS 3736 | Canvas Boots, Rubber Sole | MS | 1 | 2 | Nil |
| 813 | IS 3768 | Ventilation Ducting - Vinyl Coated, Flexible and Semi-Rigid | DP | 1 | 2 | Nil |
| 814 | IS 3899 | Specifaicon for Zineb Water Dispersible Powders | DP | 1 | 2 | Nil |
| 815 | IS 411 | Titanium dioxide, anatase, for paints | MS | 1 | 2 | Nil |
| 816 | IS 44 | Iron Oxide Pigments for Paints | MS | 1 | 2 | Nil |
| 817 | IS 4533 | Suction Apparatus | MS | 1 | 2 | Nil |
| 818 | IS 4684 | Edible Groundnut Flour (Expeller Pressed) | DP | 1 | 2 | Nil |
| 819 | IS 538 | Phenol (Carbolic Acid) | DP | 1 | 2 | Nil |
| 820 | IS 5487 | Metal Polish, Liquid | MS | 1 | 2 | Nil |
| 821 | IS 553 | Rosin (gum rosin) | DP | 1 | 2 | Nil |
| 822 | IS 5557 | INDUSTRIAL AND PROTECTIVE RUBBER KNEE AND ANKLE BOOTS | MS | 1 | 2 | Nil |
| 823 | IS 6047 | Scouring products for utensil cleaning - Specification | MS | 1 | 2 | Nil |
| 824 | IS 695 | ACETIC ACID | MS | 1 | 2 | Nil |
| 825 | IS 6956 | Cover Paper | MS | 1 | 2 | Nil |
| 826 | IS 12650 | TEXTILES - JUTE BAGS FOR PACKING 50 KG FOODGRAINS | DP | 1 | 2 | Nil |
| 827 | IS 7021 | PROTEIN-RICH FOOD SUPPLEMENTS FOR INFANTS AND PRESCHOOL CHILDREN | MS | 2 | 4 | Nil |
| 828 | IS 704 | Crow-bars and Claw-bars | MS | 1 | 2 | Nil |
| 829 | IS 7079 | Automotive vehicles - Brake hose assemblies for hydraulic braking systems used with non-petroleum base brake fluid | DP | 1 | 2 | Nil |
| 830 | IS 723 | Steel Countersunk Head Wire Nails | MS | 1 | 2 | Nil |
| 831 | IS 7983 | Toilet Cleaner Liquid | MS | 2 | 4 | Nil |
| 832 | IS 8008 : PART 1 | Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 1 : General Requirements for Fittings | MS | 1 | 2 | Nil |
| 833 | IS 8291 | Phenthoate Emulsifiable Concentrates | DP | 1 | 2 | Nil |
| 834 | IS 8391 : PART 3 | Rubberized coir sheets for cushioning – Specification Part 3 Sandwiched (third revision) | DP | 1 | 2 | Nil |
| 835 | IS 8418 | Horizontal Centrifugal Self-priming Pumps | MS | 1 | 2 | Nil |
| 836 | IS 868 | Sealing wax | MS | 1 | 2 | Nil |
| 837 | IS 899 | Tapioca Sago (Sabooodana) | DP | 2 | 4 | Nil |
| 838 | IS 9396 : PART 1 | Round Open Top Sanitary Cans for Foods and Drinks - Part 1 : Tinplate | DP | 1 | 2 | Nil |
| 839 | IS 9585 | Lactometers - Specification | OB/DP | 1 | 2 | Nil |
| 840 | IS/IEC 61331 : PART 3 | PROTECTIVE DEVICES AGAINST DIAGNOSTIC MEDICAL X-RADIATION PART 3: PROTECTIVE CLOTHING, EYEWEAR AND PROTECTIVE PATIENT SHIELDS | Feedback | 2 | 0 | Nil |
| 841 | IS 11657 | PHOSPHORUS OXYCHLORIDE TECHNICAL SPECIFICATION First Revision | DP | 1 | 2 | Nil |
| 842 | IS 12146 | Carbon Manganese Steel Forgings for Pressure Vessels | Feedback | 2 | 0 | Nil |
| 843 | IS 1566 | HARD-DRAWN STEEL WIRE FABRIC FOR CONCRETE REINFORCEMENT | MS | 1 | 2 | Nil |
| 844 | IS 15895 | High alumina refractory cement - Specification (First Revision) | DP | 1 | 2 | Nil |
| 845 | IS 3024 | GRAIN ORIENTED ELECTRICAL STEEL SHEETS AND STRIPS | OB/DP | 1 | 2 | Nil |
| 846 | IS 3055 : PART 2 | Clinical thermometers-Part 2: Enclosed scale type-Specification | MS | 2 | 4 | Nil |
| 847 | IS 3195 | STEEL FOR THE MANUFACTURE OF VOLUTE AND HELICAL SPRINGS (FOR RAILWAY ROLLING STOCK) | DP | 1 | 2 | Nil |
| 848 | IS 4223 | STEEL WIRE FOR UMBRELLA RIBS | DP | 1 | 2 | Nil |
| 849 | IS 4454 : PART 2 | Steel Wires for Mechanical Springs - Part II : Oil Hardened and Tempered Spring Steel Wire and Valve Spring Wire - Unalloyed | DP | 1 | 2 | Nil |
| 850 | IS 4454 : PART 4 | STEEL WIRES FOR MECHANICAL SPRINGS - PART 4 : STAINLESS STEEL WIRE | DP | 1 | 2 | Nil |
| 851 | IS 5489 | CARBURIZING STEELS FOR USE IN BEARING INDUSTRY | DP | 1 | 2 | Nil |
| 852 | IS 5518 | STEELS FOR DIE BLOCKS FOR DROP FORGING | DP | 1 | 2 | Nil |
| 853 | IS 7494 | Steel for valves for internal combustion engines | DP | 1 | 2 | Nil |
| 854 | IS 8951 | STEEL CAST BILLET IGNOTS, BILLETS AND BLOOMS FOR PRODUCTION OF HIGH CARBON STEEL WIRE RODS | DP | 1 | 2 | Nil |
| 855 | IS 8952 | STEEL INGOTS, BLOOMS AND BILLETS FOR PRODUCTION OF MILD STEEL WIRE RODS FOR GENERL ENGINEERING PURPOSES | DP | 1 | 2 | Nil |
| 856 | IS/ISO 11951 | Cold - Reduced tinmill products - Blackplate (First Revision) | OB/DP | 1 | 2 | Nil |

| | | | | | | |
|-----|---------------------------|---|----------|---|---|-----|
| 857 | IS 11226 | LEATHER SAFETY FOOTWEAR HAVING DIRECT MOULDED RUBBER SOLE | MS | 2 | 4 | Nil |
| 858 | IS 1370 | Transmission Belting - Friction Surface Rubber Belting | MS | 2 | 4 | Nil |
| 859 | IS 14928 | Textiles - Composite Synthetic Fibre Ropes | DP | 2 | 4 | Nil |
| 860 | IS 15476 | Bamboo Mat Corrugated Sheets -Specification | DP | 2 | 4 | Nil |
| 861 | IS 15786 | Prelaminated cement bonded particle board -Specification | MS | 2 | 4 | Nil |
| 862 | IS 3118 | Electric Bacteriological Incubators | MS | 2 | 4 | Nil |
| 863 | IS 3119 | Hot Air Sterilizers | MS | 2 | 4 | Nil |
| 864 | IS 5514 | Specification Apparatus Used in 'Le-chatelier' Test | MS | 2 | 4 | Nil |
| 865 | IS 12586 | Brazed low carbon steel gas cylinders not exceeding 13 litre water capacity Specification | DP | 2 | 4 | Nil |
| 866 | IS 9573 : PART 1 | RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 1 INDUSTRIAL APPLICATION | DP | 2 | 4 | Nil |
| 867 | IS 5676 | MOULDED SOLID RUBBER SOLES AND HEELS | OB/DP | 2 | 4 | Nil |
| 868 | IS 14544 | LEATHER SAFETY FOOTWEAR WITH DIRECT MOULDED PVC SOLES | MS | 2 | 4 | Nil |
| 869 | IS 302 : PART 2 : SEC 76 | Safety of Household and Similar Electrical Appliances - Part 2 : Particular Requirements - Section 76 : Electric Fence Energizers | MS | 2 | 4 | Nil |
| 870 | IS 3565 | Teats for Feeding Bottles | MS | 2 | 4 | Nil |
| 871 | IS 5516 | Specification variable flow type air-permeability apparatus (Blaine type) | MS | 2 | 4 | Nil |
| 872 | IS 920 | Common Salt and Cattle Licks for Animal Consumption | MS | 2 | 4 | Nil |
| 873 | IS 9516 | HEAT RESISTING STEEL | DP | 2 | 4 | Nil |
| 874 | IS 3450 | Carbon Papers, Handwriting | MS | 2 | 4 | Nil |
| 875 | IS 2185 : PART 1 | Concrete masonry units - : Part 1 Hollow and solid concrete blocks | DP | 1 | 2 | Nil |
| 876 | IS 5342 | Ascorbic Acid, Food Grade | MS | 1 | 2 | Nil |
| 877 | IS 12016 | Cypermethrin EC | MS | 1 | 2 | Nil |
| 878 | IS 12492 | Thermoplastics Hoses (Textile Reinforced) for Compressed Air | MS | 1 | 2 | Nil |
| 879 | IS 1364 : PART 2 | Hexagon Head Bolts, Screws and Nuts of Product Grades A and B - Part 2 : Hexagon Head Screws (Size Range M 1.6 to M 64) | MS/DP | 1 | 2 | Nil |
| 880 | IS 13703 : PART 2 : SEC 1 | Low-voltage fuses for voltages not exceeding 1 000 V AC or 1 500 V DC: Part 2 Fuses for use by authorized persons, Sec 1 Supplementary requirements | MS | 1 | 2 | Nil |
| 881 | IS 14106 | DIRECT ACTION HANDPUMP | MS | 1 | 2 | Nil |
| 882 | IS 14552 | Thiophanate Methyl, WP | DP | 1 | 2 | Nil |
| 883 | IS 14807 | Phosphate Solubilising Bacterial Inoculant (PSBI) | DP | 1 | 2 | Nil |
| 884 | IS 164 | READY MIXED PAINT FOR ROAD MARKING | DP | 1 | 2 | Nil |
| 885 | IS 1824 | Specification for Insecticidal Space Spray | DP | 1 | 2 | Nil |
| 886 | IS 2932 : PART 1 | Enamel, Synthetic, Exterior : (a) Undercoating (b) Finishing - Specification : Part 1 for Domestic and Decorative Applications | MS | 1 | 2 | Nil |
| 887 | IS 5035 | Sterilizers, Bowl and Utensil (Pedal Type) | Feedback | 2 | 0 | Nil |
| 888 | IS 6046 | Gypsum for Agricultural Use | DP | 1 | 2 | Nil |
| 889 | IS 6073 | Autoclaved Reinforced Cellular Concrete Floor And Roof Slabs - | Feedback | 2 | 0 | Nil |
| 890 | IS 638 | Sheet Rubber Jointing and Rubber Insertion Jointing | MS | 1 | 2 | Nil |
| 891 | IS 8035 | HANDPUMP- SHALLOW WELL- SPECIFICATION | DP | 1 | 2 | Nil |
| 892 | IS 10079 | Specification For Cylindrical Metal Measures For Use In Tests Of Aggregates And Concrete | MS | 1 | 2 | Nil |
| 893 | IS 10228 | School Bag | MS | 2 | 4 | Nil |
| 894 | IS 10301 | Isopropyl Alcohol for Cosmetic Industry | DP | 1 | 2 | Nil |
| 895 | IS 10647 | Wheel Bearing Grease | MS | 1 | 2 | Nil |
| 896 | IS 10931 | Lauric Acid | DP/OB | 1 | 2 | Nil |
| 897 | IS 11006 | Flash Back Arrestor (Flame Arrestor) | DP | 1 | 2 | Nil |
| 898 | IS 1117 | Laboratory Glassware-Single-Volume Pipettes | MS | 1 | 2 | Nil |
| 899 | IS 11241 | Portable Liquefied Petroleum Gas Appliances Operating at Vapour Pressure | Feedback | 2 | 0 | Nil |
| 900 | IS 11279 | Braille Slate | Feedback | 2 | 0 | Nil |
| 901 | IS 11313 | Hydraulic Power Sprayers | Feedback | 2 | 0 | Nil |
| 902 | IS 1155 | Wheat Atta | MS | 2 | 4 | Nil |
| 903 | IS 11569 | Cervical Collar | MS | 1 | 2 | Nil |
| 904 | IS 1159 | Baking Powder | MS | 2 | 4 | Nil |
| 905 | IS 11646 : PART 2 | Cane for Visually Handicapped - Part 2 : Folding Type | MS | 1 | 2 | Nil |
| 906 | IS 11686 | Isopropyl Alcohol, Food Grade | DP | 1 | 2 | Nil |
| 907 | IS 11708 | Hand, Mechanical | MS | 1 | 2 | Nil |
| 908 | IS 1180 : PART 3 | Outdoor/Indoor Type Liquid Immersed Distribution Transformers Up to and Including 2 500 kVA, 33 kV — Specification Part 3 Natural/Synthetic Organic Ester Liquid Immersed | Feedback | 2 | 0 | Nil |
| 909 | IS 11833 | Specification For Dry Powder Fire Extinguisher For Metal Fires | MS | 1 | 2 | Nil |
| 910 | IS 11855 | Design and use of rubber seals for hydraulic gates - Recommendations (Second Revision) | DP | 1 | 2 | Nil |
| 911 | IS 11997 | Fenvalerate EC | MS | 1 | 2 | Nil |
| 912 | IS 12118 : PART 1 | Two-part Polysulphide- Based Sealants - Specification Part 1 General Requirements | MS | 1 | 2 | Nil |
| 913 | IS 12337 | Manually Operated Fertilizer Broadcaster | DP | 1 | 2 | Nil |
| 914 | IS 12664 : PART 1 | Artificial Limbs - Sach Foot for Lower Extremity Prostheses - Part 1 : Design and Dimensions | MS | 1 | 2 | Nil |
| 915 | IS 12681 | Sodium Nitrate for Explosives and Pyrotechnics Industry | DP | 1 | 2 | Nil |
| 916 | IS 12685 | Pesticides - Pendimethalin, Technical | DP | 1 | 2 | Nil |
| 917 | IS 1285 | Wrought Aluminium and Aluminium Alloys - Extruded Round Tube and Hollow Sections for General Engineering Purposes | DP | 1 | 2 | Nil |

| | | | | | | |
|-----|----------------------------|--|----------|---|---|--|
| 918 | IS 12866 | Plastic Translucent Sheets made from Thermo-Setting Polyester Resin Glassfibre Reinforced - Specification | Feedback | 2 | 0 | Nil |
| 919 | IS 12931 | Atrazine WP | DP | 1 | 2 | Nil |
| 920 | IS 12950 | Battery hydrometer portable syringe type for lead-acid batteries | Feedback | 2 | 0 | Nil |
| 921 | IS 12981 | Common Salt - Iron Fortified | DP | 2 | 4 | Nil |
| 922 | IS 13000 | Silica-asbestos-cement Flat Sheets - | DP | 1 | 2 | Nil |
| 923 | IS 13114 | forged brass gate, globe and check valves for water works purposes | MS | 1 | 2 | Nil |
| 924 | IS 13152 : PART 1 | Portable Solid Bio-Mass Cookstove (Chulha) | DP | 1 | 2 | Nil |
| 925 | IS 1319 | Edible Tapioca Starch | DP | 1 | 2 | Nil |
| 926 | IS 13238 | EPOXY BASED ZINC PHOSPHATE PRIMER TWO PACK - SPECIFICATION FIRST REVISION | DP | 1 | 2 | Nil |
| 927 | IS 13382 | CAST IRON SPECIALS FOR MECHANICAL AND PUSH-ON FLEXIBLE JOINTS FOR PRESSURE PIPES FOR WATER, GAS AND SEWAGE | DP | 1 | 2 | Nil |
| 928 | IS 13450 : PART 2 : SEC 25 | MEDICAL ELECTRICAL EQUIPMENT PART 2 PARTICULAR REQUIREMENTS FOR THE BASIC SAFETY AND ESSENTIAL PERFORMANCE SECTION 25 ELECTROCARDIOGRAPHS | Feedback | 2 | 0 | Two Factory Samples to be drawn during an operative period of one year for all tests except EMC test. No Market Sample to be drawn |
| 929 | IS 13450 : PART 2 : SEC 44 | Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 44 X-ray equipment for computed tomography (First Revision) | Feedback | 2 | 0 | Licence is to be granted and operated on factory testing basis, 2 man-days are required for complete testing of the product. |
| 930 | IS 13466 | Brushes for Electrical Machines | OB/DP | 1 | 2 | Nil |
| 931 | IS 13502 | Pig Iron | DP | 1 | 2 | Nil |
| 932 | IS 13692 | Metalaxyl Mancozeb WP | Feedback | 2 | 0 | Nil |
| 933 | IS 13730 : PART 8 | Specification for Particular Types of Winding Wires Part 8 Polyesterimide Enamelled Round Copper Wire, Class 180 | MS | 1 | 2 | Nil |
| 934 | IS 1381 : PART 1 | Laboratory Glassware - Narrow-Necked Boiling Flasks | MS | 1 | 2 | Nil |
| 935 | IS 13921 | CHELATED ZINC (ZN-EDTA) AGRICULTURAL GRADE | MS | 1 | 2 | Nil |
| 936 | IS 1395 | Low And Medium Alloy Steel Covered Electrodes For Manual Metal Arc Welding | MS | 1 | 1 | 1 FS and 1 MS shall be drawn for complete testing in an operative year |
| 937 | IS 13958 | Bamboo Mat Board For General Purposes -specification | Feedback | 2 | 0 | Nil |
| 938 | IS 1397 | Kraft Paper | MS | 1 | 2 | Nil |
| 939 | IS 14128 | N-(1,3-Dimethylbutyl)-N-Phenyl paraphenylenediamine (6 PPD) | DP | 1 | 2 | Nil |
| 940 | IS 14158 | Cyfluthrin WP | DP | 1 | 2 | Nil |
| 941 | IS 14183 | Pesticide - Cartap Hydrochloride SP | DP | 1 | 2 | Nil |
| 942 | IS 14261 | Transmission Devices - V-belts - Endless Narrow V-belts for Industrial Use | Feedback | 2 | 0 | Nil |
| 943 | IS 14429 | Braille Shorthand Machine, | Feedback | 2 | 0 | Nil |
| 944 | IS 14439 : PART 2 | Legal Metrology - Gas Volume Meters - Part 2 : Diaphragm Gas Meters | Feedback | 2 | 0 | Nil |
| 945 | IS 14616 | Laminated veneer lumber -Specification | MS | 1 | 2 | Nil |
| 946 | IS 14635 : PART 1 | FLUOROPOLYMER DISPERSIONS AND MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM | DP | 1 | 2 | Nil |
| 947 | IS 14709 | N-BUTYL ACRYLATE | DP | 1 | 2 | Nil |
| 948 | IS 14856 | Glass Fibre Reinforced Plastic (GRP) Panel Type Door Shutters for Internal Use - | MS | 1 | 2 | Nil |
| 949 | IS 14982 | ANTI-STRIPPING AGENTS FOR BITUMEN ADDITION SPECIFICATION | Feedback | 2 | 0 | Nil |
| 950 | IS 15165 | Tebuconazole, Technical | DP/OB | 1 | 2 | Nil |
| 951 | IS 15182 | Propiconazole E.C. | MS | 1 | 2 | Nil |
| 952 | IS 15228 | Cyfluthrin - Emulsion in Water (EW) | DP | 1 | 2 | Nil |
| 953 | IS 15236 | Profenofos + Cypermethrin Emulsifiable Concentrate | DP | 1 | 2 | Nil |
| 954 | IS 15322 | Particle Filters Used in Respiratory Protective Equipment | Feedback | 2 | 0 | Nil |
| 955 | IS 15335 | Imidacloprid SL | DP | 1 | 2 | Nil |
| 956 | IS 15443 | Imidacloprid Technical | DP | 1 | 2 | Nil |
| 957 | IS 15489 | Paint, Plastic Emulsion - Specification | MS | 1 | 2 | Nil |
| 958 | IS 1551 | Carbon papers for typewriter | MS | 1 | 2 | Nil |
| 959 | IS 15601 | Cymoxanil + Mancozeb Wettable Powder | DP | 1 | 2 | Nil |
| 960 | IS 15623 | Melamine (2, 4, 6 triamino 1, 3, 5 triazine) | DP | 1 | 2 | Nil |
| 961 | IS 15748 | Protective clothing - Clothing to protect against heat and flame - Minimum performance requirements (first revision) | DP | 1 | 2 | Nil |
| 962 | IS 158 | Ready Mixed Paint, Brushing, Bituminous, Black, Lead-free, Acid, Alkali And Heat Resisting | MS | 1 | 2 | Nil |
| 963 | IS 16011 | Aluminium and Aluminium Alloy Foil for Pharmaceutical Packaging Specification | DP | 1 | 2 | Nil |
| 964 | IS 16015 | MORTICE LOCKS AND LATCHES MECHANICALLY OPERATED SPECIFICATION REQUIREMENTS AND TEST METHODS | Feedback | 2 | 0 | Nil |
| 965 | IS 16111 | Elastic Bandage | DP | 1 | 2 | Nil |
| 966 | IS 16112 | BETA PICOLINE - SPECIFICATION | DP | 1 | 2 | Nil |
| 967 | IS 16113 | GAMMA PICOLINE | DP | 1 | 2 | Nil |
| 968 | IS 16145 | Fipronil Suspension Concentrate (SC) | DP | 1 | 2 | Nil |
| 969 | IS 16240 | REVERSE OSMOSIS RO BASED POINT-OF-USE POU WATER TREATMENT SYSTEM FOR DRINKING PURPOSES SPECIFICATION first revision | MS | 1 | 2 | Nil |
| 970 | IS 1626 : PART 2 | Asbestos cement building pipes and pipe fittings, gutters and gutter fittings and roofing fittings - Part 2 Gutter and gutter fittings) | DP | 1 | 2 | Nil |

| | | | | | | |
|------|-----------------------|---|----------|---|---|---|
| 971 | IS 16532 | APP MODIFIED BITUMINOUS WATERPROOFING AND DAMP-PROOFING MEMBRANE WITH POLYESTER REINFORCEMENT - SPECIFICATION | Feedback | 2 | 0 | Nil |
| 972 | IS 1658 | Fibre hardboards -Specification | MS | 1 | 2 | Nil |
| 973 | IS 16654 | Geosynthetics - Polypropylene multifilament woven geobags for coastal and waterways protection - Specification | DP | 1 | 2 | Nil |
| 974 | IS 16723 | COMBINATION LOCK- SPECIFICATION | Feedback | 2 | 0 | Nil |
| 975 | IS 1677 | Rubber Hoses for Agricultural Spraying (Third Revision) | MS | 1 | 2 | Nil |
| 976 | IS 16892 | SATTU | Feedback | 2 | 0 | Nil |
| 977 | IS 16919 | MANCOZEB + CARBENDAZIM, WETTABLE POWDER (WP) | MS | 1 | 2 | Nil |
| 978 | IS 16920 | HEXACONAZOLE+ZINEB, WETTABLE POWDER (WP) | MS | 1 | 2 | Nil |
| 979 | IS 1698 | Indigo Carmine, Food Grade | DP | 1 | 2 | Nil |
| 980 | IS 16988 | COMPRESSED NATURAL GAS CYLINDER VALVE INTEGRATED WITH SOLENOID OPERATION (REMOTELY CONTROLLED) FOR AUTOMOTIVE USE | Feedback | 2 | 0 | Nil |
| 981 | IS 17034 | SPECIFICATION FOR JAIPUR FOOT | Feedback | 2 | 0 | Nil |
| 982 | IS 17051 | TEXTILES BULLET RESISTANT JACKETS PERFORMANCE REQUIREMENTS | DP | 1 | 2 | Nil |
| 983 | IS 1712 | Cottonseed Oilcake as Livestock Feed Ingredient | MS | 1 | 2 | Nil |
| 984 | IS 17334 | MEDICAL TEXTILES - SURGICAL GOWNS AND SURGICAL DRAPES - SPECIFICATION | DP | 1 | 2 | Nil |
| 985 | IS 17372 | GEOSYNTHETICS - POLYMERIC STRIP/GEOSTRIP USED AS SOIL REINFORCEMENT IN RETAINING STRUCTURES - SPECIFICATION | DP | 1 | 2 | Nil |
| 986 | IS 17374 | Geosynthetics â Reinforced HDPE membrane for effluents and chemical resistance lining â Specification | OB | 1 | 2 | Nil |
| 987 | IS 17397 : PART 1 | PLASTICS THERMOPLASTIC POLYURETHANES FOR MOULDING AND EXTRUSION PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS | DP | 1 | 2 | Nil |
| 988 | IS 17508 | Disposable Adult Incontinence Diaper - Specification | MS | 2 | 4 | Nil |
| 989 | IS 17514 | Reusable Sanitary Pad/Sanitary Napkin Period panties Specification | MS | 2 | 4 | Nil |
| 990 | IS 17693 | Non-electric Cooling Cabinet Made of Clay | MS | 1 | 2 | Nil |
| 991 | IS 177 | Cotton Drills | DP | 1 | 2 | Nil |
| 992 | IS 1772 | Electroplated coatings of copper | DP | 1 | 2 | Nil |
| 993 | IS 17728 | Agro Textiles - High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube and Fittings for use in Rain Irrigation System - Specification | MS | 1 | 2 | Nil |
| 994 | IS 17729 | Agro-Textiles Flexible Water Storage Tank for Agriculture and Horticulture Purposes Specification | DP | 1 | 2 | Nil |
| 995 | IS 15138 | Textiles - Jute Bags For Packing-50 kg Sugar - Specification | DP | 1 | 2 | Nil |
| 996 | IS 17735 | Aluminium Chlorohydrate — Specification | MS | 1 | 2 | Nil |
| 997 | IS 17814 | Corrugated Metal Flexible Safety Gas Hose Assemblies Specification | Feedback | 2 | 0 | Licence to be granted on factory testing basis. 5 man-days are required for complete testing. |
| 998 | IS 1804 | Steel Wire Ropes - Fibre Main Cores | DP | 1 | 2 | Nil |
| 999 | IS 1827 | Pesticides - Dimethyl Amine SL Salts of 2, 4-D | MS | 1 | 2 | Nil |
| 1000 | IS 1884 | Automotive vehicles - Electric horns | MS | 1 | 2 | Nil |
| 1001 | IS 1912 | Country Jute Twine | DP | 1 | 2 | Nil |
| 1002 | IS 1919 | Sodium Hydrosulphite | DP | 1 | 2 | Nil |
| 1003 | IS 1989 : PART 1 | LEATHER SAFETY BOOTS AND SHOES - PART 1 : FOR MINERS | MS | 1 | 2 | Nil |
| 1004 | IS 1989 : PART 2 | LEATHER SAFETY BOOTS AND SHOES - PART 2 : FOR HEAVY METAL INDUSTRIES | MS | 1 | 2 | Nil |
| 1005 | IS 1997 | Laboratory Glassware - Burettes | MS | 1 | 2 | Nil |
| 1006 | IS 2096 | Asbestos cement flat sheets - | MS | 1 | 2 | Nil |
| 1007 | IS 10631 | STAINLESS STEEL FOR WELDING ELECTRODE CORE WIRE | DP | 1 | 2 | Nil |
| 1008 | IS 210 | Grey Iron Castings | DP | 1 | 2 | Nil |
| 1009 | IS 2257 | Paper Adhesives, Liquid Gum and Office Paste Type-Specification | MS | 1 | 2 | Nil |
| 1010 | IS 2386 : PART 1 | Methods of Test for Aggregates for Concrete - Part I : Particle Size and Shape | MS | 1 | 2 | Nil |
| 1011 | IS 245 | Trichloroethylene, Technical | DP | 1 | 2 | Nil |
| 1012 | IS 253 | Specification for Common Salt | MS | 1 | 2 | Nil |
| 1013 | IS 2556 : PART 16 | Vitreous Sanitary Appliances (Vitreous China) - - Part 16 : Specific Requirements of Wash Down Wall Mounted Water Closets | MS | 1 | 2 | Nil |
| 1014 | IS 2619 | GLASS BEAKERS | MS | 1 | 2 | Nil |
| 1015 | IS 2630 | NITROBENZENE SPECIFICATION | DP | 1 | 2 | Nil |
| 1016 | IS 2712 | Gaskets and packings - compressed asbestos fibre jointing | Feedback | 2 | 0 | Nil |
| 1017 | IS 2730 | Magnesium sulphate (epsom salt) | MS | 1 | 2 | Nil |
| 1018 | IS 274 : PART 1 AND 2 | Shovels - Part I : General Purpose Shovels - Part II : Heat-Treated Shovels | MS | 1 | 2 | Nil |
| 1019 | IS 2745 | Specification for Non-Metal Helmet for Firemen and Civil Defence Personnel | DP | 1 | 2 | Nil |
| 1020 | IS 276 | Austenitic-Manganese Steel Castings | DP | 1 | 2 | Nil |
| 1021 | IS 2802 | ICE CREAM AND KULFI - SPECIFICATION (First Revision of IS 2802) | MS | 1 | 2 | Nil |
| 1022 | IS 2888 | Toilet soap | MS | 2 | 4 | Nil |

| | | | | | | |
|------|-------------------------|--|----------|---|---|--|
| 1023 | IS 302 : PART 2 : SEC 9 | Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 9 Toasters, Grills, Roasters and similar appliances | MS | 2 | 4 | Nil |
| 1024 | IS 3309 | SOLUBLE COFFEE-CHICORY POWDER - SPECIFICATION (THIRD REVISION OF IS 3309) | MS | 2 | 4 | Nil |
| 1025 | IS 11952 | STEELS FOR PISTON PINS (GUDGEON PINS) | DP | 1 | 2 | Nil |
| 1026 | IS 3314 | steel clothes lockers - Specification | Feedback | 2 | 0 | Nil |
| 1027 | IS 3383 | Wettable Sulphur Powder | MS | 1 | 2 | Nil |
| 1028 | IS 12145 | QUENCHED AND TEMPERED ALLOY STEEL FORGINGS FOR PRESSURE VESSELS | Feedback | 2 | 0 | Nil |
| 1029 | IS 3401 | Silica Gel | MS | 1 | 2 | Nil |
| 1030 | IS 12591 | COLD-REDUCED TINMILL PRODUCTS ELECTROLYTIC CHROMIUM / CHROMIUM OXIDE COATED STEEL | DP | 1 | 2 | Nil |
| 1031 | IS 3480 | Flexible Steel Conduits For Electrical Wiring | MS | 1 | 2 | Nil |
| 1032 | IS 3499 : PART 1 | Metal Chairs For Office Purposes Specification Part 1 Non-revolving And Non-tilting | MS | 1 | 2 | Nil |
| 1033 | IS 3499 : PART 2 | metal chairs for office purposes Specification Part 2 Revolving and tilting | MS | 1 | 2 | Nil |
| 1034 | IS 3521 : PART 3 | Personal Fall Arrest Systems Specification Part 3 Self-retracting lifelines | Feedback | 2 | 0 | Nil |
| 1035 | IS 3521 : PART 4 | Personal Fall Arrest Systems Specification Part 4 Vertical rails and vertical lifelines incorporating a sliding-type fall arrester | Feedback | 2 | 0 | Nil |
| 1036 | IS 3521 : PART 7 | Personal Fall Arrest Systems Specification Part 7 Single point anchor devices | Feedback | 2 | 0 | Nil |
| 1037 | IS 3521 : PART 9 | Personal Fall Arrest Systems Specification Part 9 Descending devices | Feedback | 2 | 0 | Nil |
| 1038 | IS 3536 | Ready mixed paint, brushing, wood primer - Specification (Second Revision) | MS | 1 | 2 | Nil |
| 1039 | IS 3614 | Specification of Fire Doors and Assembly First Revision of IS 3614 Parts 1 2 | DP | 1 | 2 | One FS shall be drawn for complete testing in independent laboratory every two year. All tests except Test for Fire Resistance/ Fire Rating shall be carried out at factory during surveillance inspections. Two factory surveillance shall be carried out in a year |
| 1040 | IS 3626 | Locked Coil Winding Ropes | OB/DP | 1 | 2 | Nil |
| 1041 | IS 367 | Electric kettles and jugs for household and similar use | MS | 2 | 4 | Nil |
| 1042 | IS 3677 | Unbonded Rock and Slag Wool for Thermal Insulation | MS | 1 | 2 | Nil |
| 1043 | IS 3762 | Metal Waste Paper Bins - Specification | MS | 1 | 2 | Nil |
| 1044 | IS 3812 : PART 1 | Pulverized Fuel Ash - Part 1 : For Use as Pozzolana in Cement, Cement Mortar and Concrete | OB/DP | 1 | 2 | Nil |
| 1045 | IS 13387 | TOOL STEEL FORGINGS FOR METAL FORMING | Feedback | 2 | 0 | Nil |
| 1046 | IS 383 | SPECIFICATION FOR COARSE AND FINE AGGREGATES FROM NATURAL SOURCES FOR CONCRETE | OB/DP | 1 | 2 | Nil |
| 1047 | IS 3830 | Water Stills for Pyrogen-Free Distilled Water | Feedback | 2 | 0 | Nil |
| 1048 | IS 3902 | Dimethoate, Technical | DP | 1 | 2 | Nil |
| 1049 | IS 3992 | Trays, Kidney | MS | 1 | 2 | Nil |
| 1050 | IS 3993 | Trays, Instruments | MS | 1 | 2 | Nil |
| 1051 | IS 4109 | Kadahies | MS | 2 | 4 | Nil |
| 1052 | IS 4123 | Chain Pipe Wrenches | OB/DP | 1 | 2 | Nil |
| 1053 | IS 419 | Putty, For Use On Window Frames | MS | 1 | 2 | Nil |
| 1054 | IS 4320 | Thiram, Technical | MS | 1 | 2 | Nil |
| 1055 | IS 4328 | Monocular Dissecting Microscope | Feedback | 2 | 0 | Nil |
| 1056 | IS 4367 | Alloy steel forgings for general industrial use | Feedback | 2 | 0 | Nil |
| 1057 | IS 4447 | Sodium Benzoate, Food Grade | MS | 1 | 2 | Nil |
| 1058 | IS 4448 | Benzoic Acid, Food Grade | MS | 1 | 2 | Nil |
| 1059 | IS 4457 | Ceramic unglazed vitreous acid resisting tile - | MS | 1 | 2 | Nil |
| 1060 | IS 4508 | Open Ended Slugging Wrenches (Spanners) | MS | 1 | 2 | Nil |
| 1061 | IS 4509 | Ring Slugging Wrenches (Spanners) | MS | 1 | 2 | Nil |
| 1062 | IS 4752 | Sodium Metabisulphite, Food Grade | DP/OB | 1 | 2 | Nil |
| 1063 | IS 4759 | Hot-dip zinc coatings on structural steel and other allied products | DP | 1 | 2 | Nil |
| 1064 | IS 14542 | PARTLY SKIMMED MILK POWDER | DP | 2 | 4 | Nil |
| 1065 | IS 4835 | Specification Polyvinyl Acetate Dispersion Based Adhesives for Wood | MS | 1 | 2 | Nil |
| 1066 | IS 4992 | Specification for door handles for mortice lock (vertical type) | MS | 1 | 2 | Nil |
| 1067 | IS 5012 | Cellulose Film | MS | 1 | 2 | Nil |
| 1068 | IS 5082 | Wrought aluminium and aluminium alloy bars, rods, tubes and sections for electrical purposes | DP | 1 | 2 | Nil |
| 1069 | IS 5135 : PART 1 | Hand-Rotary Duster - Part 1 : Belly-Mounted Type | Feedback | 2 | 0 | Nil |
| 1070 | IS 5149 | Specification for Maleic Anhydride, Technical (Second Revision) | DP | 1 | 2 | Nil |
| 1071 | IS 5191 | Sodium Alginate, Food Grade | DP/OB | 1 | 2 | Nil |
| 1072 | IS 15103 | Fire Resistant Steel | DP | 1 | 2 | Nil |
| 1073 | IS 5301 | Sodium Chlorate | MS | 1 | 2 | Nil |
| 1074 | IS 5437 | Figured Rolled And Wired Glass | MS | 1 | 2 | Nil |
| 1075 | IS 5672 | Mineral Mixtures for Supplementing Poultry Feeds | DP | 1 | 2 | Nil |
| 1076 | IS 573 | Trisodium Phosphate | MS | 1 | 2 | Nil |
| 1077 | IS 5915 | Single Texture Rubberized Waterproof Fabrics | MS | 1 | 2 | Nil |
| 1078 | IS 6014 | Emulsifiable Larvicidal Oil, Pyrethrum Based | DP | 1 | 2 | Nil |
| 1079 | IS 6072 | Autoclaved Reinforced Cellular Concrete Wall Slabs | Feedback | 2 | 0 | Nil |
| 1080 | IS 612 | Roasted Chicory Powder | MS | 2 | 4 | Nil |

| | | | | | | |
|------|------------------|--|----------|---|---|---|
| 1081 | IS 6312 | Polyethylene containers for the transport of materials | MS | 1 | 2 | Nil |
| 1082 | IS 646 | Liquid Chlorine, Technical | Feedback | 2 | 0 | Nil |
| 1083 | IS 650 | Specification for Standard Sand for Testing of Cement | OB/DP | 1 | 2 | Nil |
| 1084 | IS 6593 | Electric Serological Water-baths | MS | 1 | 2 | Nil |
| 1085 | IS 6595 : PART 2 | Horizontal centrifugal pumps for clear, cold water: Part 2 General purposes other than agricultural and rural water supply | DP | 1 | 2 | Nil |
| 1086 | IS 15647 | Hot rolled steel narrow width strip for selded tubes an pipes | DP | 1 | 2 | Nil |
| 1087 | IS 6685 | Life Jackets | Feedback | 2 | 0 | Nil |
| 1088 | IS 6701 | Tungsten filament miscellaneous electric lamps | MS | 1 | 2 | Nil |
| 1089 | IS 6760 | Slotted Countersunk Head Wood Screws | MS/DP | 1 | 2 | Nil |
| 1090 | IS 6803 | Special Proofed Canvas and Duck | MS | 1 | 2 | Nil |
| 1091 | IS 7058 | Table Wines | MS | 2 | 4 | Nil |
| 1092 | IS 7080 : PART 3 | MTP Suction Apparatus - Part 3 : Electrically Operated | MS | 1 | 2 | Nil |
| 1093 | IS 711 | Ferric Chloride, Technical | MS | 1 | 2 | Nil |
| 1094 | IS 7129 | POTASSIUM CARBONATE ANHYDROUS SPECIFICATION (Second Revision) | MS | 1 | 2 | Nil |
| 1095 | IS 717 | Carbon Disulphide, Technical | DP | 1 | 2 | Nil |
| 1096 | IS 7320 | Specificaion for concrete slump test apparatus | MS | 1 | 2 | Nil |
| 1097 | IS 736 | Wrought aluminium and aluminium alloy plate for general engineering purposes | DP | 1 | 2 | Nil |
| 1098 | IS 737 | Wrought aluminium and aluminium alloy sheet and strip for general engineering purposes | DP | 1 | 2 | Nil |
| 1099 | IS 7378 | Bed, Fowler's, Hospital | DP | 1 | 2 | Nil |
| 1100 | IS 745 | Textiles - Handloom Cotton Bed Sheets | MS | 2 | 4 | Nil |
| 1101 | IS 7577 | Gas Testing Flame Safety Lamps — Specification (Second Revision) | DP | 1 | 2 | Nil |
| 1102 | IS 7620 : PART 2 | Diagnostic Medical X-ray Equipment - Part 2 : Performance Requirements | Feedback | 2 | 0 | licence granted and operated on FT basis. IS 7620 (Part 1) is for general and Requirements and IS 7620 (Part 2) is for performance requirements. Since safety requirements are must and also IS 7620 (part 1) is under mandatory certification, the licence for IS 7620 (Part 2) shall be granted only when the licensee complies to the requirements of both IS 7620 (Part 2) and IS 7620 (Part 1). 5 mandays is the total time required for complete testing as per IS 7620 (Part 1) and IS 7620 (Part 2). For factory testing as per IS 7620 (Part 1), three mandays are required and for factory testing as per IS 7620 (Part 2), two mandays are required. |
| 1103 | IS 774 | Ceramic vitreous China flushing cisterns for water closets and urinals - Specification | MS | 1 | 2 | Nil |
| 1104 | IS 7750 | Cashew Kernels - Specification | DP | 2 | 4 | Nil |
| 1105 | IS 7761 | Steel Book Cases | Feedback | 2 | 0 | Nil |
| 1106 | IS 7975 : PART 2 | Assembly tools for screws and nuts - Driving parts for hand - Operated square drive socket wrenches: Part 2 dimensions and tests (Second Revision) | MS | 1 | 2 | Nil |
| 1107 | IS 799 | Ammonia, liquor | DP | 1 | 2 | Nil |
| 1108 | IS 16993 | MICROFINE ORDINARY PORTLAND CEMENT - SPECIFICATION | MS | 1 | 2 | Nil |
| 1109 | IS 8058 | Pyridine - Specification (First Revision) | DP | 1 | 2 | Nil |
| 1110 | IS 8164 | Hospital Rubber Sheeting without Reinforcing Fabric | MS | 1 | 2 | Nil |
| 1111 | IS 8268 | Rhizobium Inoculants - Specification (Third Revision) | DP | 1 | 2 | Nil |
| 1112 | IS 17265 | Textiles - 100 Percent polyester spun grey and white yarns - Specification (first revision) | DP | 1 | 2 | Nil |
| 1113 | IS 8309 | Compression type tubular terminal ends for aluminium conductors of insulated cables | OB/DP | 1 | 2 | Nil |
| 1114 | IS 8401 | Alkyl Benzene Sulphonic Acid (acid Slurry) | DP | 1 | 2 | Nil |
| 1115 | IS 8419 : PART 1 | Requirements for filtration equipment : Part 1 Filtration media - sand and gravel | DP | 1 | 2 | Nil |
| 1116 | IS 8481 | Oxidation Hair Dyes (Liquid/Gel/Cream) | MS | 1 | 2 | Nil |
| 1117 | IS 17404 | ELECTROGALVANIZED HOT ROLLED AND COLD REDUCED CARBON STEEL SHEETS AND STRIPS - SPECIFICATION | DP | 1 | 2 | Nil |
| 1118 | IS 17450 | 1,3 Phenylenediamine â€” Specification | DP | 1 | 2 | Nil |
| 1119 | IS 8654 | Automotive Hydraulic Brake Fluid, Heavy Duty | MS | 1 | 2 | Nil |
| 1120 | IS 8707 | Mancozeb, Technical - Specification | DP | 1 | 2 | Nil |
| 1121 | IS 878 | Laboratory glassware - Graduated measuring cylinders | MS | 1 | 2 | Nil |
| 1122 | IS 879 | Sodium nitrite | DP | 1 | 2 | Nil |
| 1123 | IS 8963 | Chlorpyrifos, Technical | MS | 1 | 2 | Nil |
| 1124 | IS 9138 | Azotobacter Spp. Inoculants - Specification (Third Revision) | DP | 1 | 2 | Nil |
| 1125 | IS 9142 : PART 2 | ARTIFICIAL LIGHTWEIGHT AGGREGATE FOR CONCRETE PART 2 SINTERED FLY ASH COARSE AGGREGATE | DP | 1 | 2 | Nil |
| 1126 | IS 915 | Laboratory Glassware - One-mark Volumetric Flasks | MS | 1 | 2 | Nil |
| 1127 | IS 9157 | Sodium nitrate and potassium nitrate for glass compositions | DP | 1 | 2 | Nil |
| 1128 | IS 9165 : PART 2 | Surgical instruments - Needles, suture Part 2 Eyed needles - Sizes, shapes and dimensions | MS | 1 | 2 | Nil |
| 1129 | IS 9360 | Carbofuran Granules, Encapsulated | MS | 1 | 2 | Nil |
| 1130 | IS 9471 : PART 2 | Modular Lower Limb Orthotic Components - Part II : Stirrups, Split | MS | 1 | 2 | Nil |

| | | | | | | |
|------|--------------------------------|--|----------|---|---|--|
| 1131 | IS 9471 : PART 3 | Modular Lower Limb Orthotic Components - Part III : Stirrup Plates | MS | 1 | 2 | Nil |
| 1132 | IS 9471 : PART 4 | Modular Lower Limb Orthotic Components - Part IV : Joint Unit, Ankle | MS | 1 | 2 | Nil |
| 1133 | IS 9471 : PART 5 : SEC 1 | Modular Lower Limb Orthotic Components - Part 5 : Joint Unit Section 1 : Knee | MS | 1 | 2 | Nil |
| 1134 | IS 9471 : PART 6 | Modular Lower Limb Orthotic Components - Part 6 : Orthotic Hip Joint (Joint Unit, Hip Drop Lock) | MS | 1 | 2 | Nil |
| 1135 | IS 9471 : PART 7 | Modular Lower Limb Orthotic Components - Part 7 : Orthotic Joint Bars, Ankle and Knee (Upper and Lower) | MS | 1 | 2 | Nil |
| 1136 | IS 2012 | Red Phosphorus -Specification | DP | 1 | 2 | Nil |
| 1137 | IS 9537 : PART 4 | Conduits for Electrical Installations - Part 4 : Pliable Self-recovering Conduits of Insulating Materials | MS | 1 | 2 | Nil |
| 1138 | IS 9562 | Specification for non-metal helmet for police force | OB/DP | 1 | 2 | Nil |
| 1139 | IS 9666 | Blank Granules | DP | 1 | 2 | Nil |
| 1140 | IS 2385 | Hot-Rolled Mild Steel Sheet and Strip in Coil Form for Cold-Reduced Tinplate and Cold-Reduced Blackplate | DP/OB | 1 | 2 | Nil |
| 1141 | IS 9758 | flush valves and fittings for water closets and urinals | MS | 1 | 2 | Nil |
| 1142 | IS 9842 | Preformed fibrous pipe insulation | MS/OB | 1 | 2 | Nil |
| 1143 | IS 9862 | Ready mixed paint, brushing, bituminous, black, lead-free, acid, alkali, water and chlorine resisting | DP | 1 | 2 | Nil |
| 1144 | IS 9908 | Formic Acid | DP | 1 | 2 | Nil |
| 1145 | IS 9997 | Aluminium alloy redraw rods for electrical purposes | DP | 1 | 2 | Nil |
| 1146 | IS/IEC 80601 : PART 2 : SEC 58 | Medical electrical equipment Part 2 Particular requirements for the basic safety and essential performance Section 58 Lens removal devices and vitrectomy devices for ophthalmic surgery | Feedback | 2 | 0 | One factory sample for testing of General Requirements every year. EMC test to be carried out once in three years. |
| 1147 | IS/ISO 15197 | In vitro Diagnostic Test Systems - Requirements for Blood-Glucose Monitoring System for Self-Testing in Managing Diabetes Mellitus | MS | 1 | 2 | Nil |
| 1148 | IS/ISO 9994 | LIGHTERS - SAFETY SPECIFICATION | MS | 2 | 4 | Nil |
| 1149 | IS 3431 | STEEL FOR THE MANUFACTURE OF VOLUTE, HELICAL AND LAMINATED SPRINGS FOR AUTOMOTIVE SUSPENSION | DP | 1 | 2 | Nil |
| 1150 | IS 3930 | FLAME AND INDUCTION HARDENING STEELS | DP | 1 | 2 | Nil |
| 1151 | IS 4431 | CARBON AND CARBON MANGANESE FREE CUTTING STEELS | DP | 1 | 2 | Nil |
| 1152 | IS 4581 | PHOSPHORUS TRICHLORIDE PURE AND ANALYTICAL REAGENT-SPECIFICATION Second Revision IS 4581 | DP | 1 | 2 | Nil |
| 1153 | IS 6902 | STEEL WIRE FOR SPOKES | DP | 1 | 2 | Nil |
| 1154 | IS 6909 | Supersulphated cement | MS | 1 | 2 | Nil |
| 1155 | IS 7291 | High Speed Tool Steels | DP | 1 | 2 | Nil |
| 1156 | IS 7302 | Valve fittings for self contained breathing apparatus (SCBA) and self contained underwater breathing apparatus (SCUBA) - Specification (First Revision) | Feedback | 2 | 0 | License is to be granted and operated on factory testing basis, 2 man-days are required for complete testing of the product. |
| 1157 | IS 8052 | STEEL INGOTS, BILLETS AND BLOOMS FOR THE PRODUCTION OF SPRINGS, RIVETS AND SCREWS FOR GENERAL ENGINEERING APPLICATIONS | OB/DP | 1 | 2 | Nil |
| 1158 | IS 9294 | COLD-ROLLED STAINLESS STEEL STRIPS FOR RAZOR BLADES | DP | 1 | 2 | Nil |
| 1159 | IS 9962 | STEEL WIRE FOR NEEDLES | DP | 1 | 2 | Nil |
| 1160 | IS 15844 : PART 1 | SPORTS FOOTWEAR PART -1 GENERAL PURPOSE First Revision | MS | 2 | 2 | 1 MS in an year shall be drawn for complete testing. 1 MS and 2 FS shall be drawn in an year for all tests excluding Chemical requirements |
| 1161 | IS 6721 | SANDAL AND SLIPPERS SPECIFICATION First revision | MS | 2 | 2 | 1 MS in an year shall be drawn for complete testing. 1 MS and 2 FS shall be drawn in an year for all tests excluding Chemical requirements |
| 1162 | IS 10702 | Hawai Chappal-Specification | DP | 1 | 2 | 1 MS in an year shall be drawn for complete testing. All other samples (FS/MS) shall be tested in an year for all tests excluding Chemical requirements |
| 1163 | IS 18162 | Textiles Light weight jute sacking bags for packing 50 kg pulses and soyabean Specification | DP | 1 | 2 | Nil |
| 1164 | IS 15844 : PART 2 | SPORTS FOOTWEAR PART -2 PERFORMANCE SPORTS FOOTWEAR | MS | 1 | 2 | One FS and MS will be tested for mechanical requirements of IS 15844 (Part 2) : 2023 excluding chemical tests and One MS will be tested for all requirements |
| 1165 | IS 18163 | Textiles Light weight jute sacking bags for packing 35 kg groundnut with shell Specification | DP | 1 | 2 | Nil |
| 1166 | IS 18161 | Textiles Light weight jute sacking bags for packing 50 kg mustard seed niger seed and ragi Specification | DP | 1 | 2 | Nil |
| 1167 | IS 3566 | TEXTILES - VISCOSE RAYON CUT STAPLE SPUN YARN - SPECIFICATION (SECOND REVISION) | DP | 1 | 2 | Nil |
| 1168 | IS 13893 | POLYURETHANE SOLES SEMIRIGID | DP | 1 | 2 | Nil |
| 1169 | IS 6719 | Moulded PVC Unit Outsoles | DP | 1 | 2 | Nil |
| 1170 | IS 17781 | VITAMIN MINERAL PREMIX FOR MANUFACTURING FORTIFIED RICE KERNELS- SPECIFICATION | DP | 1 | 2 | Nil |

| | | | | | | |
|------|-------------------|---|----------|---|---|---|
| 1171 | IS 11890 | High Purity Aluminium Ingot For Remelting For Special Applications | DP | 1 | 2 | Nil |
| 1172 | IS 10951 | Specification for Polypropylene (PP) Materials for Moulding and Extrusion (Second Revision) | DP | 1 | 2 | Nil |
| 1173 | IS 17861 | TEXTILE BOOTS WITH POLYMERIC SOLE JUNGLE BOOTS - SPECIFICATION Third Revision | MS | 1 | 2 | Nil |
| 1174 | IS 10773 | Wrought Copper Tubes for Refrigeration and Air-Conditioning Purposes | MS | 1 | 2 | Nil |
| 1175 | IS 7686 | Specification for 3 (N, N-Diethyl) Aminophenol (First Revision) | DP | 1 | 2 | Nil |
| 1176 | IS 17730 : PART 1 | Agro-Textiles Hail Protection Nets for Agriculture and Horticulture Purposes Specification Part 1 Warp Knitted Hail Protection Nets | DP | 2 | 2 | 2 MS shall be tested in an year for all requirements except for presence of UV Stabilizer,Stitching Material Identification, UV Exposure for 144 hrs and Colour Fastness to Artificial Light, 1 FS shall be tested in an year for all requirements and another for all requirements except for presence of UV Stabilizer,Stitching Material Identification, UV Exposure for 144 hrs and Colour Fastness to Artificial Light |
| 1177 | IS 16362 | Geosynthetics – Geotextiles used in subgrade stabilization in pavement structures – Specification (first revision) | OB/DP | 1 | 1 | 1) 1 MS shall be tested in an year for all requirements other than durability Properties. 2) 1 MS shall be tested for all Durability requirements only once in 5 years 3) 1 FS shall be tested in an year for all requirements other than durability Properties. 4) 1 FS shall be tested for all Durability Requirements only once in 5 year |
| 1178 | IS 336 | Ether- specification | MS | 1 | 2 | Nil |
| 1179 | IS 1921 | Flux-cored solder wire | MS | 1 | 2 | Nil |
| 1180 | IS 17853 | EQUIPMENT FOR MANUFACTURE OF FORTIFIED RICE KERNEL - SPECIFICATION | Feedback | 2 | 0 | Sample of Stainless Steel Sheet used to manufacture Hopper, Grinding Chamber, Screen, Cyclone, Pipes and Fittings, Supporting Frame to be drawn during factory surveillance for ensuring its conformity to the chemical composition specified in IS 6911 or IS 7283 |
| 1181 | IS 1897 | Copper strip for electrical purposes | DP | 1 | 2 | Nil |
| 1182 | IS 17509 | Disposable Baby Diaper Specification | MS | 2 | 2 | 2 FS and MS shall be drawn in a year for all tests except for Biocompatibility and Cytotoxicity |
| 1183 | IS 16392 | Geosynthetics - Geotextiles for permanent erosion control in hard armor systems - Specification | DP | 1 | 1 | 1) 1 MS shall be tested in an year for all requirements other than durability Properties. 2) 1 MS shall be tested for all Durability requirements only once in 5 years 3) 1 FS shall be tested in an year for all requirements other than durability Properties. 4) 1 FS shall be tested for all Durability Requirements only once in 5 year |
| 1184 | IS 11356 : PART 2 | STYRENE-BUTADIENE RUBBER LATEX SPECIFICATION PART 2 CARBOXYLATED Second Revision of IS 11356 | DP | 1 | 2 | Nil |
| 1185 | IS 9834 | Specification for Iso - butyl Alcohol | DP | 1 | 2 | Nil |
| 1186 | IS 361 | Normal Butyl Alcohol, Technical | DP | 1 | 2 | Nil |
| 1187 | IS 17731 | Agro-Textiles Laminated Woven Orchard Protection Covers Specification | DP | 1 | 1 | 1 MS shall be tested in an year for all requirements except retention of breaking strength after UV exposure. 1 FS shall be tested in an year for all requirements except retention of breaking strength after UV exposure. 2) 1 FS shall be tested every 2 years for retention of breaking strength after UV exposure only |
| 1188 | IS 17659 | SPECIFICATION FOR POLYESTER POLYOL | DP | 1 | 2 | Nil |
| 1189 | IS 16090 | Geo-Synthetics - Geo-Textiles Used as Protection (or Cushioning) Materials | DP | 1 | 1 | 1) 1 MS shall be tested in an year for all requirements other than UV Resistance. 2) 1 MS shall be tested in an year for all requirements including UV resistance 3) 1 FS shall be tested in an year for all requirements other than UV Resistance. 4) 1 FS shall be tested in an year for all requirements including UV resistance |

| | | | | | | |
|------|-----------------------|--|----------|---|---|--|
| 1190 | IS 16391 | Geosynthetics – Geotextiles used in sub-grade separation in pavement structures – Specification | DP | 1 | 1 | 1) 1 MS shall be tested in an year for all requirements other than durability Properties. 2) 1 MS shall be tested for all Durability requirements only once in 5 years 3) 1 FS shall be tested in an year for all requirements other than durability Properties. 4) 1 FS shall be tested for all Durability Requirements only once in 5 year |
| 1191 | IS 17730 : PART 2 | Agro-Textiles Hail Protection Nets for Agriculture and Horticulture Purposes Specification Part 2 Woven Hail Protection Nets | DP | 2 | 2 | 2 MS shall be tested in an year for all requirements except for presence of UV Stabilizer,Stitching Material Identification, UV Exposure for 144 hrs and Colour Fastness to Artificial Light. 1 FS shall be tested in an year for all requirements and other for all requirement except for presence of UV Stabilizer,Stitching Material Identification, UV Exposure for 144 hrs and Colour Fastness to Artificial Light |
| 1192 | IS 12084 | MORPHOLINE | DP | 1 | 2 | Nil |
| 1193 | IS 11041 | Air-Screen Seed Cleaner | Feedback | 1 | 0 | A 2 day factory surveillance shall be carried out and all tests as per IS 11041 shall be carried out during Factory testing on atleast one model of cleaner available |
| 1194 | IS 12029 | Acid Oil - Specification (first revision of IS 12029) | DP | 1 | 2 | Nil |
| 1195 | IS 12067 | Palm fatty acids - Specification (first revision of IS 12067) | DP | 1 | 2 | Nil |
| 1196 | IS 8824 : PART 1 | Electrical Moisture Meters -Specification: Part 1 Food Grains Seeds And Flour (First Revision) | Feedback | 2 | 0 | Nil |
| 1197 | IS 613 | Copper Rods and Bars for Electrical Purposes | DP | 1 | 2 | Nil |
| 1198 | IS 6994 : PART 1 | Protection of Arms and Hands Part 1 Protective Gloves against Dangerous Chemicals and Micro-organisms-Terminology and performance requirements for chemical risks (First revision) | MS | 1 | 2 | One FS shall be tested in a year for all requirements of the standard.All other samples shall be tested for all requirements except Innocuousness, Degradation and Permeation |
| 1199 | IS/ISO 3826 : PART 1 | Plastics collapsible containers for human blood and blood components Part 1 Conventional containers First Revision | DP | 1 | 2 | 2 FS and 1 MS in one year. All test other than Cl. 6.4.3 'Biological requirements – compatibility to be carried out on one Factory Sample and one Dispatch Point sample each year. Test for Cl. 6.4.3 'Biological requirements – compatibility' to be carried out once in five years |
| 1200 | IS 5206 | Covered electrodes for manual metal arc welding of stainless steel and other similar high alloy steels | DP | 1 | 2 | Nil |
| 1201 | IS 16187 | Textiles —High Density Polyethylene (HDPE)/ Polypropylene (PP) Leno Woven Sacks for Packaging and Storage of Fruits and Vegetables — Specification | DP | 2 | 2 | 1) 1 MS shall be tested in an year for all requirements 2) 1 MS shall be tested in an year for all requirements except tests after UV exposure. 1) 1 FS shall be tested in an year for all requirements 2) 1 FS shall be tested in an year for all requirements except tests after UV exposure |
| 1202 | IS 16874 | TEXTILES - PROTECTIVE GLOVES FOR FIREFIGHTERS | OB/DP | 1 | 1 | 1 FS shall be tested in an year for all requirements.1 MS shall be tested in an year for all requirements except for Garment Design, Heat Transfer, Cut Resistance and Liquid Penetration Resistance |
| 1203 | IS 16150 : PART 1 | Fish feed - Specification Part 1 Carp feed | DP | 1 | 2 | Nil |
| 1204 | IS 19022 | Medical Textiles - Barrier Face Covering - Specification | MS | 1 | 2 | Nil |
| 1205 | IS 16591 : PART 1 | Plastics - Mixtures of polypropylene (Pp) and polyethylene (Pe) recycle derived from pp and pe used for flexible and rigid consumer packaging | DP | 1 | 2 | Nil |
| 1206 | IS 1515 | Beehives | DP | 1 | 2 | Nil |
| 1207 | IS 2039 : PART 1 TO 3 | Steel Tubes for Bicycle and Cycle Rickshaws | DP | 1 | 2 | Nil |
| 1208 | IS 17880 | Geosynthetics Polymer Gabions for Coastal and Waterways Protection Specification | DP | 1 | 1 | 1 FS and 1MS per year shall be tested for all requirements except for UV exposure. However 1 FS shall be tested for all requirements including UV exposure once every 2 years |

| | | | | | | |
|------|--------------------------------|--|----------|---|---|--|
| 1209 | IS 16393 | Geosynthetics - Geotextiles used in subsurface drainage application - Specification | DP | 1 | 1 | 1) 1 MS shall be tested in an year for all requirements other than durability Properties. 2) 1 MS shall be tested for all Durability requirements only once in 5 years 1) 1 FS shall be tested in an year for all requirements other than durability Properties. 2) 1 FS shall be tested for all Durability Requirements only once in 5 year |
| 1210 | IS 18286 | Agricultural irrigation equipment- Manually operated serviceable plastics valves-Specification | MS | 1 | 1 | 1 FS and 1 MS may be tested for all requirements in an operative year. |
| 1211 | IS 17513 | Agro Textiles - Plant Support Nets for Agriculture and Horticulture Purposes - Specification | DP | 2 | 2 | 2 FS and 2 MS shall be tested in an year for all tests except UV exposure except for every 5th year when 1 of the 2 FS shall be tested for all requirements including UV Exposure |
| 1212 | IS 14364 | Quarternary ammonium compound based surface cleaner, liquid | MS | 2 | 2 | 1 FS shall be tested in an year for complete requirements including Keeping Quality test and 1 FS and 2 MS shall be tested in an year for requirements excluding Keeping Quality test |
| 1213 | IS 13656 | Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and Gasoline)-Specification | Feedback | 2 | 0 | 2 Factory Surveillance in an year for 3 days to be carried out |
| 1214 | IS 17803 | POTABLE WATER BOTTLES (COPPER, STAINLESS STEEL, ALUMINIUM) — SPECIFICATION | MS | 1 | 2 | In addition to the sample of product drawn during factory and market surveillance, sample shall also be drawn for independent testing of chemical composition of raw material of inner container. The same shall also be specifically mentioned in the test request of sample drawn. |
| 1215 | IS 16544 | ALL GLASS EVACUATED TUBES SOLAR WATER HEATING SYSTEM | Feedback | 1 | 0 | Only One FS shall be drawn during operation of licence. No MS shall be drawn. |
| 1216 | IS 8360 | Fabricated Polyethylene Fittings for Water Supply Specification (First Revision) | MS | 1 | 2 | Nil |
| 1217 | IS 17293 | Electric Cables for Photovoltaic Systems for Rated Voltage 1 500 V d.c. | DP | 2 | 2 | 2 FS, 2 MS in a year. One FS to be drawn for complete testing in 5 years. One sample in a year (except every fifth year) to be tested for all test except – • Thermal endurance -Fest - Annex – B & Table 1 1 • Damp Heat, Smoke emission of complete cable. Weathering / UV resistance on sheath, Ozone resistance on complete cable. Assessment of Halogens (Insulation & Sheath) - Cl.11.1 & Table 3; 2 MS in a year to be drawn for acceptance tests only. |
| 1218 | IS 17427 | Wooden (Timber) Pallets for Packaging, Storage and Transportation “ Specification | DP | 1 | 2 | Nil |
| 1219 | IS/IEC 80601 : PART 2 : SEC 49 | Medical electrical equipment Part 2- Particular requirements for basic safety and essential performance- Sec 49 Multifunction patient monitors | Feedback | 2 | 0 | For assessing the product against the requirements declared in the Technical File and Risk Assessment File - 2 man-days are required for complete testing of the product. One FS to be drawn every third year for complete testing. |
| 1220 | IS 8008 | Injection Moulded/Machined Polyethylene Fittings for Water Supply Specification (Second Revision) | MS | 1 | 2 | Nil |
| 1221 | IS 3950 | Surface boxes for sluice valves | DP | 1 | 2 | Nil |
| 1222 | IS 302 : PART 1 | Safety of household and similar electrical appliances : Part 1 General Requirements | MS | 2 | 2 | Nil |
| 1223 | IS 302 : PART 2 : SEC 15 | Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 15 Appliances for heating liquids | MS | 2 | 2 | Nil |

| | | | | | | |
|------|----------------------------|---|----------|---|---|---|
| 1224 | IS 17953 | uPVC Profiles for Windows And Doors Specification | MS | 2 | 2 | Two FS shall be tested for acceptance tests, i.e. tests as per Clause 4.2 and 4.4 of IS 17953:2023. Once in Five year, one FS shall be tested for all tests except Weathering test (Cl 5.10). Two MS shall be drawn during an operative period and are to be tested for acceptance tests (except weldability test), i.e. tests as per Clause 4.2 and 4.4 of IS 17953:2023. The firm shall provide the report of conformity of weathering test as per Clause 5.10 of IS 17953:2023 from a BIS approved lab, once in seven years to BIS. The varieties covered under the scope of licence shall be tested in rotation |
| 1225 | IS 7381 | Hand Operated Square Drive Socket Wrenches | MS | 1 | 2 | Nil |
| 1226 | IS 8598 | Idler and Idler Sets for Belt Conveyor — Specification (Second Revision) | Feedback | 2 | 0 | Nil |
| 1227 | IS 8156 | Fasteners for consumer goods-synthetic hook and loop tape - specification | MS | 1 | 2 | Nil |
| 1228 | IS 2191 : PART 2 | WOODEN FLUSH DOOR SHUTTERS (CELLULAR, HOLLOW AND TUBULAR CORE TYPE) - SPECIFICATION PART 2 PARTICLE BOARD, HIGH DENSITY FIBRE BOARD, MEDIUM DENSITY FIBRE BOARD AND FIBRE HARDBOARD FACE PANELS (Fourth Revision) | MS | 1 | 2 | Nil |
| 1229 | IS 2202 : PART 2 | WOODEN FLUSH DOOR SHUTTERS SOLID CORE TYPE SPECIFICATION PART 2 PARTICLE BOARD HIGH DENSITY FIBRE BOARD MEDIUM DENSITY FIBRE BOARD AND HARDBOARD FACE PANELS Fourth Revision | MS | 1 | 2 | Nil |
| 1230 | IS 398 : PART 6 | Aluminium Conductors For Overhead Transmission Purposes Part 6: High conductivity aluminium alloy stranded conductors | DP | 2 | 2 | 1 FS for complete testing, 1 FS for all tests except UTS on stranded conductor (cL. 16.9), DC resistance test (Cl. 16.10), Stess-strain test (16.11) . 2 MS for all tests except UTS on stranded conductor (cL. 16.9), DC resistance test (Cl. 16.10), Stess-strain test (16.11) |
| 1231 | IS 2095 : PART 3 | Gypsum Plaster Boards Specification Part 3- Reinforced Gypsum Plaster Boards And Ceiling Tiles | DP | 1 | 2 | Nil |
| 1232 | IS 16534 | CHLORINATED POLYVINUYL CHLORIDE (CPVC) PIPE FITTINGS FOR AUTOMATIC SPRINKLER FIRE EXTINGUISHING SYSTEM | MS | 2 | 2 | Two FS and two MS shall be drawn during an operative year. One MS shall be tested for complete testing. The other MS and 2 FS shall be tested for complete testing except type tests as per clause 8.6, 8.7, 9.1.2, 9.3, 9.4 of IS 16534:2017. |
| 1233 | IS 17897 | Stone-Polymer Composite Flooring Tiles and Planks - Specification | Feedback | 2 | 0 | Nil |
| 1234 | IS 13450 : PART 2 : SEC 16 | Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 16 haemodialysis, haemodiafiltration and haemofiltration equipment | Feedback | 2 | 0 | 2 mandays for assessing the product against the requirements declared in the technical file and risk assessment file. Once sample to be drawn for complete testing once in three years. |
| 1235 | IS 13450 : PART 2 : SEC 21 | Medical Electrical Equipment Part 2 Particular Requirements for the Basic Safety and Essential Performance Section 21 Infant Radiant Warmer First Revision | Feedback | 2 | 0 | Licence be operated on Factory Test basis. Factory sample may be drawn to carry out all tests other than EMC requirements once in three years. |
| 1236 | IS 13450 : PART 2 : SEC 37 | Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 37 ultrasonic medical diagnostic and monitoring equipment | Feedback | 2 | 0 | Licence to be operated on factory testing basis. Two Factory surveillance in one year. Factory surveillance to be done for 2 man-days. However, one FS to be drawn once in 3 years for all tests except for EMC Tests. |
| 1237 | IS 11360 | Specification for smoke detectors for use in automatic electrical fire alarm system | Feedback | 2 | 0 | 1 FS to be drawn in a year for complete testing. |
| 1238 | IS 12300 | Valve Fittings for refrigerant Cylinders - | Feedback | 2 | 0 | Nil |
| 1239 | IS 12679 | By-Product Gypsum for Construction Specification | DP | 1 | 2 | Nil |
| 1240 | IS 17790 | INSULATED FLASK FOR DOMESTIC USE SPECIFICATION | MS | 1 | 2 | In addition to the sample of product drawn during factory and market surveillance, sample shall also be drawn for independent testing of chemical composition of raw material of inner container. The same shall also be specifically mentioned in the test request of sample drawn. |
| 1241 | IS 17569 | Insulated Containers for Food Storage | MS | 1 | 2 | In addition to the sample of product drawn during factory and market surveillance, sample shall also be drawn for independent testing of chemical composition of raw material of inner container. The same shall also be specifically mentioned in the test request of sample drawn. |

| | | | | | | |
|------|----------------------------|--|----------|---|---|--|
| 1242 | IS 17788 | Medical Textiles — Nonwoven Fabric for Wipes | OB/DP | 1 | 2 | Nil |
| 1243 | IS 16172 | Reinforcement Couplers for Mechanical Splices of Steel Bars in Concrete | Feedback | 1 | 0 | One FS shall be drawn in an operative year. In a block of 5 years of operation of license, for the first four years, FS shall be tested for static tensile test and slip test only. During the 5th year of operation, FS shall be tested for all requirements. |
| 1244 | IS 6971 | 2 - Ethyl hexan - 1 - Ol | OB/DP | 1 | 2 | Nil |
| 1245 | IS 18385 | Hot-Dip galvanized/galvannealed Steels Sheet and strips for Automotive Applications | DP | 1 | 2 | Nil |
| 1246 | IS 16593 (Part 1) | Arc welding equipment: Part 1 Welding power source | Feedback | 2 | 0 | On factory sample to be drawn for EMI/EMC testing, once in three years. For assessing the product against all requirements, except EMI/EMC, factory testing for three man days during each surveillance visit to be done. |
| 1247 | IS 2047 | Aluminium alloy hardeners (Master Alloys) | DP | 1 | 2 | Nil |
| 1248 | IS 18800 | Stainless steel feeding bottle for infants | MS | 1 | 2 | Nil |
| 1249 | IS 18189 | Portland Calcined Clay Limestone Cement | MS | 1 | 2 | Nil |
| 1250 | IS 4412 | Specification for copper wires for general engineering purposes | MS/OB | 1 | 2 | Nil |
| 1251 | IS 2501 | Solid drawn copper tubes for general engineering purposes | MS | 1 | 2 | Requirements of NDT, that is eddy current test, hydrostatic test & pneumatic test shall be carried out on full length of tubes during factory testing. Sample drawn for IT not to be tested for NDT requirements. |
| 1252 | IS 13713 | Plastic chairs for general office purposes | MS | 1 | 2 | Nil |
| 1253 | IS 11744 | Phosphorous Pentachloride, Technical | DP | 1 | 2 | Nil |
| 1254 | IS 17043 (PART 2) | Shoes: Shoes for General Purpose | MS | 1 | 2 | One FS and MS will be tested for mechanical requirements of IS 17043 (Part 2) excluding chemical tests and One MS will be tested for all requirements |
| 1255 | IS 4171 | Specification for copper rods and bars for general engineering purposes | OB/DP | 1 | 2 | Nil |
| 1256 | IS 1865 | Iron castings with spheroidal or nodular graphite | DP | 1 | 2 | Nil |
| 1257 | IS 7814 | Phosphor bronze sheet, strip and foil | DP | 1 | 2 | Nil |
| 1258 | IS 302 : PART 2 : SEC 7 | Safety of Household And Similar Electrical Appliances Part 2 Particular Requirements Section 7: Domestic Electric Clothes Washing Machines | MS | 1 | 2 | Nil |
| 1259 | IS 302 : PART 2 : SEC 11 | Safety of household and similar electrical appliances: Part 2 particular requirements: Sec 11 tumble dryers | MS | 1 | 2 | Nil |
| 1260 | IS 2551 | Danger notice plates | MS | 1 | 2 | Nil |
| 1261 | IS 1545 | Solid drawn copper and copper alloy tubes for condensers and heat exchangers | OB | 1 | 2 | Nil |
| 1262 | IS 17544 | Multilayer (PE-AL-PE) Plastic Piping Systems for Indoor Gas Installations with a Maximum Operating Pressure up to and Including 500 kPa (5 bar) | OB/DP | 1 | 2 | One MS & FS shall be tested for acceptance tests only. In a block of three years during the third year of operation of license, one FS shall be tested for all requirements. |
| 1263 | IS 17349 | Medical textiles – Shoe covers | MS | 1 | 2 | Nil |
| 1264 | IS 13164 | Ferrosilicomagnesium | OB/DP | 1 | 2 | Nil |
| 1265 | IS 18340 | Vinyl Sulphone | MS | 1 | 2 | Nil |
| 1266 | IS 14407 | Aluminium cans for beverages | DP | 1 | 2 | Nil |
| 1267 | IS 17988 | Chlorinated polyvinyl chloride (cpvc) resin | DP | 1 | 2 | Nil |
| 1268 | IS 18482 | Textiles - Sandwich extrusion laminated polypropylene PP woven sacks for packaging bulk commodities | OB/DP | 2 | 2 | One FS and two MS to be tested for all requirements except UV resistance in an operative year. Another FS to be tested for all requirements in an operative year. |
| 1269 | IS 9612 | Specification for aluminium tubes for refrigeration purposes | DP | 1 | 2 | Nil |
| 1270 | IS 13450 : PART 2 : SEC 12 | Medical Electrical Equipment Part 2 Particular requirements for basic safety and essential performance Section 12 Critical care ventilators (First Revision) | Feedback | 2 | 0 | 2 mandays for assessing the product against the requirements declared in the technical file and risk assessment file. One sample to be drawn for complete testing once in three years. |