

## केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16:15225

27 06 2024

**विषय: आई एस 15225 : 2002 CHLORINATED POLYVINYL CHLORIDE COMPOUNDS USED FOR PIPES AND FITTINGS — SPECIFICATION का प्रॉडक्ट मानुयल**

1) यह उपरोक्त के संदर्भ में है।

2) IS 15225:2002 का अनुमोदित प्रॉडक्ट मानुयल BIS वैबसाइट पर: “Conformity Assessment → Product Certification →Product Specific Information→ Product Manual”के अंदर होस्ट कर दिया गया है

3) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमें SIT भी संयुक्त है, को आवेदकों एवं अनुज्ञप्तिधारकों को 7 दिन के भीतर भेजें।

(हरीश मीना)  
वैज्ञानिक-बी

**प्रमुख, (कें.मु.वि.-2)**

**उपमहानिदेशक(प्रमाणन)**

**क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित**

## CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16:15225

27 06 2024

**Subject: Product Manual for Chlorinated Polyvinyl Chloride Compounds Used for Pipes and Fittings — Specification according to IS 15225: 2002**

1. This has reference to the subject mentioned above.
2. The approved Product Manual for IS 15225: 2002 has been hosted on the BIS website under “Conformity Assessment → Product Certification →Product Specific Information→ Product Manual”.
3. BOs are advised to send this Product Manual which incorporates SIT to all licensees and applicants within 7 days.

(Harish Meena)  
Scientist-B

**Head (CMD 2)**

**DDG (Certification)**

**Circulated to: All ROs/BOs through BIS intranet**