

केंद्रीय मुहर विभाग-2

संदर्भ: के.मु.वि.2/जी-18

03.06.2022

विषय:अखिल भारतीय प्रथम आधारपर 13 नए उत्पादों के लिए संभावित मुहरांकन शुल्क का निर्धारण।

सक्षम प्राधिकारी द्वारा अनुमोदित अखिल भारतीय प्रथम आधारपर 13 नए उत्पादों के लिए मुहरांकन शुल्क निर्धारित हुए हैं और ये सभी क्षेत्रीय /शाखा कार्यालयों द्वारा अनुपालन के लिए संलग्न हैं।

(शिवम आहूजा)
वैज्ञानिक-सी

प्रमुख (के.मु.वि.2)

सभी क्षेत्रीय /शाखा कार्यालयों/के.मु.वि.1/के.मु.वि.3 को परिचालित

प्रतिलिपि: उपमहानिदेशक(क्षेत्रीय) - कृप्याजानकारी के लिए

CENTRAL MARKS DEPARTMENT-2

Ref: CMD-2/G-18

03.06.2022

Subject: Fixation of Marking Fee for 13 new products on All India First Basis

Please find attached Marking Fee for 13 new products on All India First Basis, duly approved by the Competent Authority for compliance by all ROs/BOs.

(Shivam Ahuja)
Scientist-C

Head CMD-2

Circulated to all ROs/BOs/CMD-1/CMD-3
Copy for kind Information to: DDGRs

CENTRAL MARKS DEPARTMENT-2

Our Ref.:CMD-2/G-18

Dated: 03.06.2022

Subject: Fixation of Marking Fee for 13 new products on All India First Basis

1. This has reference to the subject mentioned above.
2. In this regard, please find the details of marking fee for 13 new products, approved by Competent Authority, as mentioned below. These Marking Fee rates are applicable with **immediate effect**.

Sl No	IS No. (Product)	MMF for LS (in Rs)	MMF for MSME (in Rs)	Unit Rate (in Rs) for all Units	Unit
1	IS 10301 : 1982 (Isopropyl Alcohol for Cosmetic Industry)	62000	50000	7.95	1 MT
2	IS 11686 : 1997 (Isopropyl Alcohol , Food Grade)	79000	64000	7.95	1 MT
3	IS 537 : 2011 (Toluene - Specification)	141000	113000	5.6	1 MT
4	IS 7291 : 1981 (High Speed Tool Steels)	104000	84000	12.80	1 MT
5	IS 4431 : 1978 (Carbon and Carbon manganese free cutting steels)	93000	75000	5.50	1 MT
6	IS 17370 : 2020 (p-Xylene)	114000	92000	3.75	1 MT
7	IS 17735 : 2021 (Aluminium Chlorohydrate — Specification)	101000	81000	15.60	1 MT
8	IS 17541 : 2021 (Modular Panel for Security of premises)	130000	104000	20.00	1 Panel
9	IS 7620 (Part 2): 1986 (Specification for Diagnostic Medical X Ray Equipment Part 2 Performance Requirement)	107000	86000	260.00	1 No.
10	IS 3614 : 2021 (Fire Doors and Doorsets)	262000	210000	17.50	1 Door
11	IS 8008 (Part 1 to 9) : 2003 (Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies)	92000	74000	15.00	1 MT
12	IS 17782 : 2021 (Fortified Rice Kernels)	90000	72000	25.00	1 MT
13	IS 17508 : 2020 (Disposable Adult Incontinence Diaper)	111000	89000	1.20	100 Pcs

3. This shall come into force with immediate effect.

(Shivam Ahuja)
Scientist-C

Head(CMD-2)
DDG(Certification)

Circulated to: 1. DDGRs 2. All ROs/BOs/CMD-1/CMD-3