



**केन्द्रीय मुहर विभाग- III**

हमारा संदर्भ- केन्द्रीय मुहर विभाग-3/16: IS 3315

२९ अक्टूबर २०२४

विषय- पुनरीक्षित प्रोडक्ट मैनुअल

सभी शाखा कार्यालयों से अनुरोध है कि उपरोक्त विषय से संबंधित संलग्न परिपत्र का अवलोकन करें

(राकेश कुमार)  
वैज्ञानिक 'डी' (के मु वि-III)

**प्रमुख (के मु वि-III)**

सभी क्षेत्रीय/शाखा कार्यालय

**Central Marks Department-III**

Our Ref: CMD-III/16: IS 3315

29 October 2024

**Subject: Revised Product Manual incorporating SIT and Grouping Guidelines for IS 3315: 2024- "Direct Evaporative Air Cooler"**

BOs may kindly see the attached circular on the subject mentioned above.

(Rakesh Kumar)  
Scientist D (CMD-III)

**Head (CMD-III)**

**Circulated to: All ROs/BOs through intranet**

**CENTRAL MARKS DEPARTMENT-III**

**Our Ref: CMD-III/16: IS 3315**

**29 October 2024**

**Subject: Revised Product Manual incorporating SIT and Grouping Guidelines for IS 3315: 2024- “Direct Evaporative Air Cooler”**

This has reference to the subject mentioned above. The approved revised Product Manual for product “**Direct Evaporative Air Cooler**” as per **IS 3315: 2024** has been hosted on the BIS website under “Conformity Assessment → Product Certification → Product Specific Information → Product Manual”.

In this revision, changes have been made in Requirement of raw material, Grouping Guidelines, List of test equipment, Scheme of Inspection and testing and Scope of licence as per revised Standard.

(Rakesh Kumar)  
Sc. D (CMD III)

**Head (CMD III)**

Circulated to: All ROs/BOs