

भारतीय मानक ब्यूरो  
(सूरत शाखा कार्यालय)

हमारा संदर्भ: सूशाका/आई एस 10773:1995

दिनांक: 02.08.2023

विषय: आईएस 10773:1995 के अनुसार प्रथम अखिल भारतीय आवेदन

सूरत शाखा कार्यालय को आईएस 10773:1995 के अनुसार 'प्रशीतन और वातानुकूलन प्रयोजनों के लिए पिटवां तांबे की नलिकाएँ' पर मानक चिन्ह का उपयोग करने के लिए लाइसेंस प्रदान करने के लिए एक आवेदन प्राप्त हुआ है। जैसा की इंटरनेट/बीआईएस वेबसाइट से देखा गया है, यह पाया गया है की इस भारतीय मानक के लिए कोई लाइसेंस मौजूद नहीं है।

सीएमडी-III से अनुरोध है कि उत्पाद के लिए मुहरांकन फीस यदि पहले से उपलब्ध हो तो प्रदान करें। उत्पाद के लिए प्रोडक्ट मैनुअल बीआईएस वेबसाइट पर उपलब्ध है।

सभी आरओ/बीओ से अनुरोध है की इस उत्पाद के लिए उनके पास उपलब्ध इनपुट प्रदान करें।

बीआईएस वेबसाइट के अनुसार आईएस 10773:1995 के अनुसार कोई बीआईएस/ओएसएल मान्यता प्राप्त नहीं है जो इस उत्पाद के लिए परीक्षण कर सकता है।

एलपीपीडी/एलआरएमडी से भी इस संबंध में कोई निर्देश प्रदान करने का अनुरोध किया जाता है।

*सूरत शाखा*  
02/08/2023

*(सत्येन्द्र)*  
(सत्येन्द्र कुमार पाण्डेय)  
वैज्ञानिक- डी

✓ वैज्ञानिक एफ एवं प्रमुख (सू.शा.का)

उपमहानिदेशक, पश्चिमी क्षेत्रीय कार्यालय,

प्रमुख (सीएमडी-I, II और III)

प्रमुख (एल पी पी डी)

प्रमुख (एल आर एम डी)

सभी (आर ओ एवं बीओ) के प्रमुख

आई टी एस डी- कृपया क्षेत्रीय एवं शाखा कार्यालयों की सूचना हेतु इंटरनेट पर रखें।

**BUREAU OF INDIAN STANDARDS**  
**(Surat Branch Office)**

**Our Ref: SUBO/IS 10773:1995**

**Date: 02.08.2023**

**Sub: First application on All India Basis for IS 10773:1995**


It is informed that an application for grant of BIS Certification Marks Licence for 'Wrought Copper Tubes for refrigeration and air conditioning purposes' as per IS 10773:1995 has been received at SUBO. As seen from Intranet/BIS website it is observed that no license exists for this Indian Standard.

CMD-III is requested to provide us with, Marking Fee if any prevailing for the product. PM for the Product is available on BIS website.

All ROs/BOs are requested to provide the inputs, if any, available with them for this particular product.

As per BIS website no BIS/OSL are recognized as per IS 10773:1995 who can undertake testing for this product.

LPPD/LRMD is also requested to provide any directives in this regard.



(Satyendra Kumar Pandey)

Scientist- D

Scientist F & Head (SUBO)

*se Singh*  
02/08/2023

DDGW

Head (CMD-I, II & III)

Head (LPPD)

Head (LRMD)

Head All ROs/ BOs

ITSD- with request for circulation on Intranet