

**केन्द्रीय मुहर विभाग - III**

हमारा संदर्भ- केन्द्रीय मुहर विभाग-III/16: आई एस 8008

29 दिसंबर 2022

विषय: प्रोडक्ट मैनुअल - एसआईटी एवं ग्रुपिंग गाइडलाइंस के साथ

सभी शाखा कार्यालय से आग्रह है कि उपरोक्त विषय से संबंधित संलग्न परिपत्र का अवलोकन करें।

(ऐ के कअंर)  
वैज्ञानिक-सी (सी एम् डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय

**CENTRAL MARKS DEPARTMENT-III**

Our Ref: CMD-III/16: IS 8008

29 Dec 2022

**Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 8008:2022 - 'Injection Moulded/ Machined Polyethylene Fittings for Water Supply'**

BOs may kindly see the attached circular on the subject mentioned above.

(A K Kanar)  
Sc-C/Dy Dir (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs

**CENTRAL MARKS DEPARTMENT-III**

**Our Ref: CMD-III/16: IS 8008**

**29 Dec 2022**

**Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 8008:2022 - 'Injection Moulded/ Machined Polyethylene Fittings for Water Supply'**

This has reference to the subject mentioned above.

The approved revised Product Manual for **IS 8008:2022 - 'Injection Moulded/ Machined Polyethylene Fittings for Water Supply'** has been hosted on the BIS website under

**“Conformity Assessment → Product Certification → Product Specific Guidelines → Product Manual.**

The revised product manual includes modifications in scope, grouping guidelines, test equipment and SIT.

BOs are advised to send this Product Manual, which incorporates Grouping Guidelines and SIT to all licensee and applicants immediately. The SIT which has been incorporated in the Product Manual shall be implemented **as per period specified in the guidelines for implementation of revised IS 8088:2022.**

(A K Kanar)  
Sc-C/Dy Dir (CMD III)

Head (CMD III)  
**DDG (Certification)**

Circulated to: All ROs/BOs