

भारतीय मानक ब्यूरो
(सूरत शाखा कार्यालय)

हमारा संदर्भ: सूशाका/आई एस 17790:2022

दिनांक: 24.01.2024

विषय: आईएस 17790:2022 के अनुसार प्रथम अखिल भारतीय आवेदन


सूरत शाखा कार्यालय को आईएस 17790:2022 के अनुसार "घरेलू उपयोग के लिए ऊष्मारोधी फ्लास्क" पर मानक चिन्ह का उपयोग करने के लिए लाइसेंस प्रदान करने के लिए एक आवेदन प्राप्त हुआ है। जैसा की इंटरनेट/बीआईएस वेबसाइट से देखा गया है, यह देखा गया है की इस भारतीय मानक के लिए कोई लाइसेंस मौजूद नहीं है।

सी एम डी -III से अनुरोध है की उत्पाद के लिए प्रासंगिक दिशा-निर्देश, मार्किंग फी यदि उपलब्ध हो तो प्रदान करें।

सभी आरओ/बीओ से अनुरोध है की इस विशेष उत्पाद के लिए उनके पास उपलब्ध इनपुट प्रदान करें।

बीआईएस वेबसाइट के अनुसार आईएस 17790:2022 के अनुसार कोई बीआईएस/ओएसएल मान्यता प्राप्त नहीं है जो इस उत्पाद के लिए परीक्षण कर सकता है।

एलपीपीडी/एलआरएमडी से भी इस संबंध में कोई निर्देश प्रदान करने का अनुरोध किया जाता है।


(सत्येन्द्र कुमार पाण्डेय)
वैज्ञानिक- डी

वैज्ञानिक एफ एवं प्रमुख (सू.शा.का)

उपमहानिदेशक, पश्चिमी क्षेत्रीय कार्यालय,

प्रमुख (सीएमडी-I, II और III)

प्रमुख (एल पी पी डी)

प्रमुख (एल आर एम डी)

सभी (आर ओ एवं बीओ) के प्रमुख

आई टी एस डी- कृपया क्षेत्रीय एवं शाखा कार्यालयों की सूचना हेतु इंटरनेट पर रखें।

BUREAU OF INDIAN STANDARDS
(Surat Branch Office)

Our Ref: SUBO/IS 17790:2022

Date: 24.01.2024

Sub: First application on All India Basis for IS 17790:2022

It is informed that an application for grant of BIS Certification Marks Licence for 'Insulated Flask for Domestic use' as per IS 17790:2022 has been received at SUBO. As seen from Intranet/BIS website it is observed that no license exists for this Indian Standard.

CMD-III is requested to provide us with, Marking Fee if any prevailing for the product. PM for the Product is available on BIS website.

All ROs/BOs are requested to provide the inputs, if any, available with them for this particular product.

As per BIS website no BIS/OSL are recognized as per IS 17790:2022 who can undertake testing for this product.

LPPD/LRMD is also requested to provide any directives in this regard.


(Satyendra Kumar Pandey)

Scientist- D

Scientist F & Head (SUBO)

DDGW

Head (CMD-I, II & III)

Head (LPPD)

Head (LRMD)

Head All ROs/ BOs

ITSD- with request for circulation on Intranet

ce sign
25/01/2024