

केंद्रीय मुहर विभाग-2

संदर्भ: के.मु.वि.2/जी-18

10.12.2021

विषय: अखिल भारतीय प्रथम आधारपर 12 नए उत्पादों के लिए संभावित मुहरांकन शुल्क का निर्धारण।

सक्षम प्राधिकारी द्वारा अनुमोदित अखिल भारतीय प्रथम आधारपर 12 नए उत्पादों के लिए संभावित मुहरांकन शुल्क निर्धारित हुए हैं और ये सभी क्षेत्रीय/शाखा कार्यालयों द्वारा अनुपालन के लिए संलग्न हैं।

(शिवम आहुजा)
वैज्ञानिक सी

प्रमुख (के.मु.वि.2)

सभी क्षेत्रीय/शाखा कार्यालयों/के.मु.वि.1/के.मु.वि.3 को परिचालित

प्रतिलिपि: उपमहानिदेशक(क्षेत्रीय) - कृप्या जानकारी के लिए

CENTRAL MARKS DEPARTMENT-2

Ref: CMD-2/G-18

10.12.2021

Subject: Fixation of Tentative Marking Fee for 12 new products on All India First Basis

Please find attached tentative Marking Fee for 12 new products on All India First Basis, duly approved by the Competent Authority for compliance by all ROs/BOs.

(Shivam Ahuja)
Scientist-C

Head CMD-2

Circulated to all ROs/BOs/CMD-1/CMD-3
Copy for kind Information to: DDGRs

CENTRAL MARKS DEPARTMENT-2

Our Ref.:CMD-2/G-18

Dated: 10.12.2021

Subject: Fixation of Tentative Marking Fee for 12 new products on All India First Basis

1. This has reference to the subject mentioned above and further refers to CMD-2 circular ref: CMD-2/G-18/Tentative MF dated 13 09 2018.

2. In this regard, please find the details of marking fee for 12 new products, tentatively approved by Competent Authority, as mentioned below. These Marking Fee rates are applicable with **immediate effect**.

SI No	IS No. (Product)	MMF for LS (in Rs)	MMF for MSME (in Rs)	Unit Rate (in Rs) for all Units	Unit
1	IS 15769:2008 (Fluxed cored(tubular) electrodes)	166000	133000	0.05	1 Kg
2	IS 13387:1992(Tool Steel Forgings for Metal Forming)	72000	58000	11.00	1 MT
3	IS 13352:1992 (Stock for Forgings Produced from Continuously Cast Billets, Blooms, Slabs and Bars)	128000	103000	20.00	1 MT
4	IS 15895:2018 (High Alumina Refractory Cement)	161000	129000	3.50	1MT
5	IS 2012:2006 (Red Phosphorous-Specification)	82000	66000	76.00	1 MT
6	IS 4581:1978 (Specification for Phosphorus Trichloride, Pure and Analytical Reagent)	78000	63000	6.70	1 MT
7	IS 11657:2020 (Phosphorus Oxychloride, Technical – Specification)	68000	55000	17.60	1 MT
8	IS 7129:2021 (Potassium Carbonate Anhydrous)	68000	55000	6.20	1 MT
9	IS 12795:2020 (Linear Alkyl Benzene)	258000	207000	7.25	1 MT
10	IS 1712:1982 (Cotton Seed Oil Cake as Livestock Feed Ingredient)	74000	60000	2.50	1 MT
11	IS 7975(Part2):2018/ISO 3315:2011 (Assembly Tools for Screws and Nuts - Driving Parts for hand operated square drive socket wrenches)	51000	41000	0.30	1 Piece

12	IS 14439(Part 2):1998 (Legal Metrology- Gas Volume Meters Part 2 Diaphragm Gas Meters)	65000	52000	0.45	1 Piece
----	--	-------	-------	------	------------

3. This shall come into force with immediate effect.

(Shivam Ahuja)
Scientist-C

Head(CMD-2)

- Circulated to: 1. DDGRs
2. All ROs/BOs/CMD-1/CMD-3
3. ITSD - for hosting on BIS Intranet