

केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16:9138

08 12 2020

विषय: आई एस 9138 : 2009, Azotobacter Chroococcum Inoculants का प्रॉडक्ट मानुयल

- 1) यह उपरोक्त के संदर्भ में है।
- 2) IS 9138 : 2009 का अनुमोदित प्रॉडक्ट मानुयल BIS वैबसाइट पर: “Conformity Assessment → Product Certification → Product Specific Guidelines → Product Manual” के अंदर होस्ट कर दिया गया है।
- 3) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमें SIT भी संयुक्त है, को अनुज्ञप्तिधारकों व आवेदकों को 7 दिन के भीतर भेजें। प्रॉडक्ट मानुयल में दिये SIT का 30 दिनों के भीतर अनुपालन किया जाना चाहिए।

(अदाने ख्रासी)
वैज्ञानिक सी

प्रमुख, (कें.मु.वि.-2)

उपमहानिदेशक (प्रमाणन)

क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16: 9138

08 12 2020

Subject: Product Manual for Azotobacter Chroococcum Inoculants according to IS 9138 : 2009.

1. This has reference to the subject mentioned above.
2. The approved Product Manual for IS 9138 : 2009 has been hosted on the BIS website under “Conformity Assessment → Product Certification → Product Specific Guidelines → Product Manual”.
3. BOs are advised to send this Product Manual which incorporates SIT to all Licensees and Applicants within 7 days. The SIT which has been incorporated in the Product Manual shall be implemented within 30 days.

(Adane Khrasi)
Scientist-C

Head (CMD 2)

DDG (Certification)

Circulated to: All ROs/BOs through BIS intranet