



केन्द्रीय मुहर विभाग – 2

हमारा संदर्भ- के मु वि -2/16: 10773

29 08 2024

विषय: IS 10773 : 1995 (प्रशीतन और वतानुकूलन प्रयोजनों के लिए पिटवा तांबे की नलिकाएं — विशिष्टि) में संशोधन संख्या 1 का कार्यान्वयन।

सभी संबंधितों को सूचित किया जाता है कि IS 10773 :1995 में संशोधन संख्या 1 प्रकाशित हो चुकी है। IS 10773 : 1995 में संशोधन संख्या 1 के अनुपालन की अंतिम तिथि **02 फ़रवरी 2025** है। सभी लाइसेंसधारकों/आवेदकों से आग्रह है कि IS 10773 : 1995 में संशोधन संख्या 1 के अनुपालन की तैयारी आरम्भ करें और **02 फ़रवरी 2025** तक इसका कार्यान्वयन सुनिश्चित करें।

(शिवम अहूजा)
वैज्ञानिक-सी (के मु वि-2)

प्रमुख (के मु वि-2)

सभी लाइसेंस धारकों/ आवेदकों को परिचालित
प्रतिलिपि: सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/16: 10773

29 08 2024

Subject: Implementation of Amendment No. 1 to Indian Standard 10773: 1995 (Wrought Copper Tubes for Refrigeration and Air-Conditioning Purposes — Specification

This is to inform to all concerned that Amendment No. 1 to IS 10773: 1995 has been published. Last date of implementation of the Amendment No. 1 to IS 10773: 1995 is **02 February 2025**. All licensees/applicants are requested to initiate preparedness for implementation of the Amendment immediately and ensure its implementation by **02 February 2025**

(Shivam Ahuja)
Scientist C (CMD-2)

Head (CMD - 2)

**Circulated to: All licensees/applicants
Copy to: BIS Branch Offices**