

## केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16:19022

22 06 2023

**विषय: आई एस 19022:2023 Medical Textiles — Barrier Face Covering — Specification का प्रॉडक्ट मानुयल**

1) यह उपरोक्त के संदर्भ में है।

2) IS 19022:2023 का अनुमोदित प्रॉडक्ट मानुयल BIS वेबसाइट पर: "Conformity Assessment → Product Certification → Product Specific Information → Product Manual" के अंदर होस्ट कर दिया गया है

3) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमें SIT भी संयुक्त है, को आवेदकों एवं अनुज्ञप्तिधारकों को 7 दिन के भीतर भेजें।

(आदित्य दास)  
वैज्ञानिक-डी

**प्रमुख, (कें.मु.वि.-2)**

**उपमहानिदेशक(प्रमाणन)**

क्षेत्रीय/शाखा कार्यालयों को intranet माध्यम से परिचालित

## CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16:19022

22 06 2023

**Subject: Product Manual for Medical Textiles — Barrier Face Covering — Specification according to IS 19022:2023**

1. This has reference to the subject mentioned above.
2. The approved Product Manual for IS 19022:2023 has been hosted on the BIS website under "Conformity Assessment → Product Certification → Product Specific Information → Product Manual".
3. BOs are advised to send this Product Manual which incorporates SIT to all licensees and applicants within 7 days.

(Aditya Das)  
Scientist-D

**Head (CMD 2)**

**DDG (Certification)**

**Circulated to: All ROs/BOs through BIS intranet**