

भारतीय मानक ब्यूरो

दिल्ली शाखा कार्यालय - ॥

हमारा संदर्भ: डीएलबीओ-॥/ए-85001123

दिनांक: 11/12/2023

डीएलबीओ-॥ को उत्पाद "घरेलू और समान विद्युत उपकरणों की सुरक्षा भाग 2 विशेष आवश्यकताएँ" पर बीआईएस मानक चिह्न के उपयोग के लिए लाइसेंस देने के लिए विकल्प -1 के तहत मेसर्स वेस्टन इलेक्ट्रिकल एप्लायंसेज से एक आवेदन प्राप्त हुआ है।

आईएस 302 (भाग 2/धारा 15) के अनुसार तरल पदार्थ गर्म करने के लिए धारा 15 उपकरण (पहला संशोधन): 2009

बीआईएस वेबसाइट/इंटरनेट से प्राप्त जानकारी, सीएमडी के आरओ/बीओ को परिपत्रों के अनुसार, निम्नलिखित देखा गया है:

1. उपर्युक्त उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. उत्पाद के लिए अंकन शुल्क उपलब्ध नहीं है।
3. एसआईटी और ग्रुपिंग दिशानिर्देश उपलब्ध नहीं हैं।
4. उपर्युक्त उत्पाद के लिए बीआईएस/ओएसएल में परीक्षण सुविधा मौजूद है।

उपरोक्त के मद्देनजर, उपरोक्त उत्पाद के लिए आवेदन को अखिल भारतीय स्तर पर प्रथम माना जा सकता है।

सभी आरओ और बीओ से अनुरोध है कि वे अपने स्तर पर लंबित किसी भी आवेदन या किसी अन्य जानकारी के संबंध में उपरोक्त उत्पाद के बारे में मेल द्वारा जानकारी भेजें जो इस आवेदन को संसाधित करने में सहायक हो सकती है।

सीएमडी-॥ से अनुरोध है कि वह हमें उत्पाद के लिए प्रासंगिक नवीनतम दिशानिर्देश, एसआईटी, मार्किंग शुल्क, यदि कोई हो, प्रदान करें।

सभी प्रयोगशालाओं/एलआरएमडी से अनुरोध है कि वे आईएस 302 (भाग 2/धारा 15) : 2009 के अनुसार परीक्षण सुविधाओं और परीक्षण शुल्क की उपलब्धता की पुष्टि करें।

(हिमांशु मीना)

वैज्ञानिक-बी/सहायक निदेशक

डीएलबीओ-॥

प्रमुख (डीएलबीओ-॥)

उप महानिदेशक (सीआरओ)

प्रमुख (सीएमडी-॥)

प्रमुख (एलआरएमडी)

सभी आरओ और बीओ का आईटीएसडी- इंटरनेट पर संचलन के लिए

**BUREAU OF INDIAN STANDARDS
DELHI BRANCH OFFICE – II**

Our Ref: DLBO-II/A-85001123

Date : 11/12/2023

DLBO-II has received an application from M/s Westan Electrical Appliances under option-1 for grant of licence to use of BIS standard mark on the product "Safety of household and similar electrical appliances Part 2 Particular Requirements Section 15 Appliances for Heating Liquids (First Revision) as per IS 302 (Part 2/ Section 15) : 2009.

As per the information obtained from BIS Website/ Intranet, Circulars of CMD's to ROs/ BOs, the following is observed:


1. No BIS licence exists for the above-mentioned product.
2. Marking fee not available for the product.
3. SIT & Grouping guidelines are not available.
4. Test facility exist at BIS/OSL for the above mentioned product.

In the view of above, the application may be considered as All India First for the above product.

All ROs and BOs are requested to send information regarding the above product by mail with respect to any application pending at their end or any other information which may be helpful to process this application.

CMD-III is requested to provide us with relevant latest guidelines, SIT, Marking Fee if any prevailing for the product.

All labs/ LRMD is requested to confirm the availability of testing facilities & testing charges as per IS 302 (Part 2/ Section 15) : 2009.



(Himanshu Meena)
Scientist –B/Assistant Director
DLBO-II


Head(DLBO-II)

DDG(CRO)

Head (CMD-III)

Head (LRMD)

All RO's & BO's ITSD- For circulation on intranet


2-01/2
11/12