

BUREAU OF INDIAN STANDARDS
DELHI BRANCH OFFICE – II

Our Ref: DLBO-II/A-85001146

Date: 26-12-2023

DLBO-II has received an application under Option 1 for grant of licence to use of BIS standard mark on the product Assistive products for Materials and articles in contact with foodstuffs - Cutlery and table holloware: Part 2 requirements for stainless steel and silver - Plated cutlery as per IS 15104 (Part 2): 2002.

As per the information obtained from BIS Website/ Intranet, Circulars of CMD's to ROs/ BOs, the following is observed:

1. No BIS licence exists for the above-mentioned product.
2. Marking fee not available for the product.
3. Product Manual with SIT & Grouping guidelines is available for the product.
4. No test facility exists at any BIS laboratory or any BIS recognized laboratory.
5. As per BIS intranet circular, no circular is received for IS 15104 (Part 2): 2002.

In the view of above, the application may be considered for grant of All India First licence for the above product.

All ROs and BOs are requested to send information regarding the above product by mail with respect to any application pending at their end or any other information which may be helpful to process this application.

CMD-III is requested to provide us with relevant latest guidelines, Marking Fee if any prevailing for the product.

All labs/ LRMD is requested to confirm the availability of testing facilities & testing charges as per IS 15104 (Part 2): 2002.

Digitally signed by
SATYABRATA BISOI
Date: 2023.12.26
10:29:06 +05'30'

Satyabrata Bisoi
Scientist -C

Head (DLBO-II)

DDG(CRO)

Head (CMD-III)

Head (LRMD)

All RO's & BO's ITSD- For circulation on intranet

26/12

भारतीय मानक ब्यूरो
दिल्ली शाखा कार्यालय - II

संदर्भ: DLBO-II/A- 85001146

दिनांक: 26-12-2023

डीएलबीओ-II को आईएस 15104 (Part 2): 2002 के अनुसार खाद्य पदार्थों के संपर्क में आने वाली सामग्रियां और वस्तुएं - कटलरी और टेबल खोखले: स्टेनलेस स्टील और चांदी के लिए भाग 2 की आवश्यकताएं - प्लेटेड कटलरी पर बीआईएस मानक चिह्न का उपयोग करने के लिए लाइसेंस देने के लिए विकल्प 1 के तहत एक आवेदन प्राप्त हुआ है।

बीआईएस वेबसाइट/इंटरनेट से प्राप्त जानकारी, सीएमडी के आरओ/बीओ को परिपत्रों के अनुसार, निम्नलिखित देखा गया है:

1. उपर्युक्त उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. उत्पाद के लिए अंकन शुल्क उपलब्ध नहीं है।
3. उत्पाद के लिए एसआईटी और ग्रुपिंग दिशानिर्देशों के साथ उत्पाद मैनुअल उपलब्ध है।
4. किसी भी बीआईएस प्रयोगशाला या किसी बीआईएस मान्यता प्राप्त प्रयोगशाला में कोई परीक्षण सुविधा मौजूद नहीं है।
5. बीआईएस इंटरनेट सर्कुलर के अनुसार, आईएस 15104 (Part 2): 2002 के लिए कोई सर्कुलर प्राप्त नहीं हुआ था।

उपरोक्त के मद्देनजर, उपरोक्त उत्पाद के लिए ऑल इंडिया फर्स्ट लाइसेंस देने के लिए आवेदन पर विचार किया जा सकता है।


सभी क्षेत्रीय और शाखा कार्यालय से अनुरोध है कि वे अपने स्तर पर लंबित किसी भी आवेदन या किसी अन्य जानकारी के संबंध में उपरोक्त उत्पाद के बारे में मेल द्वारा जानकारी भेजें जो इस आवेदन को संसाधित करने में सहायक हो सकती है।

सीएमडी-III से अनुरोध है कि वह हमें प्रासंगिक नवीनतम दिशानिर्देश, मार्किंग शुल्क, यदि उत्पाद के लिए कोई प्रचलित है, प्रदान करें।

सभी प्रयोगशालाओं/एलआरएमडी से अनुरोध है कि वे आईएस 15104 (Part 2): 2002 के अनुसार परीक्षण सुविधाओं और परीक्षण शुल्क की उपलब्धता की पुष्टि करें।

Digitally signed by
SATYABRATA BISOI
Date: 2023.12.26
10:29:36 +05'30'

सत्यब्रत बिसोई
वैज्ञानिक-सी

प्रमुख (डीएलबीओ-II) 

उप महानिदेशक (सीआरओ)

प्रमुख (सीएमडी-III)

प्रमुख (एलआरएमडी)

सभी आरओ और बीओ का आईटीएसडी- इंटरनेट पर संचलन के लिए