

**BUREAU OF INDIAN STANDARDS**

**CHANDIGARH BRANCH OFFICE (CHBO)**

Ref: CHBO/A - 97003170

Dt: 13/Feb/2024

**Subject:** All India first application for Certification as per IS/IEC 61537:2006


CHBO has received an application from **M/s Strut Support Systems, Ludhiana** for grant of licence for use of BIS Standard Mark on the product Cable Management - Cable Tray System and Cable Ladder System as per IS IS/IEC 61537:2006 under Normal Procedure for Grant of Licence.

As per the information obtained from BIS Website/Intranet, Circulars of CMD's to ROs/ BOs the following is observed:


1. No BIS licence exists for the aforementioned product.
2. Marking fee, SIT & Grouping guidelines are not available for the product.
3. No approved testing facility (BIS Labs or OSL) is available for this product.

In the view of above, the application may be considered as All India first application for Certification for the above product.

CMD-III and all ROs/BOs/Labs are requested to send any information with respect to the above IS or any other information which may be helpful to process this application.

  
(Ajay Maurya)  
Scientist- D, CHBO

Sc. F & HEAD(CHBO)

  
13/02/2024.

H(CMD-III)

H(LRMD)

ROs/BOs

भारतीय मानक ब्यूरो  
चंडीगढ़ शाखा कार्यालय (सीएचबीओ)

संदर्भ: सीएचबीओ/ए-97003170

दिनांक:13/Feb/2024

विषय: आईएस/ आईईसी 61537:2006 के अनुसार प्रमाणीकरण के लिए अखिल भारतीय स्तर पर पहला आवेदन


सीएचबीओ को सामान्य प्रक्रिया के तहत आईएस/ आईईसी 61537:2006 के केबल प्रबंधन - केबल ट्रे प्रणालियाँ और केबल सीढ़ी प्रणालियाँ पर बीआईएस मानक चिन्ह के उपयोग के लिए लाइसेंस देने के लिए मेसर्स स्टूट सपोर्ट सिस्टम, लुधियाना से एक आवेदन प्राप्त हुआ है।

बीआईएस वेबसाइट/इंटरनेट से प्राप्त जानकारी के अनुसार, आरओ/बीओ को सीएमडी के परिपत्रों में निम्नलिखित पाया गया है:

1. उपरोक्त उत्पाद के लिए कोई बीआईएस लाइसेंस मौजूद नहीं है।
2. मार्किंग फीस, एस.आई.टी और उत्पाद के लिए समूहीकरण दिशानिर्देश उपलब्ध नहीं हैं।
3. इस उत्पाद के लिए कोई अनुमोदित परीक्षण सुविधा (बीआईएस लैब्स या ओएसएल) उपलब्ध नहीं है।

उपरोक्त के मद्देनजर, आवेदन को उपरोक्त उत्पाद के प्रमाणीकरण के लिए अखिल भारतीय स्तर पर पहला आवेदन माना जा सकता है।

सीएमडी-III और सभी आरओ/बीओ/लैब से अनुरोध है कि वे उपरोक्त आईएस या किसी अन्य जानकारी के संबंध में कोई भी जानकारी भेजें जो इस आवेदन को संसाधित करने में सहायक हो सकती है।

  
13/2/2024

वैज्ञानिक- एफ एवं प्रमुख(सीएचबीओ)

इसका प्रतीक  
15/2/24  
(अजय मौर्य)

वैज्ञानिक- डी, सीएचबीओ

प्रमुख(सीएमडी-III)

प्रमुख (एलआरएमडी)

आरओ/बीओ