

केन्द्रीय मुहर विभाग - III

हमारा संदर्भ- केन्द्रीय मुहर विभाग-III/16: IS 774

22 मार्च 2022

विषय: प्रोडक्ट मैनुअल - एसआईटी एवं ग्रुपिंग गाइडलाइंस के साथ

सभी शाखा कार्यालय से आग्रह है कि उपरोक्त विषय से संबंधित संलग्न परिपत्र का अवलोकन करें।

(ऐ के कअंर)
वैज्ञानिक-सी (सी एम् डी-III)

प्रमुख (सी एम डी-III)

सभी क्षेत्रीय/शाखा कार्यालय

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/16: IS 774

22 Mar 2022

Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 774:2021 - 'Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals'

BOs may kindly see the attached circular on the subject mentioned above.

(A K Kanar)
Sc-C (CMD III)

Head (CMD - III)

Circulated to: All ROs/BOs

CENTRAL MARKS DEPARTMENT-III

Our Ref: CMD-III/16: IS 774

22 Mar 2022

Subject: Product Manual incorporating SIT and Grouping Guidelines for IS 774:2021 - ‘Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals’

This has reference to the subject mentioned above.

The approved revised Product Manual for **IS 774:2021 - Specification for ‘Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals’** has been hosted on the BIS website under

“Conformity Assessment → Product Certification → Product Specific Guidelines → Product Manual.

The revised product manual includes modifications in product name, scope of licence, grouping guideline, and SIT.

BOs are advised to send this Product Manual, which incorporates Grouping Guidelines and SIT to all licensee and applicants immediately. The SIT which has been incorporated in the Product Manual shall be implemented **as per period specified in the guidelines for implementation of revised IS 774:2021.**

(A K Kanar)
Sc-C (CMD III)

Head (CMD III)
DDG (Certification)

Circulated to: All ROs/BOs