

भारतीय मानक ब्यूरो  
प्रयोगशाला मान्यता और प्रबंधन विभाग

संदर्भ: एलआरअमडी/एलआरएस/ओएसएल-5140804

06.10.2021

**विषय:** मै. नेशनल टेस्ट हाउस (ER) (OSL-5140804) की मान्यता के नवीकरण का अस्थगन  
सक्षम अधिकारी के निर्णय अनुसार मै. नेशनल टेस्ट हाउस (ER), ब्लॉक CP, सैक्टर-5, कोलकाता- 700091,  
वेस्ट बंगाल (OSL-5140804) की मान्यता के नवीकरण को दिनांक 05.10.2021 से अस्थगित कर दिया गया है।

अजय तिवारी  
वैज्ञानिक- डी (एलआरअमडी)

प्रमुख (एलआरअमडी)

-----  
प्रतिलिपि – सभी क्षेत्रीय एवं शाखा कार्यालय / प्रयोगशालाएं / सी एम डी -1 / सी एम डी -2 / सी एम डी -3 के लिए  
प्रमुख आई टी एस : कृपया संलग्न किए गए प्रपत्र को भारतीय मानक ब्यूरो के इंटरनेट पर अपलोड करें।

**Bureau of Indian Standards**

**(Laboratory Recognition and Management Department)**

Our Ref: LRMD/LRS/OSL-5140804

06.10.2021

**Subject:** Deferment of Renewal of Recognition of M/s National Test House (ER) (OSL-5140804)

As decided by Competent Authority, the renewal of recognition of M/s National Test House (ER) (OSL-5140804), Block CP, Sector-5, Kolkata- 700091, West Bengal has been deferred w.e.f. 05.10.2021.

Ajay Tewari  
Scientist-D (LRMD)

Head, (LRMD)

CC: All ROs/BOs/BIS Labs/CMD-I/CMD-II/CMD-III

Head ITS, BIS HQ-With a request to upload this circular on BIS internet