

**केन्द्रीय मुहर विभाग -2**

संदर्भ -: केमूवी-2/16:3589

01 01 2025

**विषय: आईएस 3589:2001 में संशोधन संख्या 5 के कार्यान्वयन की तिथि में विस्तार**

यह उपरोक्त विषय के संदर्भ में है।

सभी आरओ/बीओ से अनुरोध है कि वे विस्तार के संबंध में अपने अधिकार क्षेत्र के सभी लाइसेंसधारियों को सूचित करें।

**शिवम आहूजा  
वैज्ञानिक डी**

**प्रमुख (केमूवी 2)**

**सभी क्षेत्रीय/शाखा कार्यालय/प्रयोगशालाएँ/MTD/LRMD**

**CENTRAL MARKS DEPARTMENT-2**

Our Ref: CMD-2/16:3589

01 01 2025

**Subject: Extension in date of Implementation of Amendment No.05 to IS  
3589:2001**

This has reference to the subject mentioned above.

All ROs/BOs are requested to circulate to all licensees under their jurisdiction

**(Shivam Ahuja)  
Scientist D**

**Head (CMD-2)**

**All ROs/BOs/Labs/MTD/LRMD**

**CENTRAL MARKS DEPARTMENT-2**

Our Ref:CMD-2/16:3589

Date: 01.01.2025

**Subject: Extension in Date of Implementation of Amendment No.05 to IS 3589:2001 – (Steel Pipes for Water and Sewage (168.3 To 2540 mm Outside Diameter)**

1. This has reference to the **Guidelines for implementation of Amendment No.05 to IS 3589:2001 issued vide Circular No.CMD-2/16:3589 dated 06.10.2022** and circulars regarding extension in date of implementation of amendment no.05 vide ref **CMD-2/16:3589 dated 02.06.2023,15.11.2023 and 07.06.2024, respectively**. Vide the above mentioned circulars, it was informed that the last date for implementation of Amendment No.05 to IS 3589:2001 was extended up to **04<sup>th</sup> December 2024**.

2. Now, the Competent Authority has agreed for extending the date of implementation of Amendment No.05 to IS 3589:2001 up to **04<sup>th</sup> March 2025**.

3. All ROs/BOs are requested to bring this to the notice of all licensees under their jurisdiction please.

Shivam Ahuja

Sc.D.(CMD-2)

**Head (CMD-2)**

**DDG (Certification)**