

**Re: Approval for adoption of ISO standard as Indian standard**

**From :** dkaswal@yahoo.com  
**Subject :** Re: Approval for adoption of ISO standard as Indian standard  
**To :** BIS PGD <pgd.bis@nic.in>  
**Reply To :** dinesh Aswal <dkaswal@yahoo.com>

Mon, Jun 03, 2024 01:02 PM

5 attachments

approved..

**Dr. D.K. Aswal,**

FNASc, FIAAM, Academician APAM, FMASc

**Director**Health, Safety and Environment Group  
Bhabha Atomic Research Centre  
Trombay, Mumbai 400085, India

Tel: +91-22-2559 3717

+91-22-2559 3603

Fax: + 91-22-25505313

Mob: 9819545301

Former Director, CSIR-NPL, New Delhi (2015-2021)

Former Chairman (AC), NABL, Gurugram (2019-2020)

Former Director (AC), CSIR-NISTADS, New Delhi (2018-2019)

Former Director (AC), CSIR-CEERI, Pilani (2019-2020)

Former Secretary, DAE-AEES, Mumbai (2012-2015)

On Monday, 3 June, 2024 at 10:48:36 am IST, BIS PGD &lt;pgd@bis.gov.in&gt; wrote:

**Dr DK Aswal**

Chairperson

Production and General Engineering Division Council (PGDC)

Dear Sir,

In accordance with sub-rule (5) of rule 22 of BIS Rules 2018, the following documents finalized by the Engineering Metrology Sectional Committee, PGD 25 are enclosed for your kind approval for its **publication** as an Indian Standard.

Doc. No.	Title
PGD/25/24601	Geometrical product specifications (GPS) -- Filtration : Part 40 Morphological profile filters: Basic concepts
PGD/25/24605	Geometrical product specification (GPS)-- Filtration : Part 61 Linear areal filters -- Gaussian filters
PGD/25/24608	Geometrical product specifications GPS -- Filtration : Part 71 Robust areal filters: Gaussian regression filters
PGD/25/24609	Geometrical product specifications (GPS) -- Filtration : Part 85 Morphological areal filters: Segmentation

Yours Sincerely,

Ashutosh Rai

Sc-C, PGD

Member Secretary PGD 25

--




**Production and General Engineering Department**  
Bureau of Indian Standards  
The National Standards Body of India


Manak Bhawan, 9 Bahadur Shah Zafar Marg



---

 **PDDPGD16224609\_31052024\_1.pdf**  
4 MB

 **PDDPGD16224605\_31052024\_1.pdf**  
3 MB

 **PDDPGD16224601\_31052024\_1.pdf**  
2 MB

 **PDDPGD16224608\_31052024\_1.pdf**  
4 MB

---