# भारतीय मानक Indian Standard

# सूत्र नेति धागा — विशिष्टि

# Sūtra Neti Thread — Specification

ICS 11.120.10

© BIS 2024



भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

IS 18962: 2024

#### **FOREWORD**

This Indian Standard was adopted by Bureau of Indian Standards, after the draft finalized by the Yoga Sectional Committee had been approved by the Ayush Division Council.

*Neti Kriyā*, one of the cleansing practices (Shatkarmas) in Hatha Yoga, plays a vital role in purifying the nasal passages and enhancing respiratory functions. It is known for its therapeutic benefits, particularly in treating sinus issues, colds, allergies, and promoting overall respiratory health. The nasal cleaning could be done in three ways that is air, water and thread.

*Sūtra Neti* involves the use of a special thread called a "Sutra" (thread), which is passed through one nostril and pulled out through the mouth, aiding in nasal passage cleaning and stimulating the nerves associated with the nose, throat, and head. *Sūtra Neti* should be performed before pranayama practices as it clears the passage and helps in obstructed flow of air through the nostril.

The thread used in *Sūtra Neti* is typically made from natural materials like cotton or rubber. The cotton thread is often waxed or coated for smooth passage, while rubber threads offer flexibility and softness, making the process less abrasive. The thread should be of the right thickness, soft yet sturdy enough to pass through the delicate nasal passages without causing discomfort or injury. Using an unsuitable thread could cause irritation, abrasions, or even damage the nasal mucosa, which highlights the need for quality assurance and standards in the manufacturing of *Sūtra Neti* threads.

The composition of the Committee responsible for the formulation of this standard is given in Annex B.

For the purpose of deciding whether a particular requirement of this standard is complied with the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2:2022 'Rules for rounding off numeral values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in the relevant referred standard.

#### Indian Standard

## SŪTRA NETI THREAD — SPECIFICATION

#### 1 SCOPE

This standard specifies the constructional parameters and performance requirements for *Sūtra Neti* thread (with beeswax and without beeswax).

#### 2 REFERENCES

The standards listed in <u>Annex A</u> contain provisions which, through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of these standards.

#### **3 TERMINOLOGY**

- **3.1** *Sūtra Neti Kriyā* The process of nasal cleaning by inserting a soft thread through the nose of the length of one handspan so that it comes out of the mouth.
- **3.2** *Sūtra Neti* **Thread** The thread used for *Sūtra Neti Kriyā*.

#### **4 MATERIAL**

- **4.1** The *Sūtra Neti* thread shall be made up of cotton, tightly wound or rolled together.
- **4.2** The *Sūtra Neti* thread shall be natural in colour.

**4.3** The beeswax used in *Sūtra Neti* thread shall conform to IS 1504.

NOTE — The *Sūtra Neti* thread shall be carefully checked for knots or dust particles as they can harm the soft nasal region and cause bleeding.

#### **5 PHYSICAL REQUIREMENTS**

- **5.1** The *Sūtra Neti* thread shall comply with the physical requirements given in <u>Table 1</u>.
- **5.2** The *Sūtra Neti* thread shall conform to the constructional and performance requirements specified in Table 2.
- **5.3** The *Sūtra Neti* thread shall conform to the chemical requirement specified in Table 3

#### 6 SAMPLING

- **6.1** The lot shall consist of all the *Sūtra Neti* thread of same construction manufactured from same lot of raw material.
- **6.2** To ascertain the conformity of the lot to the requirement of this standard, sample shall be drawn and inspected from each lot separately.
- **6.3** The number of pieces to be selected at random for inspection shall be in accordance with <u>Table 4</u>.
- **6.4** Number of tests and criteria for conformity shall be in accordance with <u>Table 5</u>.

Table 1 Physical Requirements of Sūtra Neti Thread

(*Clause* <u>5.1</u>)

| Sl No. | Characteristic | Requirement     |                 | Tolerance                 |
|--------|----------------|-----------------|-----------------|---------------------------|
|        |                | With Bee Wax    | Without Bee Wax |                           |
| (1)    | (2)            | (3)             | (4)             | (5)                       |
| i)     | Length         | 30 cm           | 30 cm           | ± 5 cm                    |
| ii)    | Thickness      | 5 mm            | 5 mm            | $\pm 0.5 \text{ mm}$      |
| iii)   | Mass           | <del>1 gm</del> | 2 gm            | $\pm$ 25 mg, $\pm$ 0.5 gm |

Table 2 Constructional and Performance Requirements of  $S\bar{u}tra$  Neti thread

(*Clause* <u>5.2</u>)

| Sl No. | Characteristic                                     | Requirement        | Tolerance     | Method of Test,<br>Ref to |
|--------|--|--------------------|---------------|---------------------------|
| (1)    | (2)  | (3)                | (4)           | (5)                       |
| i)     | Count of yarn (for guidance only) cotton count, Ne | 2/30.8             | ± 3.0 percent | IS 1315                   |
| ii)    | Mass, gm   | 2 to 3             | -             | -                         |
| iii)   | No. of thread                                      | 55                 | ± 5           | Visual counting           |
| iv)    | Twist per inch in single yarn                      | 14                 | ± 10 percent  | IS 832 (Part 2)           |
| v)     | Twist per inch in 2 ply yarn                       | 19.3               | ± 10 percent  | IS 832 (Part 1)           |
| vi)    | Breaking load of single strand (RKM), g/tex        | 13                 | ± 10 percent  | IS 1670                   |
| vii)   | Elongation at break of single strand, percent, Max | 4.67               | -             | IS 1670                   |
| viii)  | Fibre identification                               | 100 percent cotton | -             | IS 667                    |

Table 3 Chemical Requirements of Sūtra Neti Thread

(*Clause* <u>5.3</u>)

| SI No. | Characteristic  | Requirement | Method of Test,<br>Ref to |
|--------|---|-------------|---------------------------|
| (1)    | (2)   | (3)         | (4)                       |
| i)     | pH of aqueous extract   | 6.8 to 7.2  | IS 1390                   |
| ii)    | Anti-bacterial activity value, <i>Min</i> (initially and after 10 washes) (optional requirement, if agreed to between the buyer and the seller) | 1           | IS/1SO 20743              |

Table 4 Sampling Plan for Sūtra Neti Thread

(*Clause* <u>6.3</u>)

| Sl No. | Lot Size        | Sample Size | Permissible No. of<br>Defectives-Samples | Sub-Sample Size<br>to be Drawn from<br>Sample | Permissible No.<br>of Defectives<br>Sub-Samples |
|--------|-----------------|-------------|--|---|---|
| (1)    | (2)             | (3)         | (4)                                      | (5)   | (6)   |
| i)     | Up to 25        | 3           | 0  | 3   | 0   |
| ii)    | 26 to 90        | 13          | 1  | 3   | 0   |
| iii)   | 91 to 150       | 20          | 2  | 13  | 1   |
| iv)    | 151 to 280      | 32          | 3  | 13  | 1   |
| v)     | 281 to 500      | 50          | 5  | 20  | 1   |
| vi)    | 501 to 1 200    | 80          | 7  | 32  | 2   |
| vii)   | 1 201 and above | 125         | 10                                       | 50  | 3   |

Table 5 Number of Tests and Criteria for Conformity

(*Clause* <u>6.4</u>)

| Sl No. | Characteristic                          | Number of Tests                 | Criteria for Conformity   |
|--------|---|---------------------------------|---|
| (1)    | (2)                                     | (3)                             | (4)   |
| i)     | Count, weight, No. of threads,<br>Twist | According to col (3) of Table 4 | Number of non-conforming pieces not to exceed corresponding number given in col (4) of <u>Table 4</u> |
| ii)    | All other requirements                  | According to col (5) of Table 4 | Number of non-conforming pieces not to exceed corresponding number given in col (6) of <u>Table 4</u> |

#### 7 PACKING

Unless otherwise agreed between the manufacturer and buyer, the *Sūtra Neti* thread shall be packed in its cover so as to protect it from dust and moisture.

#### **8 MARKING**

- **8.1** Each packet/box shall be marked legible to give the following information:
  - a) Name of the product, type;
  - b) Name and address of the manufacturer;

- c) Date of the manufacture (DOM);
- d) Batch or code number;
- e) Net quantity; and
- f) Best before.

#### 8.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act*, 2016 and the Rules and Regulations framed there under, and the product(s) may be marked with the Standard Mark.

### ANNEX A

(*Clause* <u>2</u>)

### LIST OF REFERRED STANDARDS

| IS No.                            | Title  | IS No.                | Title   |
|-----------------------------------|--|-----------------------|---|
| IS 667 : 1981                     | Methods for identification of textile fibres (first revision)                              | IS 1390 : 2022        | Textiles — Determination of <i>pH</i> of aqueous extract ( <i>third revision</i> )      |
| IS 832                            | Textiles — Determination of twist in yarns:  | IS 1670 : 1991        | Textiles — Yarn —<br>Determination of breaking  |
| ` /                               | Direct counting method (third revision)  |                       | load and elongation at<br>break of single strand<br>(second revision)                   |
| (Part 2): 2011<br>ISO 17202: 2002 | Untwist/retwist method<br>for single spun yarns<br>(second revision)                       | IS 1504 : 1996        | Beeswax, crude and refined specification (third revision)                               |
| IS 1315:1977                      | Method for determination of linear density of yarns spun on cotton system (first revision) | IS/ISO 20743:<br>2021 | Textiles — Determination of antibacterial activity of textile products (first revision) |

IS 18962: 2024

#### ANNEX B

(Foreword)

#### COMMITTEE COMPOSITION

Yoga Sectional Committee, AYD 02

| Organization | Representative(s) |
|--------------|-------------------|
|--------------|-------------------|

Krishnamacharya Yoga Mandiram (KYM), Chennai YOGACHARYA S. SRIDHARAN (Chairperson)

Dev Sanskriti Vishwavidyalaya, Haridwar DR SURESH BARNWAL

Government Nature Cure Hospital, Hyderabad DR N. BHANU KIRAN

Heartfulness Institute, Gurugram Shri Anuj Setya

Indian Institute of Technology, Center for Biomedical PROF K. K. DEEPAK

Engineering, New Delhi DR DEEPAK JOSHI (Alternate I)

DR AYUSHEE KHAJURIA (*Alternate* II)

Indian Yoga Association (IYA), New Delhi DR S. P MISHRA

SHRI P.C KAPOOR (*Alternate* I) DR RAJANISH SHARMA (*Alternate* II)

Institute of Salutogenesis and Complementary Medicine DR ANANDA BA

(ISCM), Puducherry

DR ANANDA BALAYOGI BHAVANANI DR MEENA RAMANATHAN (*Alternate*)

Isha Foundation, Coimbatore SWAMI ULLASA

SHRI ARUN MEHTA (Alternate)

Kaivalyadhama, Lonavla Shrimati Renu Jain

SHRIMATI SHALINI SRIVASTAVA (*Alternate* I) SHRI SANJEEV KUMAR DWIVEDI (*Alternate* II)

Krishnamacharya Yoga Mandiram (KYM), Chennai SHRI T. SWAMINATHAN

Morarji Desai National Institute of Yoga, New Delhi DR ISHWARA N. ACHARYA DR GURU DEO (Alternate)

Patanjali Yogpeeth, Haridwar DR NIDHEESH KUMAR YADAV DR AARTI PAL (Alternate)

Ramamani Iyengar Memorial Yoga Institute, Pune SHRI BIRJOO H. MEHTA

SHRI MALAV DANI (Alternate)

Sivananda Yoga Vedanta Nataraja Centre, New Delhi Shri Prakash Chand Kapoor

SHRI VIJAY (BIJAYENDER SINGH) (Alternate)

Shiv Naresh Sports Private Limited, New Delhi Shri Shiv Prakash Singh

SHRI VISHNU BHAGAT (Alternate I)

SHRI GURMEHAR KAUR MODI (Alternate II)

Sri Sri School of Yoga, Bengaluru Shri Mayur Karthik

SHRI PUSHPDANT (Alternate I) SHRIMATI NIYATI PURI (Alternate II)

Swami Vivekananda Yoga Anusandhana Samsthana,

Bengaluru

DR B. R. RAMAKRISHNA

DR VASUDEV VAIDYA (*Alternate* I) MS ANUPA CHHANTYAL *Alternate* II)

#### IS 18962: 2024

Organization

Representative(s)

The Yoga Institute, Mumbai Shrimati Padmini Rathore

MS PREMA PARAB (Alternate I) MS ROHINI GHOSH (Alternate II)

Wintex Appare Limited, New Delhi Shri Mayank Gupta

MS RANU GUPTA (Alternate I) Shri Krishna Gupta (Alternate II)

Yoga Vidya Niketan, Mumbai Shri Durgadas Shamba Savant

NEHA ABHIMANYU KERURE (Alternate I) UTKARSHA SRIVASTAVA (Alternate II)

In Personal Capacity (1/3 B, Second Floor, Jangpura - B,

Mathura Road, New Delhi – 110014)

MS LAXMI DEVI AERE

BIS Directorate General Shri Unnikrishnan A. R., Scientist 'G' and

HEAD (AYUSH), [REPRESENTING DIRECTOR

GENERAL (*Ex-officio*)]

Member Secretary
DR B. VENKATESWAR RAO
SCIENTIST 'C'/DEPUTY DIRECTOR
(AYUSH), BIS

Panel for Yoga Accessories, AYD 02/Panel 01

Organization Representative(s)

Morarji Desai National Institute of Yoga, New Delhi Shrimati Himani Shokhand (Convener)

Morarji Desai National Institute of Yoga, New Delhi Dr I. N. ACHARYA

Morarji Desai National Institute of Yoga, New Delhi DR GURU DEO

School of Yoga and Health, Haridwar PROF SURESH LAL BARNWAL

S-VYASA University, Bengaluru DR MANJUNATH N. K.

Yogic Heritage, Lonavala DR G. S. SAHAY

This Pade has been Intentionally left blank

#### **Bureau of Indian Standards**

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

#### Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

#### **Review of Indian Standards**

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: AYD 02 (22913).

#### **Amendments Issued Since Publication**

| Amend No. | Date of Issue | Text Affected |  |
|-----------|---------------|---------------|--|
|           |               |               |  |
|           |               |               |  |
|           |               |               |  |

#### **BUREAU OF INDIAN STANDARDS**

#### **Headquarters:**

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

*Telephones*: 2323 0131, 2323 3375, 2323 9402 *Website*: www.bis.gov.in

| I crep   | 25. 2526 6161, 2626 6676, 2626 5 162  | ,, costici ii ii ii cisigo iiii |                        |
|----------|---|---------------------------------|------------------------|
| Regional | Offices:  |                                 | Telephones             |
| Central  | : 601/A, Konnectus Tower -1, 6 <sup>th</sup> Floor,<br>DMRC Building, Bhavbhuti Marg, New<br>Delhi 110002 |                                 | Telephones { 2323 7617 |
| Eastern  | : 8 <sup>th</sup> Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091    |                                 | 2367 0012<br>2320 9474 |
| Northern | : Plot No. 4-A, Sector 27-B, Madhya Marg,<br>Chandigarh 160019  |                                 | 265 9930               |
| Southern | : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113  |                                 | 2254 1442<br>2254 1216 |
| Western  | : Manakalya, 5 <sup>th</sup> Floor/MTNL CETTM, Technology Street, H<br>Mumbai 400076                      | iranandani Gardens, Powai       | 25700030<br>25702715   |

Branches: AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.