

कृषि ट्रैक्टरों के लिए ड्रॉबार — लिंक
प्रकार — विशिष्टि
(पहला पुनरीक्षण)

Drawbar for Agricultural Tractors —
Link Type — Specification
(First Revision)

ICS 65.060.10

© BIS 2024



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI - 110002
www.bis.gov.in www.standardsbis.in

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Agricultural Machinery and Equipment Sectional Committee had been approved by the Food and Agriculture Division Council.

Link type drawbars are used in lower links of three-point linkage of agricultural wheeled tractors for pulling the implements and trailers. The dimensions and other characteristics of this type of drawbar differ considerably, due to which, the users of tractors experience difficulty in securing their implements.

This standard was first published in 1990 with a view to regulate the uniformity and the quality of indigenous production of the drawbars and ensure interchangeability. This standard superseded IS 9545 (Part 1) : 1980 'Drawbar for agricultural tractors: Part 1 Link type', and the requirements were aligned with IS 4468 : 1986 'Dimensions for three-point linkage of agricultural wheeled tractors (*second revision*)'.

Subsequently, IS 17231 : 2019/ISO 730 : 2009 'Agricultural wheeled tractors — Rear-mounted three-point linkage — Categories 1N, 1, 2N, 2, 3N, 3, 4N and 4' was published which superseded IS 4468. Accordingly, the first revision of this standard is brought out to align the requirements of link type drawbar with IS 17231 : 2019/ISO 730 : 2009.

The composition of the Committee responsible for the formulation of this standard is given in [Annex A](#).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

DRAWBAR FOR AGRICULTURAL TRACTORS — LINK
TYPE — SPECIFICATION

(First Revision)

1 SCOPE

This standard specifies material, dimensions and other requirements for link type drawbar for agricultural wheeled tractors.

2 REFERENCES

The standards given below contain provisions which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of these standards:

<i>IS No.</i>	<i>Title</i>
1500 (Part 1) : 2019/ISO 6506- 1 : 2014	Metallic materials — Brinell hardness test: Part 1 Test method (<i>fifth revision</i>)
IS 2062 : 2011	Hot rolled medium and high tensile structural steel — Specification (<i>seventh revision</i>)
IS 7201 (Part 1) : 1987	Methods of sampling for agricultural machinery and equipment: Part 1 Hand-tools and hand- operated/animal drawn equipment (<i>first revision</i>)

3 MATERIAL

Mild steel should be used for manufacturing of drawbar conforming to IS 2062 with minimum tensile strength of 685 MN/m² (70 kgf/mm²). However, any other raw material may be used for manufacturing of drawbar, provided it shall have minimum tensile strength of 685 MN/m² (70 kgf/mm²).

4 HARDNESS

The hardness of the material shall be minimum 212 HB when tested as per IS 1500 (Part 1).

5 DIMENSIONS

5.1 All the dimensions mentioned in [Fig. 1](#), shall conform to [Table 1](#) for various categories of three-point linkage.

5.2 The minimum value of chamfer (*see* R3 in [Fig. 1](#)) shall be 3 mm.

6 WORKMANSHIP AND FINISH

The surface of the drawbar shall be smooth and free from cracks, pits, burrs and other visual defects. Sharp corners shall be avoided.

7 MARKING AND PACKING**7.1 Marking**

The drawbar shall be marked with following particulars:

- a) Manufacturer's name or recognized trademark, if any;
- b) Batch or code number; and
- c) Category of three-point linkage.

7.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the products may be marked with the Standard Mark.

7.3 Packing

The drawbar shall be packed as agreed to between the purchaser and the supplier.

8 SAMPLING FOR LOT ACCEPTANCE

8.1 Unless otherwise agreed to between the purchaser and the supplier, the sampling of drawbar for lot acceptance shall be done in accordance with IS 7201 (Part 1).

8.2 The classification of different requirements for the purpose of testing given below for guidance for lot acceptance is:

- a) Dimensional and visual requirements — *see* [5](#), [6](#) and [7](#).
- b) Other than dimensional and visual requirements — *see* [3](#) and [4](#).

To access Indian Standards click on the link below:

https://www.services.bis.gov.in/php/BIS_2.0/bisconnect/knowyourstandards/Indian_standards/isdetails/




FIG. 1 LINK TYPE DRAWBAR

Table 1 Dimensions of Link Type Linkage Drawbar Parameters

(Clause 5.1)

(All dimensions in millimetres.)

SI No.	Notation	Category of Three-Point Linkages							
		Cat 1N	Cat 1	Cat 2N	Cat 2	Cat 3N	Cat 3	Cat 4N	Cat 4
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
i)	A	400 ± 1.5	683 ± 1.5	683 ± 1.5	825 ± 1.5	825 ± 1.5	965 ± 1.5	952 ± 1.5	1 166.5 ± 1.5
ii)	B	75 (-2)	75 (-2)	75 (-2)	75 (-2)	80 (-2)	80 (-2)	85 (-2)	85 (-2)
iii)	C	30 (-1.5)	30 (-1.5)	30 (-1.5)	30 (-1.5)	32 (-1.5)	32 (-1.5)	34 (-1.5)	34 (-1.5)
iv)	D φ	21.79 to 22.0	21.79 to 22.0	27.79 to 28.0	27.79 to 28.0	36.39 to 36.6	36.39 to 36.6	49.7 to 50.8	49.7 to 50.8
v)	E	39.0 (Min)	39.0 (Min)	49.0 (Min)	49.0 (Min)	52.0 (Min)	52.0 (Min)	68.0 (Min)	68.0 (Min)
vi)	F φ	12.0 (Min)	12.0 (Min)	12.0 (Min)	12.0 (Min)	12.0 (Min)	12.0 (Min)	17.0 (Min)	17.0 (Min)

Table 1 (Concluded)

SI No.	Notation	Category of Three-Point Linkages							
		Cat 1N	Cat 1	Cat 2N	Cat 2	Cat 3N	Cat 3	Cat 4N	Cat 4
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
vii)	G	15.0 (Min)	15.0 (Min)	15.0 (Min)	15.0 (Min)	20.0 (Min)	20.0 (Min)	25.0 (Min)	25.0 (Min)
viii)	H ϕ	25 \pm 1	25 \pm 1	25 \pm 1	25 \pm 1	33 \pm 1	33 \pm 1	33.0 (Min)	33.0 (Min)
ix)	J	80 \pm 1.5	80 \pm 1.5	80 \pm 1.5	80 \pm 1.5	80 \pm 1.5	80 \pm 1.5	80 \pm 1.5	80 \pm 1.5
x)	No. of holes	5	7	7	9	9	11	10 (Min)	10 (Min)

NOTE — For B and C, value higher than mentioned in Table 1 shall also be acceptable considering special implements.

ANNEX A

(Foreword)

COMMITTEE COMPOSITION

Agricultural Machinery and Equipment Sectional Committee, FAD 11

<i>Organization</i>	<i>Representative(s)</i>
ICAR - Central Institute of Agricultural Engineering, Bhopal	DR C. R. MEHTA (<i>Chairperson</i>)
Agricultural Machinery Manufacturers Association (AMMA-India), Gandhinagar	DR SURENDRA SINGH SHRI MITUL PANCHAL (<i>Alternate</i>)
All India Farmers Alliance, New Delhi	DR RAJARAM TRIPATHI SHRIMATI APURVA TRIPATHI (<i>Alternate</i>)
Aspee Agro Equipment Private Limited, Mumbai	SHRI JATIN S. PATEL SHRI GANGADHAR VARPE (<i>Alternate</i>)
Automotive Research Association of India, Pune	SHRI A. AKBAR BADUSHA SHRI GIRISH TANAWADE (<i>Alternate I</i>) SHRI GANGARAM AUTI (<i>Alternate II</i>)
CCS Haryana Agricultural University, Hisar Central Farm Machinery Training and Testing Institute, Budni	DR VIJAYA RANI SHRI ANIL KUMAR UPADHYAY SHRI BABUL NATH DIXIT (<i>Alternate I</i>) SHRI PARTH LODH (<i>Alternate II</i>)
CLAAS India Private Limited, Chandigarh	SHRI KRISHNA PRABHAKAR SINGH
CNH Industrial India Private Limited, Pune	SHRI SANTHOSH RAO SHRI SUJIT HINGE (<i>Alternate</i>)
Consumer Guidance Society of India, Mumbai	SHRI SITARAM DIXIT
Dasmesh Mechanical Works Private Limited, Malerkotla	SHRI SARBJEET SINGH PANESAR SHRI GURDEEP SINGH PANESAR (<i>Alternate</i>)
ICAR - All India Coordinated Research Project on Ergonomics and Safety in Agriculture, Bhopal	DR SUKHBIR SINGH DR RAHUL R POTDAR (<i>Alternate I</i>) SHRIMATI SWEETI KUMARI (<i>Alternate II</i>)
ICAR - All India Coordinated Research Project on Farm Implements and Machinery, Bhopal	DR K. N. AGRAWAL
ICAR - All India Coordinated Research Project on Mechanization of Animal Husbandry, Bhopal	DR S. P. SINGH
ICAR - Central Institute of Agricultural Engineering, Bhopal	DR V. P. CHAUDHARY DR U. R. BADEGAONKAR (<i>Alternate I</i>) DR DILIP JAT (<i>Alternate II</i>)
Indian Council of Agricultural Research, New Delhi	DR PANNA LAL SINGH
John Deere India Private Limited, Pune	SHRI ANAND RAJ SHRI CHANDRASHEKHAR DESHMUKH (<i>Alternate I</i>) SHRI PRATIK DURAPHE (<i>Alternate II</i>)
Kerala Agro Machinery Corporation Ltd (KAMCO), Athani	SHRI A. UNNIKRISHNAN SHRI P. C. SAJIMON (<i>Alternate</i>)

<i>Organization</i>	<i>Representative(s)</i>
Kisan Kraft Limited, Bangaluru	SHRI RAVINDRA AGARWAL SHRI ANKIT CHITALIA (<i>Alternate I</i>) SHRI SUNIL PRASAD (<i>Alternate II</i>)
Kubota Agricultural Machinery India Private Limited, Faridabad	SHRI ASHOK KUMAR SHRI ASHISH KUMAR MALLARH (<i>Alternate</i>)
Maharana Pratap University of Agricultural and Technology, Udaipur	DR SANWAL SINGH MEENA
Mahatma Phule Krishi Vidyapeeth, Rahuri	DR SACHIN MADHUKAR NALAWADE SHRI VIKRAM PARASHARAM KAD (<i>Alternate I</i>) DR AVDHUT ASHOK WALUN (<i>Alternate II</i>)
Mahindra and Mahindra Limited, Mumbai	SHRI PRADEEP SHINDE
Ministry of Agriculture, Department of Agriculture, New Delhi	DR V. N. KALE SHRI ARVIND N. MESHRAM (<i>Alternate</i>)
National Innovation Foundation, New Delhi	SHRI RAKESH MAHESHWARI SHRI MAHESH PATEL (<i>Alternate</i>)
National Institute of Plant Health Management, Hyderabad	DR VIDHU KAMPURATH P. SHRI MUTYALA UDAYA (<i>Alternate</i>)
North Eastern Region Farm Machinery Training and Testing Institute, Biswanath Chariali	DR P. P. RAO SHRI S. G. PAWAR (<i>Alternate I</i>) SHRI KHAGENDRA BORA (<i>Alternate II</i>)
Northern Region Farm Machinery Training and Testing Institute, Hisar	DR MUKESH JAIN SHRI SANJAY KUMAR (<i>Alternate</i>)
Power Tillers Manufacturers Association, Kolkata	SHRI A. R. GANESH KUMAR
Punjab Agricultural University, Ludhiana	DR MAHESH KUMAR NARANG DR RAJESH GOYAL (<i>Alternate I</i>) SHRI APOORV PRAKASH (<i>Alternate II</i>)
Southern Region Farm Machinery Training and Testing Institute, Anantpur	DR B. M. NANDEDE
Tamil Nadu Agricultural University, Coimbatore	DR R. KAVITHA DR A. SURENDRA KUMAR (<i>Alternate I</i>) DR A. P. MOHAN KUMAR (<i>Alternate II</i>)
Tirth Agro Technology Pvt Ltd 'Shaktiman', Rajkot	SHRI PARAG DEVIDAS BADGUJAR SHRI V. AUDHI NARAYAN REDDY (<i>Alternate</i>)
Tractor and Mechanization Association, New Delhi	SHRI PHILIP KOSHY SHRI VEENIT NEGI (<i>Alternate I</i>) SHRIMATI DEVYANI (<i>Alternate II</i>)
Tube Investments Clean Mobility Private Limited, Chennai	SHRI ABHISHEK SINHA SHRI S. O. TYAGI (<i>Alternate</i>)
Voluntary Organisation in Interest of Consumer Education (VOICE), New Delhi	SHRI B. K. MUKHOPADHYAY
In Personal Capacity (201, Memnon Tower, Omaxe the Nile, Sector 49, Sohna Road, Gurugram - 122018)	SHRI VIVEK GUPTA

<i>Organization</i>	<i>Representative(s)</i>
BIS Directorate General	SHRIMATI SUNEETI TOTEJA, SCIENTIST 'F'/SENIOR DIRECTOR AND HEAD (FOOD AND AGRICULTURE DEPARTMENT) [REPRESENTING DIRECTOR GENERAL (<i>Ex-officio</i>)]

Member Secretary
SHRI VIKRANT CHAUHAN
SCIENTIST 'B'/ASSISTANT DIRECTOR
(FOOD AND AGRICULTURE), BIS

Panel to Formulate and Review Indian Standards on Tractors, FAD11/P 5

<i>Organization</i>	<i>Representative(s)</i>
ICAR - Central Institute of Agricultural Engineering, Bhopal	DR C. R. MEHTA (<i>Convener</i>)
Automotive Research Association of India, Pune	SHRI GIRISH TANAWADE
Central Farm Machinery Training and Testing Institute, Budni	SHRI A. K. UPADHYAY
CNH Industrial India Private Limited, Pune	SHRI HIMANSHU MISHRA
John Deere India Private Limited, Pune	SHRI MANSINGH JAGDALE
Kubota Agricultural Machinery India Private Limited, Faridabad	SHRI ASHISH KUMAR MALLARH
Mahindra and Mahindra Limited, Mumbai	SHRI PRADEEP SHINDE
Tractor and Mechanization Association, New Delhi	SHRI VEENIT NEGI
Tube Investments Clean Mobility Private Limited, Chennai	SHRI ABHISHEK SINHA
In Personal Capacity (201, Memnon Tower, Omaxe the Nile, Sector 49, Sohna Road, Gurugram - 122018)	SHRI VIVEK GUPTA

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: FAD 11 (22451).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.gov.in

Regional Offices:

	Telephones
Central : 601/A, Konnectus Tower -1, 6 th Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002	{ 2323 7617
Eastern : 8 th Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091	{ 2367 0012 2320 9474
Northern : Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019	{ 265 9930
Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	{ 2254 1442 2254 1216
Western : 5 th Floor/MTNL CETTM Technology Street, Hiranandani Gardens, Powai, Mumbai - 400076	{ 25700030 25702715

Branches : AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.