IS 15717 : 2024

सड़क वाहन — संपीड़ित प्राकृतिक गैस
(सीएनजी)/जैव-संपीड़ित प्राकृतिक गैस
(जैव-सीएनजी)/द्रवित पेट्रोलियम गैस
(एलपीजी) — ईंधन प्रणाली के घटक — चि
पेट्रोल वाल्व (आटोमेटिक/मैन्युल)

(पहला पुनरीक्षण)

Road Vehicles — Compressed
Natural Gas (CNG)/Bio-Compressed
Natural Gas (Bio-CNG)/Liquefied
Petroleum Gas (LPG) — Fuel
System Components — Petrol Valve
(Automatic/Manual)

(First Revision)

ICS 43.060.40

© BIS 2024



भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002

www.bis.gov.in www.standardsbis.in

### **FOREWORD**

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Automotive Vehicles Running on Non-Conventional Energy Sources Sectional Committee had been approved by the Transport Engineering Division Council.

This standard was first published in 2006 to specify tests and requirements of petrol solenoid valve (automatic/manual) of CNG on board fuel system components, intended to use on motor vehicles defined in IS 14272. In this revision, bio-CNG is added to the scope of this standard keeping in view the technological advancements that have taken place since its last publication. The revised version also incorporates the amendments issued to the standard. The new scope also covers liquefied petroleum gas (LPG) to incorporate the Amendment No. 1 to earlier standard.

In the formulation of this standard considerable assistance has been derived from the following AIS standards issued by the Automotive Research Association of India:

AIS 024 (Rev. 1) (Part A) — AIS 024(Rev.1) (Part A) — Safety and procedural requirements for type approval of gaseous fuelled vehicles — Part A (Automotive application)

AIS 024 Rev. 1) (Part B) — Safety and procedural requirements for type approval of gaseous fuel agricultural tractors — Part B (Agricultural tractors application)

AIS 024 (Rev. 1) (Part C) — Safety and procedural requirements for type approval of gaseous fuel vehicles — Part C (CEV's Application)

AIS 025 (Version 3) — Safety and procedural requirements for type approval of LPG operated vehicles

AIS 026 (Version 3) — Code of practice for use of LPG fuel in internal combustion engine to power 4 wheeled vehicles and heavy motor vehicles

AIS 027 (Version 3) — Code of practice for use of LPG fuel in internal combustion engine to power 2 & 3 wheeled vehicles

AIS 028 (Rev. 1) (Part A) — Code of practice for use of gaseous fuels in internal combustion engine vehicles — Part A (Automotive application)

AIS 028 (Rev. 1) (Part B) — Code of practice for use of gaseous fuels in internal combustion engine agricultural tractors — Part B (Agricultural tractors application)

AIS 028 (Rev. 1) (Part C) — Code of practice for use of gaseous fuels in internal combustion engine construction equipment vehicles (CEV's) — Part C (CEV's application)

This standard is one of the series of Indian Standards published on CNG/bio-CNG/LPG onboard fuel system components. Other standards in the series are:

IS No. Title

IS 15710 : 2024 Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components — General requirements and definitions (*first revision*)

IS 15711: 2024 Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components — Performance and general test methods (*first revision*)

### Indian Standard

# ROAD VEHICLES — COMPRESSED NATURAL GAS (CNG)/BIO-COMPRESSED NATURAL GAS (BIO-CNG)/LIQUEFIED PETROLEUM GAS (LPG) FUEL SYSTEM COMPONENTS — PETROL VALVE (AUTOMATIC/MANUAL)

(First Revision)

### 1 SCOPE

- **1.1** This standard specifies definitions, test methods and requirements of petrol valve (automatic/manual) CNG/ bio-CNG/LPG on board fuel system components, intended for use on motor vehicles defined in IS 14272.
- **1.1.1** This standard is applicable to CNG/bio-CNG/LPG fuel system components intended to use on vehicles using compressed natural gas/bio-compressed natural gas/liquefied petroleum gas in accordance with IS 15320-1 (mono-fuel or bi-fuel applications or dual fuel applications).
- **1.1.2** This standard is not applicable to the following:
  - a) Liquefied natural gas (LNG) fuel system components located upstream of, and including, the vaporizer;
  - b) Fuel containers;
  - c) Stationary gas engines;
  - d) CNG/bio-CNG/LPG fuel systems components for the propulsion of marine craft; and
  - e) Hydrogen natural gas blend (HCNG) fuel system components.

### 2 REFERENCES

IS No.

The standards given below contain provisions which, through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of these standards:

IS 14272 : 2011	Automotive vehicles — Types — Terminology
IS 15710 : 2024	Road vehicles — Compressed

4 Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components — General requirements and definitions (first revision)

Title

### **3 DEFINITIONS**

For the purpose of this standard definitions given in IS 15710 shall apply.

#### 4 TESTS

### 4.1 Leakage Test

The leakage test shall be conducted at 1.5 times the working pressure by immersing the device under test in water at room temperature for 2 min. The outlet of the device shall not be plugged during the test. The device shall be bubble free.

### **4.2 Endurance Test**

Petrol valve (automatic/manual) shall meet the following requirements.

- **4.2.1** It shall be subjected to the endurance test by operating for 6 000 'ON' and 'OFF' cycles. The cycle rate shall not be faster than 10 cycles/min. During the test, the device under test shall be pressurized to 1.5 times its working pressure.
- **4.2.2** Immediately after the endurance test, the leakage test shall be conducted as per **4.1**.

### **5 MARKING**

- **5.1** Each petrol valve (automatic/manual) shall be legibly and indelibly marked with the following:
  - a) Manufacturers name, trade-mark or symbol;
  - b) Part number or unique identification mark; and
  - Inlet or outlet or direction of flow markings.

### 5.2 BIS CERTIFICATION MARKING

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act*, 2016 and the Rules and Regulations framed thereunder, and the products

To access Indian Standards click on the link below:

may be marked with the Standard Mark.

### 6 TYPE TEST AND ACCEPTANCE TEST

### **6.1 Type Test (Type Approval)**

For type approval petrol valve (automatic/manual) shall meet the requirements as specified in this standard.

### **6.2** ACCEPTANCE TEST (CONFORMITY OF PRODUCTION)

For the purpose of acceptance test, each petrol (automatic/manual) solenoid valve manufactured shall conform to leakage test requirements as specified in 4.1.

### 7 TECHNICAL INFORMATION TO BE SUBMITTED BY THE COMPONENT MANUFACTURER

Technical information to be submitted by the component manufacturer for component type approval/type test shall contain at least following information:

a) Name of the manufacturer;

- b) Manufacturing plant address;
- c) Part number or unique identification mark;
- d) Type No./model No.;
- e) Working pressure;
- f) Rated voltage of the solenoid coil (if any);
- g) Operating temperature; and
- h) Drawings with relevant dimensions and materials.

### 8 NUMBER OF SAMPLES FOR TESTING

Minimum 2 numbers of petrol valve (automatic/manual) assemblies shall be submitted to the test agency for testing.

## 9 CHANGES IN TECHNICAL SPECIFICATIONS OF A TYPE APPROVED COMPONENT AND EXTENSION OF APPROVAL

Any modification in technical specification of already type approved component shall require re-type test/extension of approval at the discretion of certification authority, based on the justification provided by the component manufacturer and reviewed by the certification authority, which has granted type approval.

### ANNEX A

(Foreword)

### COMMITTEE COMPOSITION

Automotive Vehicles Running on Non-Conventional Energy Sources Sectional Committee, TED 26

Organization	Representative(s)
--------------	-------------------

Automotive Research Association of India (ARAI), DR S. S. THIPSE (*Chairperson*)
Pune SHRI A. D. DEKATE

Ashok Leyland Ltd, Chennai Shrimati Suchismita C.
Shri Muthukumar N. (Alternate)

SHRI MUTHUKUMAR N. (Atternate)

Automotive Component Manufactures Shri Sanjay Tank
Association of India, New Delhi Shrimati Seema Babal (Alternate)

A B Process Technologies, Pune SHRI KUNAL CHOPDE

Bajaj Auto Ltd, Pune Shri Milind J. Pagare

SHRI ARVIND V. KUMBHAR (Alternate)

Bosch Limited, Bengaluru Shri Bharadwaj M. Krishnamurthy

SHRI VIKRAM K. (Alternate)

Central Institute of Road Transport, Pune SHRI SAMIR SATTIGERI

SHRI V. V. JOSHI (Alternate)

Central Pollution Control Board, New Delhi SHRI A. SUDHAKAR

SHRI SUNEEL DAVE (Alternate I) SHRI KEDARNATH DASH (Alternate II)

CLH Gaseous Fuel Applications Ltd, Gurugram Shri Shishir Agrawal

SHRI GAGAN AGRAWAL (Alternate)

Delhi Transport Corporation, New Delhi SHRI VIKAS BATRA

GAIL (India) Limited, New Delhi Shri Ashish Kumar Mittal

SHRI LOKESH MEHTA (Alternate)

Indian Auto LPG Coalition, Faridabad Shri Shishir Agrawal

SHRI SUYASH GUPTA (Alternate)

Indian Institute of Petroleum, Dehradun SHRI WITTISON KAMEI

SHRI ROBINDRO LAIRENLAKPAM (Alternate)

Indian Institute of Science, Bengaluru PROF R.V. RAVIKRISHNA

Indian Institute of Technology Ropar, Rupnagar Shri Dhiraj Kumar Mahajan

DR DEBAPRASAD MANDAL (Alternate)

Indian Oil Corporation Ltd, (R & D Centre),

Faridabad

DR M. SITHANANTHAN

Indian Rubber Manufacturers Research Association,

Thane, Mumbai

DR K. RAJ KUMAR

DR BHARAT KAPGATE (Alternate)

Organization

Representative(s) International Centre for Automotive Technology SHRI VAIBHAV PRASHANT YADAV SHRI VIJAYANTA AHUJA (Alternate)

(ICAT), Manesar

Mahindra & Mahindra Ltd, Mumbai SHRI RAJAMANI PARTHIBAN

SHRI SHAILESH KULKARNI (Alternate)

Mahindra & Mahindra Ltd (Truck and Bus Division),

Pune

SHRI V. G. KULKARNI

Maruti Suzuki India Limited, Gurugram SHRI GURURAJ RAVI

SHRI ARUN KUMAR (Alternate)

Minda Emer Technologies Limited, Gurugram SHRI VIVEK JAIN

SHRI BIBHUTI KUMAR (Alternate)

Ministry of New and Renewable Energy,

New Delhi

SHRI DIPESH PHERWANI

SHRI D. K. GUPTA Petroleum and Explosive Safety Organization,

Nagpur

SHRI VIVEK KUMAR (Alternate)

Petronet LNG Ltd New Delhi SHRI PANKAJ WADHWA (Alternate)

Prodair Air Products India Private Ltd, Pune SHRI RAVI SUBRAMANIAN

SHRI ARUN KURUVANGATTIL (Alternate)

Renault India Private Limited, Mumbai SHRI RAJENDRA KHILE

SHRI VIJAY DINAKARAN (*Alternate*)

Rohan BRC Gas Equipment Pvt Ltd, Ahmedabad SHRI STEFANO DE CAROLIS

SHRI PARTHIV SHUKLA (Alternate)

Society of Indian Automobile Manufacturers,

New Delhi

SHRI P. K. BANERJEE

DR SANDEEP GARG (Alternate)

Swagelok - Bombay Fluid System components

Pvt Ltd, Mumbai

SHRI SACHIN KOULGI

SHRI HARISH TAKKE (Alternate)

Tata Motors Ltd, Pune SHRI P. S. GOWRISHANKAR

SHRI SHAILENDRA DEWANGAN (Alternate)

TVS Motor Company Ltd, Hosur SHRI V. PATTABIRAMAN

SHRI K. M. SRIKANTH (*Alternate*)

Vanaz Engineers Ltd, Pune SHRI S. J. VISPUTE

SHRI J. S. DHUMAL (*Alternate*)

Volkswagen India Pvt Ltd, Mumbai SHRI JOREG BOUZEK

SHRI PANKAJ GUPTA (Alternate)

**BIS** Directorate General SHRI DEEPAK AGARWAL, SCIENTIST 'F'/

> SENIOR DIRECTOR AND HEAD (TRANSPORT ENGINEERING) [REPRESENTING DIRECTOR

GENERAL (*Ex-officio*)]

Member Secretary SHRI GAURAV JAYASWAL SCIENTIST 'C'/DEPUTY DIRECTOR (TRANSPORT ENGINEERING), BIS

IS No.	Title
IS 15712 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG), fuel system components — Automatic valve (solenoid valve) (first revision)
IS 15713 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-Compressed natural gas (bio-CNG) fuel system components — Pressure regulator ( <i>first revision</i> )
IS 15714 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components — Gas air mixer
IS 15715 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG)/liquefied petroleum gas (LPG) fuel system components — CNG/bio-CNG/LPG conduit (ventilation hose/pipe) (first revision)
IS 15716 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components — high pressure fuel line (rigid) with end connections (having pressure exceeding 2.15 MPa (21.5 bar)] (first revision)
IS 15718 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components — High pressure fuel line (flexible hose) with end connections [(having pressure exceeding 2.15 MPa (21.5 bar)] (first revision)
IS 15719 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG)/liquefied petroleum gas (LPG) fuel system components — Electrical wiring kit (first revision)
IS 15720 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG)/liquefied petroleum gas (LPG) — Fuel system components — CNG/bio-CNG/LPG compartment/sub-compartments (first revision)
IS 15721 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG)/liquefied petroleum gas (LPG) fuel system components — Fire retardant material for seat, upholstery, roof and side lining (first revision)
IS 15722 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) fuel system components flexible fuel line with end connections [CNG fuel line having pressure not exceeding 2.15MPa (21.5 bar)] (first revision)
IS 15723 : 2024	Road vehicles — Compressed natural gas (CNG)/bio-compressed natural gas (bio-CNG) and liquefied petroleum gas (LPG) — Fuel system components — Current limiting devices (first revision)

The composition of the Committee responsible for the formulation of this standard is given in  $\underline{\text{Annex } A}$ .

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of test or analysis, shall be rounded off in accordance with IS 2:2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

### **Bureau of Indian Standards**

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

### Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

### **Review of Indian Standards**

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: TED 26 (18374).

### **Amendments Issued Since Publication**

Amend No.	Date of Issue	Text Affected	

### **BUREAU OF INDIAN STANDARDS**

### **Headquarters:**

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402 Website: www.bis.gov.in

Regional Offices:	
Central : 601/A, Konnectus Tower -1, 6 <sup>th</sup> Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002	2323 7617
Eastern : 8 <sup>th</sup> Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091	2367 0012 2320 9474
Northern: Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019	{ 265 9930
Southern: C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	2254 1442 2254 1216
Western: 5 <sup>th</sup> Floor/MTNL CETTM, Technology Street, Hiranandani Gardens, Powai Mumbai 400076	25700030 25702715

Branches: AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.