पोतीय गहराई मापन रॉड — विशिष्टि

(पहला पुनरीक्षण)

Marine Sounding Rods — Specification

(First Revision)

ICS 47.020.30; 47.020.99

© BIS 2024



भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002 MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI - 110002 www.bis.gov.in www.standardsbis.in

December 2024

Price Group 4

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards after the draft finalized by the Shipbuilding Sectional Committee is approved by the Transport Engineering Division Council.

This standard was first published in 1966. This revision is being undertaken to update the standard and to incorporate the latest technological advancement/development that has taken place in various fields. The salient features of this first revision are:

- a) The standard has been drafted as per latest drafting guidelines;
- b) Reference of revised Indian Standard has been given; and
- c) Clauses related to marking, BIS certification and sampling plan have been added/updated.

Sounding rods with proper markings are one of the means employed on board ships for soundingtanks. The sounding rods, when required, are connected to a suitable rope and lowered into the sounding pipe. In the forward and after end of the ship, sounding pipes may have to be fitted atan incline or with smooth curves of large radii. As it is difficult to lower straight rods into such sounding pipes, sounding rods with flexible joints are used.

The composition of the Committee responsible for formulation of this standard is given in Annex A.

For the purpose of deciding whether a particular requirement of this standard is compiled with, the final value, observed or calculated, expressing the result of a test or analysis, shall be roundedoff in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

MARINE SOUNDING RODS — SPECIFICATION

(First Revision)

1 SCOPE

This standard specifies the requirements for flexible and straight marine sounding rods.

2 REFERENCES

The standards given below contain provisions which, through reference in this text, constitute provisions of this standard. At the time of publication the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of these standards:

IS No.	Title		
IS 410 : 1977	Specification for cold rolled brass sheet, strip and foil (<i>third revision</i>)		
IS 2062 : 2011	Hot rolled medium and high tensile structural steel — Specification (<i>seventh revision</i>)		
IS 2500 (Part 1) : 2000/ISO 2859-1 : 1999	Sampling procedure for inspection by attributes: Part 1 Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection (<i>third revision</i>)		
IS 6912 : 2005	Copper and copper alloys forging stock and forging — Specification (second revision)		
IS 7811 : 2019	Phosphor bronze rods and bars (<i>second revision</i>)		

3 MATERIAL

The material of the sounding rods shall conform to any of the following Indian Standards:

- a) IS 410;
- b) IS 2062;
- c) IS 6912; and
- d) IS 7811.

4 DIMENSIONS AND GRADUATIONS

4.1 The shape and dimensions of flexible and straight marine sounding rods shall be asshown in, Fig. 1 and Fig. 2 respectively.

4.2 Flexible sounding rods made of brass or bronze shall be 12 mm square in section. Straight sounding rods made of brass or bronze shall be 14 mm \times 6.3 mm in section.

4.3 Flexible sounding rods made of steel shall be 12 mm square in section. Straight sounding rods made of steel shall be $15 \text{ mm} \times 6 \text{ mm}$ in section.

4.4 The length of the graduated part shall be 1 250 mm for straight as well as flexible rods.

4.5 The sounding rods shall be graduated as shown in <u>Fig. 1</u> and <u>Fig. 2</u>.

4.6 The graduation marks shall be clear, of uniform depth and thickness and perpendicular to the edges. These marks shall be filled in black. The thickness of the lines shall be 0.4 mm. The lines shall be of sufficient depth to maintain legibility and indelibility.

4.7 The size of the numbers punched on the sounding rod shall be 5 mm.

5 ACCURACY

5.1 The actual length between any 10 consecutive graduation marks shall not differ by more than 0.02 mm, when compared against a standard certified scale.

5.2 The actual length of the total graduated part shall not differ by more than 2 mm, when compared against a standard certified scale.

6 PRESERVATIVE TREATMENT

The scales shall be smeared with a coating of mineral jelly or any other suitable preservative and wrapped in greaseproof paper.

To access Indian Standards click on the link below: https://www.services.bis.gov.in/php/BIS 2.0/bisconnect/knowyourstandards/Indian standards/isdetails/

7 MARKING

7.1 The abbreviation 'cm' shall be marked at the end of the graduations.

7.2 Each sounding rod shall be legibly and indelibly marked with the maker's initials and his recognized trade-mark.


7.3 BIS Certification Marking

The use of the Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act*,


2016 and the Rules and Regulations made thereunder. The details of conditions under which the license for the use of the Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.


8 SAMPLING

Unless otherwise agreed upon between a supplier and purchaser, the inspection sampling shall beas per IS 2500 (Part 1).












FIG. 2 DIMENSIONS FOR STRAIGHT SOUNDING RODS

ANNEX A

(*Foreword*)

COMMITTEE COMPOSITION

Shipbuilding Sectional Committee, TED 17

Organization

Indian Register of Shipping, Mumbai

Academy of Maritime Education and Training (AMET), Chennai

American Bureau of Shipping, Mumbai

Bureau Veritas, Mumbai

Cochin Shipyard Ltd, Cochin

- Cochin University of Science and Technology, Kochi
- Cyber Marine Knowledge Systems Pvt Ltd, Mumbai
- Directorate General of Quality Assurance, New Delhi
- Directorate General of Shipping, Mumbai
- Directorate of Marine Engineering, Marine Engineering Naval Headquarters, New Delhi
- Directorate of Naval Architecture, Naval Head Quarters, New Delhi
- Directorate of Naval Design, Naval Headquarters, New Delhi

DNVGL AS, Mumbai

Engineers India Limited, New Delhi

- Garden Reach Shipbuilders and Engineers Ltd, Kolkata
- Goa Shipyard Ltd, Vasco Da Gama

Govardhan Das P. A., Kolkata

Representative(s)

SHRI C. R. VENUGOPAL (Chairperson)

COL G. THIRUVASAGAM SHRI MUDUNNURI SURYA PRAKASA RAJU (Alternate)

SHRI A. N. DAS SHRI ARNAB GHOSH (*Alternate*)

SHRI RAJAN S. VARDHAN

SHRI HARIKRISHNAN S. Shri Deepu Surendran (*Alternate*)

DR K. SIVAPRASAD DR A. MATHIAZHAGAN (*Alternate*)

- SHRI KUMAR AJAGEKAR SHRI PRAVEEN R. RAI (Alternate)
- SHRI MONINDER PAL SINGH AZROT SHRI S. M. BHOSALE (*Alternate*)
- SHRI SURESH KUMAR SHRI AJI VASUDEVAN (Alternate)
- CAPT C. S. BABURAJ
- CAPT SUJIT BAXI Shri Pankaj Grover (*Alternate*)
- CMDE VINEET TIWARI CDR A. P. SINGH (*Alternate*)
- SHRI UDAY CHAITANYA GANIVADA SHRI JAGADEESH PISINI (Alternate)
- SHRI K. N. CHOUDHARY

CAPT JAGMOHAN SHRI SAJAL SENGUPTA (*Alternate*)

- SHRI SANTOSH KUMAR SINGH SHRI FABIAN SAVIO RODRIGUES (Alternate)
- SHRI J. R. AGGARWAL SHRI SANJAY RAJ AGGARWAL (*Alternate*)

IS 3942 : 2024

Organization Hindustan Shipyard Ltd, Visakhapatnam Indian Chain Pvt Ltd, Kolkata

Indian Institute of Technology, Chennai

Indian Institute of Technology, Kharagpur

Indian Maritime University IMU, Visakhapatnam

Indian National Ship-owners Association, Mumbai

Indian Register of Shipping, Mumbai

Institute of Marine Engineers India, Mumbai

L & T Shipbuilding Limited, Chennai

Lloyd's Register Asia, Mumbai

Mazagon Dock Ltd, Mumbai

Nippon Kaiji Kyokai, Mumbai

Oil & Natural Gas Corporation Ltd, Mumbai

Seatech Integrated Technology Pvt Ltd, Ghaziabad

Shipyard Association of India, New Delhi

Shoft Shipyard Private Limited, Thane

Tata Consultancy Services Limited, Mumbai

The Great Eastern Shipping Co Ltd, Mumbai

The Shipping Corporation of India Ltd, Mumbai

Titagarh Wagons Limited, Kolkata

Vedam Design & Technical Consultancy Pvt Ltd, Mumbai

Representative(s)

SHRI Y. SHIVRAMAKRISHNAN SHRI MELLAMU ASHOK KUMAR (*Alternate*) SHRI PRADIP CHITLANGIA SHRI ROHAN CHITLANGIA (*Alternate*)

SHRI P. KRISHNANKUTTY SHRI R. VIJAYA KUMAR (*Alternate*)

SHRI PRASAD KUMAR BHASKARAN

SHRI SHEEJA JANARDHANAN SHRI AVINASH GODEY (*Alternate*)

SHRI MAYANK AWASTHI SHRI SUNIL KUMAR (*Alternate*)

SHRI N. GIRISH SHRI S. RENGANATHAN (*Alternate*) SHRI MELLAMU ASHOK KUMAR (*Alternate*)

SHRI RAJEEV NAYYER SHRI BHUPESH TATER (*Alternate*)

CAPT KJH CHRISTIE CDR KAMAL KANAGAT (*Alternate*)

SHRI C. SREENIVASA RAO SHRI C. R. DASH (Alternate)

SHRI BIJU GEORGE SHRI VINIT WAGH (Alternate)

SHRI AJAY KUMAR Shri Ashish Balwantrai Matta (*Alternate*)

SHRI G. V. V. PAWAN KUMAR

SHRI KANDHA MANTRY SHRIMATI MALIKA KHATRI (Alternate)

SHRI SANJEEV WALIA

SHRI SAHAYRAJ

SHRI ABHIK CHAUDHURI

SHRI ANJAN KUMAR SAHU

SHRI VIKRAM DINGLEY SHRI N. K. TRIPATHI (*Alternate*)

SHRI VINEET SHRIVASTAVA

SHRI AKSHAY JAIN SHRI RAKESH ROY (Alternate)

Organization

Representative(s)

In Personal Capacity [A-1201, Raheja Sherwood, Near HUB Mail W. Exp. Highway, Goregaon (East), Mumbai – 400063]

BIS Directorate General, New Delhi

SHRI S. M. RAI

SHRI DEEPAK AGGARWAL, SCIENTIST 'F'/ SENIOR DIRECTOR AND HEAD (TRANSPORT ENGINEERING) [REPRESENTING DIRECTOR GENERAL (*Ex-officio*)]

Member Secretary Shri Mohammad Tausif Scientist 'D'/Joint Director (Transport Engineering), BIS this Page has been intertionally left blank

this Page has been intertionally left blank

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 2016 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

Headquarters:

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website-www.bis.gov.in or www.standardsbis.in.

This Indian Standard has been developed from Doc No.: TED 17 (22497).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Manak Bhavan, 9 Bahadur Shah Zafar <i>Telephones</i> : 2323 0131, 2323 3375, 23	0	Website: www.bis.gov.in	
Regional Offices:			Telephones
Central : 601/A, Konnectus Tower DMRC Building, Bhavbhu Delhi 110002			2323 7617
Eastern : 8 th Floor, Plot No 7/7 & 7/ Salt Lake, Kolkata, West I			<pre>{ 2367 0012 2320 9474 { 265 9930</pre>
Northern : Plot No. 4-A, Sector 27-B, Chandigarh 160019	Madhya Marg,		265 9930
Southern : C.I.T. Campus, IV Cross F	Road, Taramani, Chennai 600113		<pre>{ 2254 1442 2254 1216</pre>
Western: 5 th Floor/MTNL CETTM, 7 Mumbai 400076	Fechnology Street, Hiranandani (Gardens, Powai	{ 25700030 25702715

Branches : AHMEDABAD, BENGALURU, BHOPAL, BHUBANESHWAR, CHANDIGARH, CHENNAI, COIMBATORE, DEHRADUN, DELHI, FARIDABAD, GHAZIABAD, GUWAHATI, HARYANA (CHANDIGARH), HUBLI, HYDERABAD, JAIPUR, JAMMU, JAMSHEDPUR, KOCHI, KOLKATA, LUCKNOW, MADURAI, MUMBAI, NAGPUR, NOIDA, PARWANOO, PATNA, PUNE, RAIPUR, RAJKOT, SURAT, VIJAYAWADA.