

# FMCD

Our Ref: FMCD/AIF/IS 5189: 1985

20.07.2020

**Subject: All India First Application for Cold Polymerized Raw Styrene-Butadiene Rubber as per IS 5189: 1985**

FMCD has received an application under Normal Procedure for grant of licence to use Standard Mark on Cold Polymerized Raw Styrene Butadiene-Rubber as per IS 5189: 1985.

As per the information available at BIS website/CMMS, following points have been observed:

- i) As on date no BIS licence exists for the product on all India basis.
- ii) Marking fee rate & STI/SIT are also not available for the product.

Therefore, the application would be considered to be All India First Application for the product.

All ROs and BOs are, therefore, requested to send any information regarding the above product by return mail with respect to any application pending at their end or any other information which may be useful to process the application.

CMD/ROs/BOs are requested to inform if any licence had been granted in past and subsequently cancelled, and if so, information regarding relevant STI/SIT/Marking fee/Test Lab may kindly be provided.

LPPD is requested to inform whether the complete testing facility for the product is available with any other BIS / BIS accredited laboratory as per IS 5189:1985, along with the testing charges.

मिशन स्टार/उत्पत्ति वन  
मार्क नं. 7/2  
FMCD No. ....  
दिनांक/Date: 20/7/20

*Shouvik Chanda*  
20/07/2020  
(Shouvik Chanda)  
Sc. D (FMCD)

Head (FMCD)

*Shouvik Chanda*  
20/7/2020

DDG (MSC, FM & HM)

DDG (Certification)

Head (CMD I)

Head (CMD II)

Head (CMD III)

Head (LPPD)

ALL ROs/BOs

ITSD – for hosting the circular on intranet

हमारा संदेश: एफएमसीडी/एआइएफ/आई एस 5189:1985

20 जून 2020

विषय: कोल्ड पैकिंग/एआइएफ/आई एस 5189:1985 के लिए अखिल भारतीय पहला आवेदन आर्जुस के अर्जुस

5189:1985

एफएमसीडी को स्टैंडर्ड मार्क का उपयोग करने के लिए लाइसेंस देने की स्कीम के तहत कोल्ड पैकिंग/एआइएफ/आई एस 5189:1985 अर्जुस अखिल भारतीय पहला आवेदन प्राप्त हुआ है।

बीआइएस वेबसाइट / इंटरनेट पर उपलब्ध जानकारी के अर्जुस, निम्नलिखित सूचना प्राप्त हुई है :

1. अभी तक इस उत्पाद के लिए कोई बीआइएस लाइसेंस मौजूद नहीं है।
2. इस उत्पाद के लिए मार्किंग शुल्क दर व एसआइटी उपलब्ध नहीं है।

इसलिए, इस आवेदन को उपरोक्त उत्पाद के लिए 'अखिल भारतीय पहला आवेदन माना जाएगा।

इसके अलावा, सभी आरजी और बीओ से अनुरोध किया जाता है कि यदि उपरोक्त उत्पाद के संबंध में कोई भी आवेदन उनके अंत में लंबित है या कोई ऐसी अन्य सूचना जो आवेदन को संसाधित करने के लिए उपयोगी हो सकती है, भेज देवारा भेज सकते हैं।

सीएमडी/आरजी/बीओ को यह सूचित करने के लिए पुनः आमंत्रित किया जाता है कि क्या कोई लाइसेंस अतीत में और बाद में रद्द कर दिया गया था और यदि ऐसा है तो उसके बारे में जानकारी प्रदान करें।

एनपीडी को यह सूचित करने के लिए अनुरोध किया जाता है कि क्या आईएस 5189:1985 के अर्जुस उत्पाद के लिए पूर्ण परीक्षण सृष्टि/किसी भी अन्य बीआइएस / बीआइएस मान्यता प्राप्त प्रयोगशाला के पास उपलब्ध है, और यदि है तो परीक्षण शुल्क के साथ सूचित करने कि क्या करें।

डॉ. सी. एफएमसीडी  
(शौचिक चला)  
20/06/2020

डॉ. सी. एफएमसीडी  
20/06/2020

डॉ. सी. एफएमसीडी (एफएमसीडी & एचएम)

डॉ. सी. एफएमसीडी (प्रमाणन)

डॉ. सी. एफएमसीडी I, II & III)

डॉ. सी. एफएमसीडी (एनपीडी)

डॉ. सी. एफएमसीडी (सभी आरजी व बीओ)

आईएस 5189:1985 - इंटरनेट पर परिपत्र को ज्ञान देना